



SPEAKMAN[®]

SHOWER, BATH, KITCHEN
& COMMERCIAL

CATALOG VOLUME 02
2022



"Sustainability is essential to our mission of providing Legendary Hospitality with a Softer Footprint. With this in mind, we carefully tested dozens of different shower heads before deciding Speakman's Echo 1.5 GPM was our best option. Now installed in hundreds of guest rooms and employee residences at Grand Canyon National Park, we are thrilled to report that our only complaint is from guests expressing disbelief that we are in fact using a low flow shower head."

- David Perkins, Sustainability Director, Grand Canyon National Park Lodges

Echo Shower Head See PG 33

CONTENTS

8 COLLECTIONS

8-10	Lura® Collection
10	Opera® Collection
10-11	Vector® Collection
12	Lucid® Collection
12-13	Kubos® Collection
14-15	Neo® Collection

16 KITCHEN & BAR FAUCETS

17	Spring / Pull-Down Kitchen Faucets
18	Pull Down / Sensor Kitchen Faucet
19	Sensor / Bar / Wall Mount Faucet

20 BATH FAUCETS

21-23	Widespread Faucet
24	Widespread / Centerset Faucet
25	Wall Mounted / Single Lever Faucet
26-27	Single Lever / Vessel Faucet

28 SHOWER ESSENTIALS

29	Shower Head / Filter
30	8-jet / 6-Jet Shower Head
31	6-jet / 4-jet / Exhilaration® Shower Head
32	Shower Head / Exhilaration Shower Head
33	Shower Head / 6-jet / 8-jet Shower Head
34	Low Flow / Wall mounted Shower Head
35	Rain Shower Head / Rain Flange
36	Exhilaration / Hand Shower/ Wand
37	Hand Shower / Wand
38	Hand Shower / ADA Hand Shower
39-41	Shower Arm and Flange
42	Shower Elbow / Shower Bar / Adapter
43	Shower Diverter / Showerslide Riser

44 SHOWER TRIMS & VALVES

45-49	Shower Valve Trim
50	Shower Valve and Trim / Shower Combination
51	Shower System / Shower And Tub Combination
52	Commercial Hand Shower / Shower Combination
53	Shower and Tub Combination / Transfer Valve Trim
54	Transfer Valve Trim / Hand Shower Holder
55	Hand Shower Holder / Shower Bracket
56	Commercial Shower Combination
57	Commercial Shower and Tub Combination

58 TUB FAUCETS

59	5 Hole / Standing Roman Tub Faucet
60-61	Roman Tub Faucet / Filler / Spout

62 VITREOUS TOILETS

63	Two / One Piece Toilets
64	Bidet / Urinal / Water Closet Flushometer

65 VITREOUS SINKS

66	Under Mount Bathroom Sinks
----	----------------------------

67 BATH ACCESSORIES

68	Robe Hook
69	Robe Hook / Shower Slide Bar
70	Shower Slide Bar
71	ADA Shower Slide / Grab Bar
72	ADA Grab Bar / Towel Ring
73	Towel Ring / Towel Bar
74	Towel Bar
75	Towel Bar / Door Handle / Shower Basket
76	Towel Rack / Glass Shelf / Paper Holder
77	Paper Holder
78	Paper Holder / Phone Shelf

79 COMMANDER® FAUCETS

80	Utility Sink Faucet
81	Utility Widespread / Centerset Faucet
82	Centerset / Lab Faucet
83	Single Handle / Exposed Shower / Repair
84	Faucet Accessory

85 METERING FAUCETS

86	Metering Faucet / Deck Plate
----	------------------------------

87 SENSORFLO® FAUCETS

88	Touchless Lavatory Faucet / Deck Plate
89	Touchless Lavatory Faucet
90	Touchless Lavatory Faucet / Soap Dispenser

91 EXPOSED SHOWER

92	Exposed Shower With Shower Head
93	Exposed Shower Without Shower Head

94 VALVES

96	Pressure Balance Valve
97	Thermostatic Mixing Valve

98 PLUMBING SUPPLIES

99	Sump Pumps/ Garbage Disposal / Drain
100	Drain / Kitchen Drain

101 INDEX

COLLECTIONS 8

KITCHEN & BAR FAUCETS 16

BATH FAUCETS 20

SHOWER ESSENTIALS 28

SHOWER TRIMS & VALVES 44

TUB FAUCETS 58

VITREOUS TOILETS 62

VITREOUS SINKS 65

BATH ACCESSORIES 67

COMMANDER® FAUCETS 79

METERING FAUCETS 85

SENSORFLO® FAUCETS 87

EXPOSED SHOWER 91

VALVES 94

PLUMBING SUPPLIES 98

INDEX 101



GENTLE CURVES,
CRISSCROSSING
LINES AND SOFT
SQUARED ANGLES
- FOR FLAWLESS
COORDINATION

SA-3104
Towel Ring

SA-3106
Robe Hook

SB-3120
Widespread Faucet

See entire
Lucid collection
on PG 12

LUCID®

EUROPEAN DESIGNED COLLECTION

Simple, elegant styling found throughout Europe's finest hotels and living spaces. The luxury look brings transitionally styled spaces to life, and works seamlessly throughout a complete bathroom project.

FINISHES

-  Polished Chrome
-  Matte Black




LURA®

COLLECTION

DESIGNED BY CLODAGH

With Lura, we believe that less is more. Inspired by elements of both minimal and industrial design - each fixture in this collection features crisp lines and pronounced curves. The result is a classic, yet undeniably modern assortment that's ideal for both traditional and contemporary bathrooms alike.

FINISHES

-  Polished Chrome
-  Matte Black
-  Brushed Bronze



SA-2506
Robe Hook

SA-2504
Hand Towel
Bar

CD523
Widespread Faucet

SPECIFICALLY
ENGINEERED TO
MARRY FORM
AND FUNCTION
TOGETHER

SB-2536
Free Standing
Tub Filler

See entire
Lura collection
on PG 8-10



WESTMERE® VITREOUS CHINA SINKS

Transform a bathroom into a luxurious getaway with Speakman. The brand you trust for dependable bathroom fixtures is giving you even more to love. Westmere® bathroom sinks from Speakman offer streamlined styles that work with a variety of décor choices and elevate the look of any solid-surface countertop. Crafted from Vitreous China for a durable finish that resists stains and scratches, each high-end design comes at a competitive price.

GLENNWYN® & GLANVILLE® VITREOUS CHINA TOILETS

Modern style that's backed by today's most sought-after functional features. Designed to be sleek and easy-to-clean both inside and out, each toilet features a linear skirted bottom for an updated look. These toilets are also engineered using high quality vitreous china that's finished with a smooth glaze through the trap design.





EUROPEAN-INFLUENCED
DESIGN, CRAFTED
FROM THE FINEST
MATERIALS AND
FINISHING PROCESSES

SB-3403
Single Lever Faucet

See details on the
Quinn faucet
on PG 27

QUINN® FAUCET

From spout to handle to beautifully clean lines: European influence abounds in the Speakman Quinn® Single Handle Bathroom Faucet. The squared base combines with a gently curving spout to create geometric interest that's beautifully fluid.





FINISHES

-  Polished Chrome
-  Matte Black

PROPER® KITCHEN FAUCETS

Give your farmhouse kitchen a show-stopping centerpiece with the Speakman Proper® High Rise Kitchen Faucet. With a vintage bridge design inspired by the rustic farms dotting the English countryside, the style works perfectly with oversized fireclay and apron-front sinks.

FINISHES

-  Polished Chrome
-  Matte Black
-  Polished Brass
-  Brushed Bronze



LONG-REACH SPOUT WORKS
PERFECTLY WITH OVERSIZED
OR SINGLE-BOWL SINKS

SB-3241-BRB
High Rise Kitchen
Faucet

See entire
Proper collection
on PG 19

SENSOR KITCHEN FAUCETS





COLLECTION

Go hands-free in the kitchen with a Speakman Sensor Kitchen faucet. The Advanced Sensor Technology allows you to wash away germs with the wave of a hand. This Speakman Sensor Spring Kitchen Faucet delivers incredible Hands-Free and Pull Down functionality with a decorator's eye for design.

THREE-FUNCTION
SPRAY WAND ENHANCES
FUNCTIONALITY AND
CLEANING POWER.

SBS-1043
Neo Sensor
Spring Kitchen
Faucet

FINISHES

-  Polished Chrome
-  Matte Black
-  Stainless Steel
-  Brushed Bronze

See all **Kitchen
Sensor Faucets**
on PG 18-19

COLLECTION BADGES

Look for these icons throughout the Designer Collections to help identify product features.



Anystream® Technology: Our patented technology featured on our shower heads that allows you to infinitely customize the fixture's spray patterns.



Brass Construction: Constructed of durable, solid brass construction to deliver exceptional quality.



Mounting Hardware Included: Fixture includes mounting hardware for an easy installation.



WaterSense® Certified: Every WaterSense Certified product within this book has been third-party tested to comply with EPA standards.



CEC Compliant: In accordance with the California Title 20 Water-Efficiency Standards, this badge indicates lower flow rate options. 1.8 GPM or below shower head option. 0.5 GPM or below public faucet option. 1.2 GPM or below residential lavatory faucet option. 1.8 GPM or lower kitchen faucet option.



Special Order: Item is only available for specialty or bulk order for custom projects. Contact your local Speakman representative to learn more.



ADA Compliant: Fixture is engineered to comply with ADA standards when installed correctly.



ANSI/ISEA Z358.1 Certified: Indicates that the eyewash, facewash or emergency shower is certified to ANSI/ISEA Z358.1 standards.



LURA® COLLECTION

CLODAGH



PG 21
LURA® Widespread

Cross Handle / Lever Handle
CD521 / CD522 / CD523 | 1.2 GPM



PG 27
LURA® Single Faucet

Lever Handle
SB-2503 | 1.2 GPM



PG 27
LURA® Vessel Faucet

Lever Handle
SB-2504 | 1.2 GPM




PG 60
LURA® Tub Spout

CDS1574 (S-1574)



PG 18
LURA® Pull Down Kitchen Faucet

Lever Handle / Sensor with Lever
SB-2542 / SBS-2542 | 1.8 GPM



PG 25
LURA® Wall-Mounted

Cross Handle
SB-2551 | 1.2 GPM



PG 25
LURA® Wall-Mounted

Lever Handle / Platform Lever
SB-2552 / SB-2553 | 1.2 GPM



PG 59
LURA® Free Standing Tub Filler

Lever Handle / Cross Handle
SB-2536 / SB-2534 | 1.5 GPM





PG 58
LURA® 5-Hole Roman Tub Filler
Cross Handle
SB-2531 | 1.5 GPM



PG 59
LURA® 5-Hole Roman Tub Filler
Platform Lever Handle
SB-2533 | 1.5 GPM



PG 45
LURA® Shower Valve
Cross Handle
CDCPT25401
CDCPT25001 (NON-DIVERTER)



PG 45
LURA® Shower Valve
Lever Handle
CDCPT25403
CDCPT25003 (NON-DIVERTER)



PG 35
LURA® Rain Shower
15" Square
S-2764




PG 35
LURA® Ceiling Mount Flange
For S-2764
VS-127



PG 53
LURA® Transfer Valve
Cross Handle
CPT-1121



PG 53
LURA® Transfer Valve
Lever Handle
CPT-1123



PG 39
LURA® Shower Arm & Flange
16" Wall Mounted Shower Arm
S-2572



PG 39
LURA® Shower Arm & Flange
CDS2501




PG 39
LURA® Ceiling-Mounted Shower Arm
CDS2582



PG 70
LURA® Slide Bar
SA-2502
26"



PG 42
LURA® Hand Shower Bracket
VS-159



PG 69
LURA® Robe Hook
SA-2506



PG 74
LURA® Towel Bar
SA-2507-18 | 18"
SA-2507 | 24"



PG 74
LURA® Hand Towel Bar
SA-2504





PG 78
LURA® Reserve Paper Holder
SA-2508



PG 78
LURA® Paper Holder
SA-2505



PG 78
LURA® Paper Holder Shelf
SA-251



OPERA® COLLECTION



Opera® Widespread
SB-1621-E-PC
1.2 GPM



Opera® Valve & Trim
SM-16000-PC



Opera® Robe Hook
SA-1607-PC



Opera® Paper Holder
SA-1612-PC



Opera® 8" Hand Towel Bar
SA-1613-PC



Opera® 29.5" Towel Bar
SA-1606-PC



PG 30
Vintage™ 8-Jet Shower Head
S-3019
2.5, 2.0 & 1.75 GPM



PG 31
Vintage™ 6-Jet Shower Head
S-2255
2.5, 2.0 & 1.75 GPM



VECTOR® COLLECTION

ROGER THOMAS



PG 22
VECTOR® Widespread
Lever Handle
SB-2721 | 1.2 GPM



PG 22
VECTOR® Widespread
Cross Handle
SB-2723 | 1.2 GPM



PG 23
VECTOR® Widespread
Keystone Handle
SB-2725 | 1.2 GPM





PG 26
VECTOR® Single Lever
SB-2701 | 1.2 GPM






PG 33
VECTOR® Shower Head
S-6000
2.5, 2.0 & 1.75 GPM



PG 45
**VECTOR® Tub/
Shower**
Shower Valve Diverter Trim
CPT-27400



PG 45
**VECTOR® Tub/
Shower**
Shower Valve Trim
CPT-27000



PG 61
**VECTOR®
Tub Spout**
Wall Mounted
S-1570



PG 61
Tub/Shower
Tub Spout / w/Diverter
S-1557 / S-1558




PG 59
Tub Faucet
5-Hole Deck Mount
SB-2731



PG 40
Shower Arm & Flange
S-2510



PG 42
Shower Vertical Bar
14" Shower Door Handle
SH-2704



PG 75
**Shower Door
Handle & Towel Bar**
24" Shower Door Handle
SH-2702



PG 72
**VECTOR® Hand
Towel Ring**
SA-2703



PG 77
**VECTOR® Paper
Holder**
SA-2705
Spring loaded



PG 77
**VECTOR® Double
Paper Holder**
SA-2710
12" in length



PG 75
**VECTOR® Hand
Towel Bar**
SA-2704
8" in length



PG 74
VECTOR® Towel Bar
SA-2707-18
SA-2707-24
18" or 24" in length



PG 68
**VECTOR® Robe
Hook**
SA-2706
1-3/4" deep



PG 68
**VECTOR® Extended
Robe Hook**
SA-2708
2-1/2" deep



LUCID® COLLECTION



PG 24
Lucid® Widespread
Cross Handle
SB-3120 | 1.2 GPM



PG 24
Lucid® Widespread Faucet
SB-3121



PG 45
LURA® Shower Valve
Cross Handle
CDCPT25401
CDCPT25001 (NON-DIVERTER)



PG 53
LURA® Transfer Valve
Cross Handle
CPT-1121



PG 60
Lucid® 3 Piece Bath Mixer
Cross Handle
SB-3131 | CPV-SBC | 1.2 GPM



PG 50
Lucid® Round Body Jet
CPT-3310 | 1.0 GPM



PG 60
Lucid® Roman Tub Filler
SB-3132 | 2.0 GPM



PG 69
Lucid® Robe Hook
SA-3106



PG 73
Lucid® Towel Ring
SA-3104



PG 78
Lucid® Double Post Paper Holder
SA-3110



PG 75
Lucid® Towel Bar
24" or 18" Length
SA-3107 | SA-3107-18




KUBOS® COLLECTION



PG 32
Kubos™ Shower Head
S-3021
2.5, 2.0 & 1.75 GPM



PG 32
Kubos™ Shower Head
S-5001
2.0, 1.75 & 1.5 GPM



PG 35
Kubos™ Rain Shower
S-2763
2.5 & 1.75 GPM



PG 37
Kubos™ Shower Wand
VS-3023
2.5, 2.0 & 1.75 GPM





PG 37
Kubos™ Hand Shower

VS-5001
2.0, 1.75 & 1.5 GPM



PG 23
Kubos™ Widespread

SB-2421
1.2 GPM



PG 26
Kubos™ Single Lever

SB-2401
10-0377 4" DECK PLATE
1.2 GPM



PG 46
Kubos™ Trim

CPT-24000



PG 46
Kubos™ Diverter Trim

CPT-24400



PG 53
Kubos™ Transfer Trim

CPT-1124



PG 47
Kubos™ Universal Valve Trim

CPT-1300-UNI



PG 41
Kubos™ Shower Arm

S-2560



PG 61
Kubos™ Tub Spout

S-1568
S-1569 (Diverter)



PG 68
Kubos™ Robe Hook

SA-2406



PG 68
Kubos™ Double Robe Hook

SA-2408



PG 73
Kubos™ 10" Hand Towel Bar

SA-2404



PG 76
Kubos™ Paper Holder

SA-2405



PG 77
Kubos™ Double Paper Holder

SA-2410



PG 74
Kubos™ 24" Towel Bar

SA-2407



PG 70
Kubos™ Slide Bar

SA-2402



PG 76
Kubos™ Towel Rack

SA-2403





PG 17
Neo™ Spring Kitchen Faucet
SB-1043



PC SS MB BRB



PG 18
Neo™ Sensor Spring Kitchen Faucet
SBS-1043



PC SS MB BRB



PG 17
Neo™ Two Function Kitchen Faucet
SB-1042



PC SS MB BRB



PG 18
Neo™ Sensor Two Function Kitchen Faucet
SBS-1042



PC SS MB BRB



PG 31
Neo™ Shower Head
S-3010
2.5, 2.0 & 1.75 GPM



PC BN MB



PG 31
Neo™ Shower Head
S-5000
2.0, 1.75 & 1.5 GPM



PC BN MB



PG 35
Neo™ Rain Shower
S-2762
2.5 & 1.75 GPM



PC BN MB BRB



PG 36
Neo™ Hand Shower
VS-3010
2.5, 2.0 & 1.75 GPM




PC BN MB BRB



PG 36
Neo™ Hand Shower
VS-5000
2.0, 1.75 & 1.5 GPM



PC BN MB



PG 36
Neo™ Shower Wand
VS-3000
2.5, 2.0 & 1.75 GPM



PC BN MB



PG 23
Neo™ Widespread
SB-1021-E
1.2 GPM



PC BN MB



PG 19
Neo™ Bar Faucet
SB-1041
1.5 GPM



PC BN



PG 25
Neo™ Single Lever
SB-1003-E
1.2 GPM



PC MB BRB



PG 26
Neo™ Vessel
SB-1004-E | 1.2 GPM



PC MB BRB



PG 53
Neo™ Transfer Valve Trim
CPT-1110



PC BN MB



PG 46
Neo™ Trim
CPT-1001



PC BN MB BRB



PG 46
Neo™ Diverter Trim
CPT-1401



PG 46
Neo™ Universal Valve Trim
CPT-1000-UNI / CPT-1000-TP



PG 40
Neo™ Shower Arm
S-2540



PG 61
Neo™ Tub Spout
S-1557
S-1558 (Diverter)



PG 69
Neo™ Robe Hook
SA-2006



PG 68
Neo™ Double Robe Hook
SA-1008



PG 72
Neo™ Towel Ring
SA-2004



PG 77
Neo™ Paper Holder
SA-2005



PG 78
Neo™ Double Paper Holder
SA-2010




PG 73
Neo™ Towel Bar
SA-2007 (24")
SA-2007-18 (18")




PG 71
Neo™ ADA Grab Bar
SA-1009-24 (24")
SA-1009-36 (36")
SA-1009-48 (48")




PG 69
Neo™ Slide Bar
SA-1002



PG 76
Neo™ Towel Rack
SA-2003



PG 76
Neo™ Glass Shelf
SA-1209



PG 43
Showerslide 5" Riser
WS-3005



PG 43
Showerslide 10" Riser
WS-3010




KITCHEN & BAR FAUCETS

STYLE & VERSATILITY

Our Speakman kitchen faucets make a sleek statement with clean and simple lines. The performance and maneuverability make it easy to deliver water around the kitchen sink.

SB-1043

NEO SPRING KITCHEN FAUCET



Repair Parts: RPG05-112703, RPG05-112890-PC


- Three-function spray wand enhances functionality and cleaning power
- Aerated stream for everyday tasks
- Spray pattern for wide rinsing
- Boost spray button increases flow rate for filling large pots
- Durable brass construction is built to last, even in hard water situations
- Deck plate SB-DECK (See PG 19)
- Convenient single hole drop-in installation in decks up to 2-13/16 in. thick

Dimensions: 21.2"H x 10.4"L x 4.2"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-1043	YES	1.8	YES	YES	YES
SB-1043-SS	YES	1.8	YES	YES	YES
SB-1043-MB	YES	1.8	YES	YES	YES
SB-1043-BRB	YES	1.8	YES	YES	YES

SB-2141

CHELSEA KITCHEN FAUCET



Repair Parts: RPG05-108760, RPG05-108762, RPG05-108763


- Single post installation
- Side lever handle with 1/4 turn ceramic cartridge
- Mounts to decks up to 2-13/16 in. thick
- Durable brass construction
- 1.8 GPM (6.8 L/min) flow rate
- Deck plate SB-DECK (See PG 19)
- Supply lines included

Dimensions: 16.4"H x 11.1"L x 2.3"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-2141	YES	1.8	YES	YES	YES
SB-2141-BN	YES	1.8	YES	YES	YES

SB-2142

CHELSEA 3 FUNCTION KITCHEN FAUCET



Repair Parts: RPG05-112703, RPG05-112704-PC


- Two-function spray adds versatility to cleaning tasks
- Aerated stream for everyday tasks
- Spray pattern for wide rinsing
- Wand defaults back to an aerated spray when the faucet is shut off
- Durable brass construction is built to last, even in hard water situations
- Deck plate SB-DECK (See PG 19)
- Convenient single hole drop-in installation in decks up to 2-13/16 in. thick

Dimensions: 15.3"H x 10.7"L x 4.3"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-2142	YES	1.8	YES	YES	YES
SB-2142-SS	YES	1.8	YES	YES	YES
SB-2142-MB	YES	1.8	YES	YES	YES

SB-1042

NEO TWO FUNCTION KITCHEN FAUCET



Repair Parts: RPG05-108762, RPG05-112989-PC

- Two-function spray adds versatility to cleaning tasks
- Aerated stream for everyday tasks
- Spray pattern for wide rinsing
- Wand defaults back to an aerated spray when the faucet is shut off
- Deck plate SB-DECK (See PG 19)
- Easy Mount Nut simplifies installation: simply mount the faucet, slide the nut up until it makes contact, and tighten by hand in a few turns

Dimensions: 15.8"H x 4.5"L x 10.7"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-1042	YES	1.8	YES	YES	YES
SB-1042-SS	YES	1.8	YES	YES	YES
SB-1042-MB	YES	1.8	YES	YES	YES
SB-1042-BRB	YES	1.8	YES	YES	YES


SB-2542

LURA® PULL DOWN KITCHEN FAUCET



- Two-function spray adds versatility to cleaning tasks
- Aerated stream for everyday tasks, spray pattern for wide rinsing
- Wand defaults back to an aerated spray when the faucet is shut off
- Durable brass construction is built to last, even in hard water situations
- Easy Mount Nut simplifies installation: simply mount the faucet, slide the nut up until it makes contact, and tighten by hand in a few turns
- Single hole installation- cover plate sold separately SB-DECK (See PG 19)

Dimensions: 15.8"H x 4.5"L x 10.7"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-2542	YES	1.8	YES	YES	YES
SB-2542-BN	YES	1.8	YES	YES	YES
SB-2542-MB	YES	1.8	YES	YES	YES
SB-2542-BBZ	YES	1.8	YES	YES	YES

SBS-2542

LURA® SENSOR PULL DOWN KITCHEN FAUCET



- Discrete sensor design features one of the smallest -- and most reliable -- solenoid sensors available
- Sensor cycles off after 4 minutes: ideal for handwashing or rinsing dishes
- Use the handle anytime for standard operation or to adjust water temperature
- Two-function spray adds versatility to cleaning tasks
- Easy Mount Nut simplifies installation: simply mount the faucet, slide the nut up until it makes contact, and tighten by hand in a few turns
- Single hole installation- cover plate sold separately, SB-DECK (See PG 19)

Dimensions: 15.8"H x 4.5"L x 10.7"W

SKU	ADA	GPM	Low Lead	NSF61	
SBS-2542	YES	1.8	YES	YES	YES
SBS-2542-BN	YES	1.8	YES	YES	YES
SBS-2542-MB	YES	1.8	YES	YES	YES
SBS-2542-BBZ	YES	1.8	YES	YES	YES


SBS-1042

NEO SENSOR PULL DOWN KITCHEN FAUCET



- Discrete sensor design features one of the smallest -- and most reliable -- solenoid sensors available
- Advanced technology tested to deliver over 1 million on/off cycles
- Cycles off after 2 minutes: perfect for hand-washing or forgetful kids
- Runs on standard batteries; AC adapter also available (sold separately)
- Use the handle anytime for standard operation or to adjust water temperature

Dimensions: 15.8"H x 4.5"L x 10.7"W

SKU	ADA	GPM	Low Lead	NSF61	
SBS-1042	YES	1.8	YES	YES	YES
SBS-1042-SS	YES	1.8	YES	YES	YES
SBS-1042-MB	YES	1.8	YES	YES	YES
SBS-1042-BRB	YES	1.8	YES	YES	YES


SBS-1043

NEO SENSOR SPRING KITCHEN FAUCET



- Discrete sensor design features one of the smallest -- and most reliable -- solenoid sensors available
- Advanced sensor technology cycles off after 2 minutes: perfect for hand-washing or forgetful kids
- Use the handle anytime for standard operation or to adjust water temperature
- Three-function spray wand includes boost button to increase flow rate
- Convenient single hole drop-in installation in decks up to 2-13/16 in. thick

Dimensions: 25.4"H x 4.4"L x 2"W


SKU	ADA	GPM	Low Lead	NSF61	
SBS-1043	YES	1.8	YES	YES	YES
SBS-1043-SS	YES	1.8	YES	YES	YES
SBS-1043-MB	YES	1.8	YES	YES	YES
SBS-1043-BRB	YES	1.8	YES	YES	YES

SBS-2142

CHELSEA SENSOR PULL DOWN KITCHEN FAUCET



PC SS MB



Repair Parts: RPG05-112703
RPG05-112704-PC, RPG76-107259, RPG76-115361

- Discrete sensor design features one of the smallest -- and most reliable -- solenoid sensors available
- Advanced sensor technology cycles off after 2 minutes: perfect for hand-washing or forgetful kids
- Use the handle anytime for standard operation or to adjust water temperature
- Two-function spray adds versatility to cleaning tasks
- Durable brass construction is built to last, even in hard water situations
- Convenient single hole drop-in installation in decks up to 2-13/16 in. thick

Dimensions: 15.3"H x 4.2"L x 2.2"W


SKU	ADA	GPM	Low Lead	NSF61	
SBS-2142	YES	1.8	YES	YES	YES
SBS-2142-SS	YES	1.8	YES	YES	YES
SBS-2142-MB	YES	1.8	YES	YES	YES

SB-1041

NEO BAR FAUCET



PC BN



Repair Parts: RPG05-0822,
RPG05-108748, RPG05-109424

- Single post installation
- Side lever handle with 1/4 turn ceramic cartridge
- Mounts to decks up to 3-3/16 in. thick
- Durable brass construction
- Supply lines included

Dimensions: 10.8"H x 6.5"L x 4.1"W


SKU	ADA	GPM	Low Lead	NSF61	
SB-1041	YES	1.5	YES	YES	YES
SB-1041-BN	YES	1.5	YES	YES	YES

SB-3241

PROPER® KITCHEN FAUCET



PC MB BRB PB



Repair Parts: RPG05-114665,
RPG05-115717 RPG05-114678,
RPG05-116122

- Long-reach spout works perfectly with oversized or single-bowl sinks
- Turn-of-the-century farmhouse style includes period-era details, like tailored finials, a gooseneck- inspired spout and ceramic H/C handle inlays
- Cross handles elevate the style and are easy to grip and turn for precision water temperature adjustment

Dimensions: 7.9"H x 10.7"L x 10.6"W


SKU	ADA	GPM	Low Lead	NSF61	
SB-3241	NO	1.75	YES	YES	YES
SB-3241-MB	NO	1.75	YES	YES	YES
SB-3241-BRB	NO	1.75	YES	YES	YES
SB-3241-PB	NO	1.75	YES	YES	YES
SB-3242 (WALL MOUNT FAUCET)	NO	1.75	YES	YES	YES
SB-3242-MB (WALL MOUNT FAUCET)	NO	1.75	YES	YES	YES
SB-3242-BRB (WALL MOUNT FAUCET)	NO	1.75	YES	YES	YES
SB-3242-PB (WALL MOUNT FAUCET)	NO	1.75	YES	YES	YES

SB-DECK

KITCHEN FAUCET 10.5"DECK PLATE



PC SS MB BRB



- Sleek and minimalist design accentuates your kitchen decor
- Anti-Corrosion and tarnish resistant metal with internal plastic spacer with slip resistant lined foam gasket
- Compatible with most single hole faucets center mount with a 1.25" diameter counter rough in

Dimensions: 0.3"H x 10.5"L x 2.7"W

SKU
SB-DECK
SB-DECK-SS
SB-DECK-MB
SB-DECK-BRB

BATH FAUCETS

COMPLETE & TOTAL HARMONY


Designing a room is all about delivering an experience. It's an attention to detail - selecting fixtures, fittings, accessories, and patterns that perfectly work together. It's as much a science as it is an art form.

At Speakman, we understand the power of harmonious design. Which is why our Bathroom Collections have been meticulously curated to create a complete and cohesive environment.

From modern to traditional, transitional to experimental - each assortment has been specifically crafted to align with your artistic intention.

CD521

LURA® WIDESPREAD CROSS HANDLES



Repair Parts: RPG04-103908-PC, RPG05-106848, RPG05-106849, RPG05-106850, RPG05-106851, RPG63-106852, S-3357

- Modern, minimalistic spout
- Industrial-inspired cross handles
- Durable, low-lead brass construction
- Enduring, corrosion-resistant finish
- Coordinates with accessories in Lura® Collection by Clodagh


Drain Included: YES **Drain Type:** Pop-up

Dimensions: 7.6"H x 10.8"L x 5.4"W

SKU	ADA	GPM	Low Lead	NSF61	
CD521	NO	1.2	YES	YES	YES
CD521MB	NO	1.2	YES	YES	YES
CD521BBZ	NO	1.2	YES	YES	YES

CD522

LURA® WIDESPREAD LEVER HANDLES



Repair Parts: RPG04-103909-PC, RPG05-106848, RPG05-106849, RPG05-106850, RPG05-106851, RPG63-106852, S-3470

- Modern, minimalistic design
- Clean, blade handles
- Durable, low-lead brass construction
- Enduring, corrosion-resistant finish
- Coordinates with a full collection of Lura® faucets and accessories


Drain Included: YES **Drain Type:** Pop-up

Dimensions: 7.9"H x 14"L x 5.4"W

SKU	ADA	GPM	Low Lead	NSF61	
CD522	YES	1.2	YES	YES	YES
CD522MB	YES	1.2	YES	YES	YES
CD522BBZ	YES	1.2	YES	YES	YES

CD523

LURA® WIDESPREAD BLADE HANDLES



Repair Parts: RPG04-103910-PC, RPG05-106848, RPG05-106849, RPG05-106850, RPG05-106851, RPG63-106852, S-3470

- Modern, minimalistic spout
- Transitional, platform lever handles
- Durable, low-lead brass construction
- Enduring, corrosion-resistant finish
- Coordinates with accessories in Lura® Collection by Clodagh


Drain Included: YES **Drain Type:** Pop-up

Dimensions: 7.9"H x 14"L x 5.4"W

SKU	ADA	GPM	Low Lead	NSF61	
CD523	YES	1.2	YES	YES	YES
CD523MB	YES	1.2	YES	YES	YES
CD523BBZ	YES	1.2	YES	YES	YES

SB-2521

LURA® WIDESPREAD CROSS HANDLES



Repair Parts: RPG04-103908-PC, RPG05-106848, RPG05-106849, RPG05-106850, RPG05-106851, RPG63-106852, S-3357

- Modern, minimalistic spout
- Industrial-inspired cross handles
- Durable, low-lead brass construction
- Enduring, corrosion-resistant finish
- Coordinates with accessories in Lura® Collection by Clodagh

Drain Included: YES **Drain Type:** Pop-up

Dimensions: 7.6"H x 10.8"L x 5.4"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-2521	NO	1.2	YES	YES	YES
SB-2521-MB	NO	1.2	YES	YES	YES
SB-2521-BBZ	NO	1.2	YES	YES	YES

SB-2522

LURA® WIDESPREAD CROSS HANDLES




Repair Parts: RPG04-103909-PC, RPG05-106848, RPG05-106849, RPG05-106850, RPG05-106851, RPG63-106852, S-3470



PC MB BBZ



- Modern, minimalistic spout
- Clean blade handles
- Durable, low-lead brass construction
- Enduring, corrosion-resistant finish
- Coordinates with accessories in Lura® Collection by Clodagh

Drain Included: YES **Drain Type:** Pop-up
Dimensions: 7.6"H x 10.8"L x 5.4"W




SKU	ADA	GPM	Low Lead	NSF61	
SB-2522	YES	1.2	YES	YES	YES
SB-2522-MB	YES	1.2	YES	YES	YES
SB-2522-BBZ	YES	1.2	YES	YES	YES

SB-2523

LURA® WIDESPREAD BLADE HANDLES




Repair Parts: RPG04-103910-PC, RPG05-106848, RPG05-106849, RPG05-106850, RPG05-106851, RPG63-106852, S-3470



PC MB BBZ



- Modern, minimalistic spout
- Transitional, platform lever handles
- Durable, low-lead brass construction
- Enduring, corrosion-resistant finish
- Coordinates with accessories in Lura® Collection by Clodagh

Drain Included: YES **Drain Type:** Push Pop-up
Dimensions: 7.9"H x 14"L x 5.4"W



SKU	ADA	GPM	Low Lead	NSF61	
SB-2523	YES	1.2	YES	YES	YES
SB-2523-MB	YES	1.2	YES	YES	YES
SB-2523-BBZ	YES	1.2	YES	YES	YES

SB-2721

VECTOR® WIDESPREAD LEVER HANDLE FAUCET




Repair Parts: RPG05-106848, RPG05-106850, RPG05-106851, RPG05-1113, S-3357



PC MB



- 6 in. to 12 in. flexible layout widespread bathroom faucet
- 1/4 turn ceramic handle cartridges for drip free performance
- Mounts to decks up to 2-1/8 in. thick
- Corrosion resistant brass construction
- Includes Pop-up Drain and Lift Rod
- Coordinates with accessories in Vector® Collection by Clodagh

Drain Included: YES **Drain Type:** Pop-up
Dimensions: 2.8"H x 6.2"L x 13.3"W



SKU	ADA	GPM	Low Lead	NSF61	
SB-2721	YES	1.2	YES	YES	YES
SB-2721-MB	YES	1.2	YES	YES	YES

SB-2723

VECTOR® WIDESPREAD CROSS HANDLE FAUCET




Repair Parts: RPG05-106848, RPG05-106850, RPG05-106851, RPG05-1113, S-3357



PC MB



- 6 in. to 12 in. flexible layout widespread bathroom faucet
- 1/4 turn ceramic handle cartridges for drip free performance
- Mounts to decks up to 2-1/8 in. thick
- Corrosion resistant brass construction
- Includes Pop-up Drain and Lift Rod
- Coordinates with accessories in Vector® Collection by Clodagh

Drain Included: YES **Drain Type:** Pop-up
Dimensions: 2.8"H x 6.2"L x 10.6"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-2723	NO	1.2	YES	YES	YES
SB-2723-MB	NO	1.2	YES	YES	YES

SB-2725

VECTOR® WIDESPREAD KEYSTONE HANDLES FAUCET



Repair Parts: RPG05-106848, RPG05-106850, RPG05-106851, RPG05-1113, S-3357


- 6 in. to 12 in. flexible layout widespread bathroom faucet
- 1/4 turn ceramic handle cartridges for drip free performance
- Mounts to decks up to 2-1/8 in. thick
- Corrosion resistant brass construction
- Includes Pop-up Drain and Lift Rod
- Coordinates with accessories in Vector® Collection by Clodagh

Drain Included: YES **Drain Type:** Pop-up
Dimensions: 2.8"H x 6.2"L x 10"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-2725	NO	1.2	YES	YES	YES
SB-2725-MB	NO	1.2	YES	YES	YES

SB-1021-E

NEO WIDESPREAD FAUCET



Repair Parts: RPG05-0889, RPG05-0890, RPG05-40053, RPG24-0127-PC, RPG45-0046, RPG63-0084


- Durable, low-lead brass construction
- Clean, modern design
- Sleek, lever handles
- Coordinates with every Neo Collection fixture
- Meets ASME A112.18.1/CSA B125.1, NSF 372 and NSF 61

Drain Included: YES **Drain Type:** Pop-up
Dimensions: 6.8"H x 8"L x 10.5"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-1021-E	YES	1.2	YES	YES	YES
SB-1021-E-BN	YES	1.2	YES	YES	YES
SB-1021-E-MB	YES	1.2	YES	YES	YES

SB-2421

KUBOS WIDESPREAD FAUCET



Repair Parts: RPG04-0445, RPG04-0446, RPG05-1113, RPG05-1118, RPG05-1119, RPG05-1120, RPG10-0122, RPG20-2055, RPG20-2056, RPG24-0134-PC, PG24-0135, RPG41-0288, RPG63-0103


- Unique, square handles for precise activation.
- Durable, low-lead brass construction
- Beautiful, corrosion-resistant finishes
- Coordinates with every Kubos Collection fixture

Drain Included: NO **Drain Type:** Pop-up
Dimensions: 4.8"H x 6"L x 17.5"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-2421	YES	1.2	NO	NO	NO
SB-2421-BN	YES	1.2	NO	NO	NO

SB-1721-E

CHELSEA WIDESPREAD FAUCET



Repair Parts: RPG04-0415, RPG05-0959, RPG05-0960, RPG05-40126, RPG45-0057, RPG63-0089

- Durable Low lead Brass construction with Speakman engineered ceramic cartridges
- Speakman finishes resist tarnishing and corrosion
- Speakman Quick Connect fittings for easy installation; drain assembly included
- Meets ASME A112.18.1/CSA B125.1, NSF 372 and NSF 61

Drain Included: YES **Drain Type:** Pop-up
Dimensions: 4"H x 6.7"L x 14.3"W



SKU	ADA	GPM	Low Lead	NSF61	
SB-1721-E	YES	1.2	YES	YES	YES
SB-1721-E-BN	YES	1.2	YES	YES	YES

BATH FAUCETS

WIDESPREAD / CENTERSET FAUCET

SB-1321-E

RAINIER WIDESPREAD FAUCET



Repair Parts: RPG04-0400-PC, RPG05-0892-PC, RPG05-0902, RPG05-0903, RPG05-40050, RPG24-0127-PC, RPG45-0046, RPG63-0084

PC

- Durable Low lead Brass construction with Speakman engineered ceramic cartridges
- Lever Handles
- Finishes resist tarnishing and corrosion
- Quick Connect fittings for easy installation; Drain assembly included
- Meets ASME A112.18.1/CSA B125.1, NSF 372 and NSF 61

Drain Included: YES **Drain Type:** Pop-up

SKU	ADA	GPM	Low Lead	NSF61	
SB-1321-E	YES	1.2	YES	YES	YES

SB-3120

LUCID® WIDESPREAD FAUCET



Repair Parts: RPG05-114665, RPG05-151717, RPG05-114666

PC MB

- Take the luxury throughout your bathroom coordinating fixtures are available for the shower, as well as towel bars, robe hooks and more
- High arc spout provides plenty of room for hand washing
- Gentle curves, crisscrossing lines and soft squared angles create signature look
- High-quality, durable materials and backed by a three year finish warranty
- Crafted using the finest materials and finishing processes

Drain Included: YES **Drain Type:** Push-Pop
Dimensions: 10.7"H x 7.3"L x 8.224" - 14.224"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-3120	NO	1.2	YES	YES	YES
SB-3120-MB	NO	1.2	YES	YES	YES

SB-3121

LUCID® WIDESPREAD FAUCET



PC MB

- Take the luxury throughout your bathroom - coordinating fixtures are available for the shower, as well as towel bars, robe hooks and more
- High arc spout provides plenty of room for hand washing
- Made of high-quality, durable materials
- Crafted using the finest materials and finishing processes
- Faucet is special order only with a minimum purchase quantity of 20 pieces

Drain Included: Yes **Drain Type:** Push-Pop
Dimensions: 10.669"H x 7.283"L x 8.224" - 14.224"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-3121	YES	1.2	YES	YES	YES
SB-3121-MB	YES	1.2	YES	YES	YES

SB-1711-E

CHELSEA CENTERSET FAUCET



Repair Parts: RPG04-0414, RPG05-0957, RPG05-0958, RPG05-40126, RPG45-0060

PC BN

- Lever handles
- Low lead brass construction
- 1/4 turn ceramic cartridge
- Includes drain assembly

Drain Included: YES **Drain Type:** Push-Pop
Dimensions: 3.5"H x 9.4"L x 15"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-1711-E	YES	1.2	YES	YES	YES
SB-1711-E-BN	YES	1.2	YES	YES	YES

SB-2551

LURA® WALL MOUNTED FAUCET



PC MB BBZ

Repair Parts: RPG05-106849, RPG05-109262, RPG05-109263, S-3470

- Modern, minimalistic spout
- Industrial-inspired cross handles
- Durable, low-lead brass construction
- Enduring, corrosion-resistant finish

Drain Included: YES **Drain Type:** Push-Pop
Dimensions: 3.08"H x 9.65"L x 10.76"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-2551	NO	1.2	N/A	N/A	N/A
SB-2551-MB	NO	1.2	N/A	N/A	N/A
SB-2551-BBZ	NO	1.2	N/A	N/A	N/A

SB-2552

LURA® WALL MOUNTED FAUCET



PC MB BBZ

Repair Parts: RPG05-106849, RPG05-109262, RPG05-109263, S-3470

- Modern, minimalistic spout
- Industrial-inspired cross handles
- Durable, low-lead brass construction
- Enduring, corrosion-resistant finish

Drain Included: YES **Drain Type:** Push-Pop
Dimensions: 2.8"H x 9.7"L x 14"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-2552	YES	1.2	N/A	N/A	N/A
SB-2552-MB	YES	1.2	N/A	N/A	N/A
SB-2552-BBZ	YES	1.2	N/A	N/A	N/A

SB-2553

LURA® WALL MOUNTED FAUCET



PC MB BBZ

Repair Parts: RPG05-106849, RPG05-109262, RPG05-109263, S-3470

- Modern, minimalistic spout
- Industrial-inspired platform lever handles
- Durable, low-lead brass construction
- Enduring, corrosion-resistant finish

Drain Included: YES **Drain Type:** Push-Pop
Dimensions: 2.8"H x 9.7"L x 14"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-2553	YES	1.2	N/A	N/A	N/A
SB-2553-MB	YES	1.2	N/A	N/A	N/A
SB-2553-BBZ	YES	1.2	N/A	N/A	N/A

SB-1003-E

NEO SINGLE LEVER FAUCET



PC BN MB

Repair Parts: RPG04-0430-PC, RPG05-0986, RPG05-0988, RPG05-0990, RPG05-40129, RPG63-0102


- Single lever handle
- Durable, low-lead brass construction
- 1/4 turn ceramic cartridge

Drain Included: YES **Drain Type:** Push-Pop
Dimensions: 5.9"H x 6.9"L x 2.2"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-1003-E	YES	1.2	YES	YES	YES
SB-1003-E-BN	YES	1.2	YES	YES	YES
SB-1003-E-MB	YES	1.2	YES	YES	YES


SB-2011-E

CHELSEA SINGLE LEVER FAUCET



- Durable Low lead Brass construction with Speakman engineered ceramic cartridges
- Optional 4 inch deck plate included for 3 hole installation
- Meets ASME A112.18.1/CSA B125.1, NSF 372 and NSF 61

Drain Included: YES **Drain Type:** Pop-up
Dimensions: 6.66"H x 5.94"L x 6.67"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-2011-E	YES	1.2	YES	YES	YES
SB-2011-E-BN	YES	1.2	YES	YES	YES


SB-1004-E

NEO VESSEL FAUCET



- Durable Low Lead Brass construction with Speakman engineered ceramic cartridges
- Lever Handle
- Speakman finishes resist tarnishing and corrosion
- Single hole mounting with drain assembly included
- Meets ASME A112.18.1/CSA B125.1, NSF 372 and NSF 61

Drain Included: YES **Drain Type:** Push-Pop
Dimensions: 12.6"H x 6.2"L x 2.2"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-1004-E	YES	1.2	YES	YES	YES
SB-1004-E-BN	YES	1.2	YES	YES	YES
SB-1004-E-MB	YES	1.2	YES	YES	YES


SB-2401

KUBOS SINGLE LEVER FAUCET




- Unique, square handle for precise activation
- Beautiful, corrosion-resistant finishes
- Coordinates with every Kubos Collection fixture
- 4 inch deck plate, 10-377, sold separately (See Below)

Drain Included: YES **Drain Type:** Pop-up
Dimensions: 5.25"H x 5.5"L x 1.75"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-2401	YES	1.2	YES	YES	YES
SB-2401-BN	YES	1.2	YES	YES	YES

10-O377

KUBOS 4 IN. DECK PLATE




- Durable, solid brass construction
- Compatible with Kubos Single lever Faucet
- Clean, modern design
- Corrosion-resistant finish

Dimensions: 0.3"H x 6"L x 1.8"W

SKU
10-O377


SB-2701

VECTOR® SINGLE LEVER FAUCET



- Durable, low-lead brass construction
- 1/4 turn ceramic cartridge
- Mounts to deck up to 1-1/2 in. thick

Drain Included: YES **Drain Type:** Push-Pop
Dimensions: 5.9"H x 6.1"L x 1.8"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-2701	YES	1.2	YES	YES	YES
SB-2701-MB	YES	1.2	YES	YES	YES

SB-2503


LURA® SINGLE LEVER FAUCET



PC

MB

BBZ



Repair Parts: RPG05-0986,
RPG24-0134, RPG05-106849

- Short faucet height prevents interference between faucet and medicine cabinets
- Durable, low-lead brass construction
- Spout creates a beautiful waterfall effect
- Coordinates with a full collection of Lura® faucets and accessories

Drain Included: YES **Drain Type:** Pop-up

Dimensions: 5.4"H x 5.6"L x 1.8"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-2503	YES	1.2	YES	YES	YES
SB-2503-MB	YES	1.2	YES	N/A	N/A
SB-2503-BBZ	YES	1.2	YES	N/A	N/A

SB-2504


LURA® VESSEL FAUCET



PC

MB

BBZ



Repair Parts: RPG05-0986,
S-3470-XX, RPG05-106849

- 14-inch faucet height works beautifully with vessel or raised sink basins
- Durable, low-lead brass construction
- Spout creates a beautiful waterfall effect
- Transitional, platform lever handle
- Coordinates with a full collection of Lura® faucets and accessories

Drain Included: YES **Drain Type:** Push-Pop

Dimensions: 13.1"H x 5.6"L x 1.8"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-2504	YES	1.2	YES	YES	YES
SB-2504-MB	YES	1.2	YES	YES	YES
SB-2504-BBZ	YES	1.2	YES	YES	YES


SB-3403

QUINN® LEVER FAUCET



PC

MB



Repair Parts: RPG05-114680,
RPG05-115718, RPG05-116045

- Lever handle is easy to operate and fully ADA compliant
- Single hole mount creates a clean line against solid surface countertops

Drain Included: YES **Drain Type:** Push-Pop

Dimensions: 6"H x 5.3"L x 1.8"W


SKU	ADA	GPM	Low Lead	NSF61	
SB-3403	YES	1.2	YES	YES	YES
SB-3403-MB	YES	1.2	YES	YES	YES

SB-2111-E

ECHO SINGLE LEVER FAUCET



PC



Repair Parts: RPG04-0434,
RPG05-0917, RPG05-40126,
RPG07-0135, RPG45-0060

- Durable, low lead brass construction
- Color-coded temperature index on handle
- Enduring, corrosion-resistant finishes

Drain Included: Yes (SB-2111-E) **Drain Type:** Pop-up

Dimensions: 5.73"H x 5.5"L x 12.8"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-2111-E	YES	1.2	YES	YES	YES
SB-2111-LD-BO (WITHOUT DRAIN)	YES	0.5	NO	NO	NO
SB-2111-E-LD (WITHOUT DRAIN)	YES	1.2	YES	YES	YES

SHOWER ESSENTIALS

IT BEGINS IN THE SHOWER

It's where each and every day begins or ends. For some, it's an escape - the only time to find peace and quiet. For others, it's a routine - a necessary exercise that literally or figuratively washes off the events from the day.

But regardless of its purpose, the shower profoundly impacts our day. Which is why we've spent 150 years perfecting it.

From the size of every drop, placement of every spray, spray force and thermal retention - our team considers the tiniest details to ensure the moment water meets skin, it's a spectacular experience.



SHOWER HEADS


SHOWER HEAD / FILTER

S-2005-H

HOTEL SHOWER HEAD



PC BN



- Equipped with 58 individual sprays
- Features spray adjusting Anystream® technology
- Clean, modern design
- Plastic body construction, with brass ball nut

Dimensions: 5.5"H x 3.38"L x 4"W


SKU	GPM	
S-2005-H	2.5	NO
S-2005-H-E175	1.75	YES
S-2005-H-E2	2	YES
S-2005-H-BNE175	1.75	YES

S-2005-HB

HOTEL HB SHOWER HEAD



PC BN BC PB



- Equipped with 58 individual sprays
- Features spray adjusting Anystream® technology
- Unique, transitional design

Dimensions: 5.9"H x 4.13"L x 4.38"W


SKU	GPM	
S-2005-HB	2.5	YES
S-2005-HB-E175	1.75	YES
S-2005-HB-E2	2	YES
S-2005-HB-BN	2.5	NO
S-2005-HBBNE175	1.75	YES
S-2005-HB-BN-E2	2	YES
S-2005-HB-BC	2.5	NO
S-2005-HB-PB	2.5	NO

S-2005-HBF

HOTEL PURE FILTERED SHOWER HEAD



PC BN



Repair Parts: FS-1


- Includes an internal filtering cartridge
- Equipped with 58 individual sprays
- Recommend replacing filter every 6 months (model # FS-1 - see below)
- Plastic body construction, with brass ball nut

Dimensions: 5.9"H x 4.13"L x 4.38"W

SKU	GPM	
S-2005-HBF	2.5	YES
S-2005-HBF-E175	1.75	YES
S-2005-HBFE2	2	YES
S-2005-HBFBN	2.5	NO
S-2005-HBFBNE2	2	YES

FS-1

REPLACEMENT SHOWER FILTER



- Removes 99% of chlorine
- Compatible with Hotel Pure Shower Head
- Functions for up to 6 months or 10,000 gallons
- Features unique media blend

Dimensions: 1.75"H x 2.6"L x 2.6"W


SKU	GPM	
FS-1	N/A	N/A

SHOWER HEADS

8-JET / 6-JET SHOWER HEAD

S-2251

ICON 8-JET SHOWER HEAD



- Equipped with 64 customizable sprays
- Durable, solid-brass construction
- Features spray adjusting Anystream® technology




Dimensions: 5.13"H x 4.75"L x 3.63"W

SKU	GPM	
S-2251	2.5	NO
S-2251-E175	1.75	YES
S-2251-E2	2	YES
S-2251-BN	2.5	NO
S-2251-BN-E175	1.75	YES
S-2251-MB	2.5	NO
S-2251-MB-E175	1.75	YES
S-2251-MB-E2	2	NO
S-2251-ORB	2.5	NO
S-2251-ORB-E175	1.75	YES
S-2251-PN	2.5	NO
S-2251-BBZ	2.5	NO
S-2251-PB	2.5	NO
S-2251-PB-E175	1.75	YES

S-2252

ICON 6-JET SHOWER HEAD



- Equipped with 48 customizable sprays
- Durable, solid brass construction
- Features spray adjusting Anystream® technology




Dimensions: 4"H x 3.8"L x 2.8"W

SKU	GPM	
S-2252	2.5	NO
S-2252-E175	1.75	YES
S-2252-E2	2	YES
S-2252-BN	2.5	NO
S-2252-BN-E175	1.75	YES
S-2252-MB	2.5	NO
S-2252-MB-E175	1.75	YES
S-2252-MB-E2	2	YES
S-2252-ORB	2.5	NO
S-2252-BBZ	2.5	NO
S-2252-PN	2.5	NO
S-2252-PB	2.5	NO
S-2252-AB-E2	2	YES

S-3019

VINTAGE 8-JET SHOWER HEAD



- Equipped with 64 customizable sprays
- Durable, solid brass construction
- Features spray adjusting Anystream® technology




Dimensions: 5.95"H x 5.1"L x 5"W

SKU	GPM	
S-3019	2.5	YES
S-3019-E15	1.5	YES
S-3019-E175	1.75	YES
S-3019-E2	2	YES

S-2255

VINTAGE 6-JET SHOWER HEAD




- 6 Plungers, equipped with 48 customizable sprays
- Durable, solid-brass construction.
- Features spray adjusting Anystream® technology

Dimensions: 4.8"H x 4.2"L x 3.4"W

SKU	GPM	
S-2255	2.5	NO
S-2255-BN	2.5	NO
S-2255-PB	2.5	NO
S-2255-E175	1.75	YES
S-2255-E2	2	YES
S-2255-BN-E2	2	YES
S-2255-PB-E2	2	YES

S-2253

CLASSIC 4-JET SHOWER HEAD




- 32 powerful, customizable sprays
- Intuitive, spray adjusting handle
- Traditional, compact design

Dimensions: 3.56"H x 2.82"L x 2.25"W

SKU	GPM	
S-2253	2.5	NO
S-2253-E15	1.5	YES
S-2253-E2	2	YES
S-2253-E175	1.75	YES

S-3010

NEO SHOWER HEAD




- Equipped with over 50 individual sprays
- Features spray adjusting Anystream® technology
- Clean, modern design

Dimensions: 3.13"H x 6"L x 5.5"W

SKU	GPM	
S-3010	2.5	NO
S-3010-E175	1.75	YES
S-3010-E2	2	YES
S-3010-BN	2.5	NO
S-3010-BN-E175	1.75	YES
S-3010-BN-E2	2	YES
S-3010-MB	2.5	NO
S-3010-MB-E175	1.75	YES
S-3010-MB-E2	2	YES

S-5000-E15

NEO EXHILARATION® SHOWER HEAD




- 4 spray settings & pause mode
- Speakman Reaction spray setting is a powerful full body spray designed for water conserving flow rates
- Satin spray setting provides a gentle spray leaving the skin feeling cleansed & refreshed
- Center massage spray provides a forceful concentrated spray to sooth muscles
- The rain spray provides a full coverage drenching spray

Dimensions: 3.25"H x 5.25"L x 5.25"W


SKU	GPM	
S-5000-E15	1.5	YES
S-5000-BN-E175	1.75	YES
S-5000-BN-E2	2	YES
S-5000-MB-E15	1.5	YES
S-5000-E175	1.75	YES
S-5000-MB-E175	1.75	YES
S-5000-E2	2	YES
S-5000-MB-E2	2	YES

S-3021

KUBOS SHOWER HEAD



PC BN



5" [127mm]
5 1/2" [139mm]
3 1/2" [89mm]


- Equipped with over 50 individual sprays
- Features spray adjusting Anystream® technology
- Clean, modern design
- Coordinates with Kubos Collection

Dimensions: 3.25"H x 5.5"L x 5"W


SKU	GPM	
S-3021	2.5	YES
S-3021-E175	1.75	YES
S-3021-E2	2	YES
S-3021-BN	2.5	NO
S-3021-BN-E175	1.75	YES
S-3021-BN-E2	2	YES

S-5001-E15

KUBOS EXHILARATION® SHOWER HEAD



PC BN MB



1/2"-14 NPT FEMALE THREAD
3 1/2" [89mm]
3 1/2" [89mm]
3.662" [93.01mm]
4 1/2" [111mm]
4 1/2" [111mm]


- 4 spray settings & pause mode
- Speakman Reaction spray setting is a powerful full body spray designed for exceptional performance at water conserving flow rates
- Satin spray setting provides a gentle spray leaving the skin feeling cleansed & refreshed
- Center massage spray provides a forceful concentrated spray to sooth muscles
- The rain spray provides a full coverage drenching spray

Dimensions: 3.25"H x 5.25"L x 5.25"W


SKU	GPM	
S-5001-E15	1.5	YES
S-5001-E175	1.75	YES
S-5001-E2	2	YES
S-5001-BN-E15	1.5	YES
S-5001-BN-E175	1.75	YES
S-5001-BN-E2	2	YES
S-5001-MB-E15	1.5	YES
S-5001-MB-E175	1.75	YES
S-5001-MB-E2	2	YES

S-3018

RAINIER SHOWER HEAD



PC



4" [102mm]
5 1/2" [139mm]
5 1/2" [139mm]


- Equipped with 58 individual sprays
- Features spray adjusting Anystream® technology
- Timeless, traditional design

Dimensions: 5.6"H x 5.2"L x 4.6"W


SKU	GPM	
S-3018	2.5	YES
S-3018-E175	1.75	YES
S-3018-E2	2	YES

S-5002-E175

RAINIER EXHILARATION® SHOWER HEAD



PC BN MB



5 3/4" [147mm]
5 3/4" [147mm]
4 3/8" [111mm]
1/2"-14 NPT FEMALE THREAD
6" [23mm]
3 1/4" [87mm]
2 1/4" [58mm]
2 1/4" [58mm]

- 4 spray settings & pause mode
- Speakman Reaction spray setting is a powerful full body spray designed for exceptional performance at water conserving flow rates
- Satin spray setting provides a gentle spray leaving the skin feeling cleansed & refreshed
- Center massage spray provides a forceful concentrated spray to sooth muscles
- Rain spray provides a full coverage spray

Dimensions: 3.662"H x 5.765"L x 5.765"W



SKU	GPM	
S-5002-E175	1.75	YES
S-5002-E2	2	YES
S-5002-BN-E15	1.5	YES
S-5002-BN-E175	1.75	YES
S-5002-BN-E2	2	YES
S-5002-MB-E15	1.5	YES
S-5002-MB-E175	1.75	YES
S-5002-MB-E2	2	YES

SHOWER HEADS

SHOWER HEAD / 6-JET / 8-JET SHOWER HEAD

S-6000

VECTOR® SHOWER HEAD




- 5-1/4 in. shower head with spray adjusting faceplate
- Multi-function shower head featuring 5 plungers, 149 sprays, and 4 spray patterns
- Corrosion resistant stainless steel exterior shell, plastic faceplate, and brass ball
- Quick and easy installation

Dimensions: 4.1"H x 5.25"L x 5.25"W

SKU	GPM	
S-6000	2.5	YES
S-6000-E175	1.75	YES
S-6000-E2	2	YES
S-6000-MB	2.5	NO
S-6000-MB-E175	1.75	YES
S-6000-MB-E2	2	YES

S-4200-E15

ECHO SHOWER HEAD




- 84 individual nozzles
- Features 3 distinct spray settings
- Clean, modern design

Dimensions: 3.75"H x 4.75"L x 4.75"W

SKU	GPM	
S-4200-E15	1.5	YES
S-4200-E175	1.75	YES
S-4200-E2	2	YES
S-4200-BN-E15	1.5	YES
S-4200-BN-E175	1.75	YES
S-4200-BN-E2	2	YES
S-4200-MB	2.5	NO
S-4200-MB-E175	1.75	YES
S-4200-MB-E2	2	YES

S-2254

RETRO 6-JET SHOWER HEAD




- 6 plungers, 48 sprays
- Solid brass construction
- Spray adjusting handle

Dimensions: 4.8"H x 4.2"L x 3.4"W

SKU	GPM	
S-2254	2.5	NO
S-2254-E175	1.75	YES
S-2254-E2	2	YES
S-2254-BN	2.5	NO
S-2254-BN-E175	1.75	YES
S-2254-BN-E2	2	YES
S-2254-PB	2.5	NO
S-2254-PB-E2	2	YES

S-3015

RETRO 8-JET SHOWER HEAD






- Equipped with 64 customizable sprays
- Durable, solid brass construction
- Features spray adjusting Anystream® technology

Dimensions: 5.95"H x 5.1"L x 4.1"W

SKU	GPM	
S-3015	2.5	NO
S-3015-E175	1.75	YES
S-3015-E2	2	YES


S-3011

CHELSEA SHOWER HEAD






- Features patented Anystream® technology
- 50 full coverage sprays
- 12 center massage jets

Dimensions: 3.5"H x 4.78"L x 4.5"W

SKU	GPM	
S-3011	2.5	YES
S-3011-E175	1.75	YES
S-3011-E2	2	YES
S-3011-BN	2.5	NO
S-3011-BN-E175	1.75	YES
S-3011-BN-E2	2	YES


S-2272-E2

1-FUNCTION LOW FLOW SHOWER HEAD






- Features a powerful, single function spray

Dimensions: 3.53"H x 3.5"L x 2.75"W

SKU	GPM	
S-2272-E2	2	YES
S-2272-E15	1.5	YES


S-2292

WALL MOUNTED BRASS SHOWER HEAD






- Features 32 sprays that can be adjusted by side handle
- Designed for easy installation

Dimensions: 3"H x 3"L x 1.75"W

SKU	GPM	
S-2292	2.5	NO


S-2280

WALL MOUNTED BRASS SHOWER HEAD






- Features 32 sprays that can be adjusted by side handle
- Designed for easy installation

Dimensions: 3.63"H x 3.63"L x 3.5"W

SKU	GPM	
S-2280	2.5	NO
S-2280-BJ	2.5	NO


S-2460

LIGATURE RESISTANT SHOWER HEAD



- Features 32 sprays that can be adjusted by side handle
- Designed for easy installation

Dimensions: 3.63"H x 3.63"L x 3.5"W


SKU	GPM	
S-2460	2.5	NO

SHOWER HEADS

RAIN SHOWER HEAD / RAIN FLANGE

S-2762

NEO 8 IN. RAIN SHOWER




- Durable, solid brass construction
- 105, full-coverage sprays
- Modern, circular design
- 1/2 in. NPT inlet

Dimensions: 2.75"H x 7.88"L x 7.88"W

SKU	GPM	
S-2762	2.5	NO
S-2762-E175	1.75	YES
S-2762-BN	2.5	NO
S-2762-BN-E175	1.75	YES
S-2762-MB-E175	1.75	YES
S-2762-MB	2.5	NO
S-2762-BBZ	2.5	NO

S-2763

KUBOS 8 IN. RAIN SHOWER




- Durable, solid brass construction
- 100, full-coverage sprays
- Modern, square design
- 1/2 in. NPT inlet

Dimensions: 2.75"H x 7.756"L x 7.756"W

SKU	GPM	
S-2763	2.5	NO
S-2763-E175	1.75	YES
S-2763-BN	2.5	NO
S-2763-BN-E175	1.75	YES
S-2763-MB	2.5	NO
S-2763-MB-E175	1.75	YES

S-2764-E2

LURA® 15IN. RAIN SHOWER




- Designed to be installed on either a shower arm, ceiling arm or shower flush mount system (each sold separately)
- Sleek square design adds a minimalistic and serene style to the bath
- Coordinates with a full collection of Lura® faucets and accessories
- Rain shower arm and flange also sold separately see S-2572 PG 39

Dimensions: 1.93"H x 14.938"L x 14.938"W

SKU	GPM	
S-2764-E2	2	YES
S-2764-E175	1.75	YES
S-2764-MB	2.5	NO
S-2764-MB-E175	1.75	YES
S-2764-MB-E2	2	YES

VS-127

15IN. RAIN SHOWER MOUNT FLANGE



- The ideal way to create a flush mount against the ceiling for your Lura® Square Rain Shower Head (sold separately - Above)
- Simple design creates a clutter-free look
- Durable metal construction
- Mounting hardware included
- Coordinates with a full collection of Lura® faucets and accessories

Dimensions: 2.697"H x 17.5"L x 17.5"W


SKU	GPM	
VS-127	N/A	N/A
VS-127-MB	N/A	N/A

SHOWER HEADS

EXHILARATION / HAND SHOWER/ WAND


VS-5000-E15

NEO EXHILARATION® HAND SHOWER



- 4 spray settings & pause mode
- Speakman Reaction spray setting is a powerful full body spray designed for exceptional performance at water conserving flow rates
- Satin spray setting provides a gentle spray leaving the skin feeling cleansed & refreshed
- Center massage spray provides a forceful concentrated spray to sooth muscles
- The rain spray provides a full coverage drenching spray


Dimensions: 1.56"H x 10.68"L x 5.25"W

SKU	GPM	
VS-5000-E15	1.5	YES
VS-5000-E175	1.75	YES
VS-5000-E2	2	YES
VS-5000-BN-E15	1.5	YES
VS-5000-BN-E175	1.75	YES
VS-5000-BN-E2	2	YES
VS-5000-MB-E15	1.5	YES
VS-5000-MB-E175	1.75	YES
VS-5000-MB-E2	2	YES

Repair Parts: RPG45-41791


VS-3010

NEO HAND SHOWER



- Equipped with over 50 individual sprays
- Features spray adjusting Anystream® technology
- Clean, modern design



Dimensions: 9.46"H x 4"L x 4.45"W

SKU	GPM	
VS-3010	2.5	NO
VS-3010-E175	1.75	YES
VS-3010-E2	2	YES
VS-3010-BN	2.5	NO
VS-3010-BN-E175	1.75	YES
VS-3010-BN-E2	2	YES
VS-3010-MB	2.5	NO
VS-3010-MB-E175	1.75	YES
VS-3010-MB-E2	2	YES
VS-3010-BBZ-E2	2	YES

Repair Parts: RPG45-41791,


VS-3000

NEO SHOWER WAND



- Powerful, single-function spray setting
- 48-individual, intense sprays
- Durable, solid brass construction
- Includes 5 foot metal hose
- Shower arm and bracket not included

Dimensions: 1"H x 7.88"L x 1"W

SKU	GPM	
VS-3000	2.5	NO
VS-3000-E175	1.75	YES
VS-3000-E2	2	YES
VS-3000-BN	2.5	NO
VS-3000-BN-E175	1.75	YES
VS-3000-BN-E2	2	YES
VS-3000-MB-E175	1.75	YES
VS-3000-MB-E2	2	YES


Repair Parts: RPG63-105581

SHOWER HEADS

HAND SHOWER / WAND

VS-5001-E15

KUBOS HAND SHOWER



- 4 spray settings & pause mode
- Speakman Reaction spray setting is a powerful full body spray designed for exceptional performance at water conserving flow rates
- Satin spray setting provides a gentle spray leaving the skin feeling cleansed & refreshed
- Center massage spray provides a forceful concentrated spray to sooth muscles
- The rain spray provides a full coverage drenching spray

Dimensions: 3.25"H x 10.375"L x 4.75"W

SKU	GPM	
VS-5001-E15	1.5	YES
VS-5001-E175	1.75	YES
VS-5001-E2	2	YES
VS-5001-BN-E15	1.5	YES
VS-5001-BN-E175	1.75	YES
VS-5001-BN-E2	2	YES
VS-5001-MB-E15	1.5	YES
VS-5001-MB-E175	1.75	YES
VS-5001-MB-E2	2	YES

PC


BN

MB

Repair Parts: RPG45-41791

VS-3023

KUBOS HAND SHOWER WAND



- Powerful, single-function spray setting
- 44-individual, intense sprays
- Durable, solid brass construction
- Includes 5 foot metal hose
- Shower arm and bracket not included

Dimensions: 1"H x 8.38"L x 1"W

SKU	GPM	
VS-3023	2.5	NO
VS-3023-E15	1.5	YES
VS-3023-BN-E15	1.5	YES
VS-3023-E175	1.75	YES
VS-3023-E2	2	YES
VS-3023-BN	2.5	NO
VS-3023-BN-E175	1.75	YES
VS-3023-BN-E2	2	YES


PC

BN

Repair Parts: RPG63-105581

VS-5002-E15

RAINIER EXHILARATION® HAND SHOWER



- 4 spray settings & pause mode
- Speakman Reaction spray setting is a powerful full body spray designed for water conserving flow rates
- Satin spray setting provides a gentle spray leaving the skin feeling cleansed & refreshed
- Center massage spray provides a forceful concentrated spray to sooth muscles
- The rain spray provides a full coverage drenching spray

Dimensions: 10.909"H x 2.583"L x 4.875"W

SKU	GPM	
VS-5002-E15	1.5	YES
VS-5002-E175	1.75	YES
VS-5002-E2	2	YES
VS-5002-BN-E15	1.5	YES
VS-5002-BN-E175	1.75	YES
VS-5002-BN-E2	2	YES
VS-5002-MB-E15	1.5	YES
VS-5002-MB-E175	1.75	YES
VS-5002-MB-E2	2	YES

PC

BN

MB

Repair Parts: RPG45-41791

SHOWER HEADS

HAND SHOWER / ADA HAND SHOWER

VS-3011

CHELSEA HAND SHOWER



- Equipped with over 50 individual sprays
- Features spray adjusting Anystream® technology
- Unique, transitional design

Dimensions: 9.46"H x 4"L x 4.27"W

SKU	GPM	
VS-3011	2.5	NO
VS-3011-E175	1.75	YES
VS-3011-E2	2	YES
VS-3011-BN	2.5	NO
VS-3011-BN-E175	1.75	YES
VS-3011-BN-E2	2	YES

VS-1240

RIO HAND SHOWER



- 147 spray outlets
- 5 distinct spray patterns
- Includes 5-foot metal hose

Dimensions: 10.81"H x 3.5"L x 4.5"W

SKU	GPM	
VS-1240	2.5	NO
VS-1240-E175	1.75	YES
VS-1240-E2	2	YES
VS-1240-BN-E175	1.75	YES
VS-1240-BN	2.5	NO
VS-1240-MB	2.5	NO
VS-1240-BN-E2	2	YES
VS-1240-MB-E175	1.75	YES
VS-1240-MB-E2	2	YES

VS-100-PC

HAND SHOWER W/ TRICKLE BUTTON



- Features a powerful, single function spray
- Integral thumb operated pause/trickle non-positive shut-off
- Shower hose and bracket not included

Dimensions: 8.5"H x 3.13"L x 3.13"W

SKU	GPM	
VS-100-PC	2.5	NO

VS-1000-AF-PC

ADA HAND-HELD SHOWER




- Features a powerful, single function spray
- Integral thumb operated pause/trickle non-positive shut-off
- 60 in. metal hose and mounting bracket included
- Consistent spray performance even under low water pressure
- Easy to install

SKU	GPM	
VS-1000-AF-PC	2.5	NO
VS-1001-ADA-PC	2.5	NO

SHOWER HEADS

S-2572




- Designed to pair with the Lura® Square Rain Shower Head (sold separately -See PG 35)
- Simple design creates a clutter-free look
- Durable metal construction
- Mounting hardware included
- Coordinates with a full collection of Lura® faucets and accessories

LURA® RAIN ARM & FLANGE

Dimensions: 4.25"H x 16.375"L x 2.25"W

SKU	GPM	
S-2572	N/A	N/A
S-2572-MB	N/A	NO
S-2572-BBZ	N/A	NO

CDS2501




- Includes shower arm and flange
- Wall-mount installation
- 7-3/8 In. length
- Stainless steel construction
- 1/2" NPTM inlet & outlet
- Coordinates with a full collection of Lura® faucets and accessories

LURA® SHOWER ARM & FLANGE

Dimensions: 2.25"H x 7.25"L x 2.25"W

SKU	GPM	
CDS2501	N/A	N/A
CDS2501-MB	N/A	N/A
CDS2501-BBZ	N/A	N/A

CDS2582



- 6 In. length
- Durable solid brass construction
- 1/2" NPTM inlet & outlet
- Ceiling-mount installation
- Limited lifetime warranty
- Coordinates with a full collection of Lura® faucets and accessories

LURA® CEILING MOUNT SHOWER ARM

Dimensions: 2.25"H x 6.0"L x 2.25"W

SKU	GPM	
CDS2582	N/A	N/A
CDS2582-MB	N/A	N/A
CDS2582-BBZ	N/A	N/A

S-2500



- 7" stainless steel shower arm
- 1/2" NPTM connections

7" SHOWER ARM & FLANGE

Dimensions: 2.0"H x 7.0"L x 2.0"W

SKU	GPM	
S-2500	N/A	NO
S-2500-BN	N/A	NO
S-2500-MB	N/A	NO
S-2500-ORB	N/A	NO
S-2500-PB	N/A	NO
S-2500-PN	N/A	NO

SHOWER HEADS

SHOWER ARM AND FLANGE

S-2505

30° MOUNT SHOWER




- 30 degree shower arm
- Features a durable, solid brass construction
- 1/2" NPTM inlet & outlet

Dimensions: 2.0"H x 3.0"L x 3.0"W

SKU	GPM	
S-2505	N/A	NO


S-2510

VECTOR® SHOWER ARM & FLANGE



- Includes shower arm and flange
- Wall-mount installation
- 7-3/8 in. length
- 1/2 in. NPTM inlet & outlet
- Coordinates with shower head, faucets, and accessories in Vector® Collection by Roger Thomas

Dimensions: 2.25"H x 7.25"L x 2.25"W

SKU	GPM	
S-2510	N/A	N/A
S-2510-MB	N/A	N/A


S-2520

5.5" SHOWER ARM & FLANGE




- 5-1/2" solid brass shower arm
- Includes stainless steel wall flange
- 1/2" NPTM inlet & outlet

Dimensions: 2.0"H x 7.25"L x 6.75"W

SKU	GPM	
S-2520		NO
S-2520-BN		NO
S-2520-PB		NO


S-2540

NEO SHOWER ARM & FLANGE



- Modern design
- Brass Construction
- 1/2" NPTM inlet and outlet
- Plated finish protects against corrosion
- Collection includes faucets, shower heads, and accessories
- Coordinates with shower head, faucets, and accessories in Neo Collection

Dimensions: 1.5"H x 6.94"L x 1.5"W

SKU	GPM	
S-2540	N/A	NO
S-2540-BN	N/A	NO
S-2540-MB	N/A	NO


S-2550

RAINIER SHOWER ARM & FLANGE



- Square styling
- Brass Construction
- 1/2" NPTM inlet and outlet
- Plated finish protects against corrosion
- Collection includes faucets, shower heads, and accessories

Dimensions: 1.88"H x 5.75"L x 2.25"W


SKU	GPM	
S-2550	N/A	NO
S-2550-MB	N/A	NO

SHOWER HEADS

SHOWER ARM AND FLANGE

S-2560

KUBOS SHOWER ARM & FLANGE




- 5" shower arm
- Features a durable, solid brass construction
- 1/2" NPTM inlet & outlet

Dimensions: 3.2"H x 5.62"L x 2.5"W

SKU	GPM	
S-2560	N/A	NO
S-2560-BN	N/A	NO

S-2570

16" RAIN SHOWER ARM



- Arm measures 16" in length
- Brass arm and metal flange construction
- 1/2" -14 NPTM connections
- Corrosion resistant finishes
- Wall-mounted installation
- Coordinates with rain shower heads from either the Neo or Kubos Collection

Dimensions: 3.75"H x 16.4"L x 2.25"W

SKU	GPM	
S-2570	N/A	N/A
S-2570-BN	N/A	N/A
S-2570-MB	N/A	N/A

S-2571

12" RAIN SHOWER ARM




- Durable, solid brass construction
- Coordinates with Speakman Rain Showers
- Wall-mounted installation
- 12-inch design

Dimensions: 3.75"H x 12.4"L x 2.25"W

SKU	GPM	
S-2571	N/A	N/A
S-2571-BN	N/A	N/A
S-2571-MB	N/A	N/A

S-2580

6" CEILING RAIN SHOWER ARM




- Shower arm is 6" long
- Brass arm and metal flange construction
- 1/2" -14 NPTM connections
- Ceiling-mount installation
- Corrosion resistant finish
- Coordinates with rain shower heads from the Neo or Kubos collection

Dimensions: 2.25"H x 6.0"L x 2.25"W

SKU	GPM	
S-2580	N/A	N/A
S-2580-BN	N/A	N/A
S-2580-MB	N/A	N/A

S-2581

12" CEILING RAIN SHOWER ARM




- Durable, solid brass construction
- Coordinates with Speakman Rain Showers
- Ceiling mounted installation
- 12-inch design

Dimensions: 2.25"H x 12.0"L x 2.25"W

SKU	GPM	
S-2581	N/A	N/A
S-2581-BN	N/A	N/A
S-2581-MB	N/A	N/A

VS-115

SUPPLY ELBOW WITH WALL FLANGE



- Supply elbow
- Chrome plated
- Includes wall flange
- 1/2 In. NPTF inlet
- 1/2 In. NPSM outlet

Dimensions: 2.5"H x 1.94"L x 2.5"W

SKU	GPM	
VS-115	N/A	NO

SHOWER HEADS

SHOWER ELBOW / SHOWER BAR / ADAPTER

VS-154

RAINIER SHOWER ELBOW



- Square styling
- 1/2" NPT female inlet
- Outlet fits 1/2" NPSM
- Plated finish protects against corrosion
- Metal construction

Dimensions: 2.25"H x 1.25"L x 2.0"W

SKU	GPM	
VS-154	N/A	NO
VS-155	N/A	NO
VS-155-BN	N/A	NO
VS-155-MB	N/A	N/A

SH-2704

VECTOR® 14" SHOWER VERTICAL BAR



- Easy to install, strong mounting hardware included
- Same commercial-grade found in the finest hotels
- Durable metal construction
- Coordinates with a full collection of Vector® faucets and accessories

Dimensions: 16.2"H x 2.75"L x 2.2"W

SKU	GPM	
SH-2704	N/A	N/A
SH-2704-MB	N/A	N/A

S-2310

THUMB OPERATED VOLUME CONTROL



- Features durable, solid brass construction
- Available in Polished Chrome
- 1/2" NPT connections

Dimensions: 1.5"H x 1.5"L x 1.9"W

SKU	GPM	
S-2310	N/A	N/A

VS-2272-E15

1-FUNCTION HAND SHOWER




- 50 individual sprays
- Includes tangle-free hose
- Easy to install

Dimensions: 7.75"H x 60"L x 2.5"W

SKU	GPM	
VS-2272-E15	1.5	YES

VS-156

PAUSE/TRICKLE ADAPTER



- Pause/trickle control for hand showers
- Connects in-line between hand shower & hose
- 1/2" NPSF female outlet / 1/2" NPSM male inlet
- Plated finish protects against corrosion

Dimensions: 1.4"H x 1.5"L x 1"W

SKU	ADA
VS-156	NO
VS-156-BN	NO

VS-159

LURA® SUPPLY ELBOW & HAND SHOWER HOLDER



- The ideal way to house your Lura® Hand Shower Wand and Hose (sold separately)
- Integrated bracket eliminated the need to install a separate bracket & supply ell
- Mounting hardware included

Dimensions: 2.25"H x 3.375"L x 2.25"W


SKU	GPM	
VS-159	N/A	N/A
VS-159-MB	N/A	N/A
VS-159-BBZ	N/A	N/A

SHOWER HEADS

SHOWER DIVERTER / SHOWERSLIDE RISER

VS-111

SHOWER ARM DIVERTER




- 2-way diverter operation
- Features a durable, solid brass construction
- 1/2" NPSF inlet. 1/2" NPSM outlet
- Mounts directly to in-wall shower arm

Dimensions: 2.375"H x 3.0"L x 2.38"W

SKU	GPM	
VS-111	N/A	N/A
VS-111-BN	N/A	N/A
VS-111-MB	N/A	N/A
VS-111-BBZ	N/A	N/A

VS-118

2-WAY SHOWER DIVERTER



- Easily mounts a fixed or hand shower head
- Effortlessly installs on any shower arm
- Compatible with nearly every Speakman Shower Head
- Features a stunning, corrosion-resistant finish
- Built-in check valves
- Plastic body construction with Brass swivel nut

Dimensions: 3.4"H x 3.7"L x 2.625"W

SKU	GPM	
VS-118	N/A	N/A
VS-118-BN	N/A	N/A
VS-118-MB	N/A	N/A

VS-300

3-WAY SHOWER DIVERTER




- Easily mounts a fixed or hand shower head
- Effortlessly installs on any shower arm
- Compatible with nearly every Speakman Shower Head
- Features a stunning, corrosion-resistant finish
- Built-in check valves

SKU	GPM	
VS-300	N/A	N/A
VS-300-E175	N/A	N/A
VS-300-E2	N/A	N/A
VS-300-BN	N/A	N/A
VS-300-BN-E175	N/A	N/A
VS-300-BN-E2	N/A	N/A
VS-300-MB	N/A	N/A
VS-300-MB-E175	N/A	N/A
VS-300-MB-E2	N/A	N/A

WS-3005

SHOWERSLIDE 5" RISER



Repair Parts: RPG04-107286, RPG05-106295, RPG48-106204


- Features a standard, 5" riser arm above shower arm
- Includes necessary mounting hardware
- Two way integrated diverter allows you to switch seamlessly from hand shower to rain shower

Dimensions: 28.972"H x 18.729"L x 4.315"W

SKU	GPM	
WS-3005	N/A	N/A
WS-3005-BN	N/A	N/A
WS-3005-MB	N/A	N/A

WS-3010

SHOWERSLIDE 10" RISER



Repair Parts: RPG04-107286, RPG05-106295, RPG48-106204

- Features a standard, 10" riser arm above shower arm
- Includes necessary mounting hardware
- Two way integrated diverter allows you to switch seamlessly from hand shower to rain shower

Dimensions: 28.972"H x 18.729"L x 4.315"W

SKU	GPM	
WS-3010	N/A	N/A
WS-3010-MB	N/A	N/A
WS-3010-BN	N/A	N/A

SHOWER TRIMS & VALVES

DON'T LET THE VALVE STOP YOU

44


SHOWER TRIMS
& VALVES

Design should be limitless. It should reflect your ideas, emotions, and personality. But far too often, design becomes restricted by structure and foundation. That's what inspired us to create the Universal Valve Trim - a product that provides the freedom to renovate.


With the Universal Valve Trim, we designed four unique adapters that perfectly retrofit the most popular valves available today. This product allows you to completely redesign your shower wall without investing in a costly renovation.

Never let the valve stop you from designing the bathroom of your dreams.


Compatible with select Kohler Rite-Temp, Moen Posi-Temp, Delta Multichoice and Symmons Temptrol valves.



KOHLER® RITE-TEMP



MOEN® POSITEMP



DELTA® MULTICHOICE



SYMMONS® TEMPTROL




SCAN ME.

Scan this QR code for more information on our Shower Valves & Trims

CPT-27400

VECTOR® SHOWER VALVE TRIM



Repair Parts: RPG48-108295


- For use with pressure balanced (PB) and thermostatic (T) valves
- Available in both Diverter and Non-Diverter Models
- Durable metal construction, subtle Hot & Cold Indicators
- Mounting hardware included

Dimensions: 3.9"H x 7"L x 7"W**Compatible Valves:** CPV-PB, CPV-PB-PXE, CPV-PB-PXC, CPV-T, CPV-T-PXE, CPV-T-PXC

SKU	TYPE	VALVE	ADA	GPM
CPT-27400	DIVERTER	INCLUDED	NO	N/A
CPT-27400-MB	DIVERTER	INCLUDED	NO	N/A
CPT-27000	NON-DIVERTER	INCLUDED	NO	N/A
CPT-27000-MB	NON-DIVERTER	INCLUDED	NO	N/A

CDCPT25403

LURA® LEVER SHOWER VALVE TRIM



Repair Parts: RPG48-108295



- For use with pressure balanced (PB) and thermostatic (T) valves
- Available in both Diverter and Non-Diverter Models
- Durable metal construction, subtle Hot & Cold Indicators
- Mounting hardware included

Dimensions: 3.4"H x 7"L x 7"W**Compatible Valves:** CPV-PB, CPV-PB-PXE, CPV-PB-PXC, CPV-T, CPV-T-PXE, CPV-T-PXC

SKU	TYPE	VALVE	ADA	GPM
CDCPT25403	DIVERTER	INCLUDED	NO	N/A
CDCPT25403-MB	DIVERTER	INCLUDED	NO	N/A
CDCPT25403-BBZ	DIVERTER	INCLUDED	NO	N/A
CDCPT25003	NON-DIVERTER	INCLUDED	YES	N/A
CDCPT25003-BBZ	NON-DIVERTER	INCLUDED	YES	N/A
CDCPT25003-MB	NON-DIVERTER	INCLUDED	YES	N/A

CDCPT25001

LURA® CROSS SHOWER VALVE TRIM



Repair Parts: RPG48-108295


- For use with pressure balance (PB) and thermostatic (T) valves
- Available in both diverter and non-diverter (shown here) models
- Durable metal construction, subtle hot & cold indicators
- Coordinates with a full collection of Lura faucets and accessories

Dimensions: 4.16"H x 7"L x 7"W**Compatible Valves:** CPV-PB, CPV-PB-PXC, CPV-PB-PXE, CPV-T, CPV-T-PXC, CPV-T-PXE

SKU	TYPE	VALVE	ADA	GPM
CDCPT25001	NON-DIVERTER	INCLUDED	NO	N/A
CDCPT25001-MB	NON-DIVERTER	INCLUDED	NO	N/A
CDCPT25001-BBZ	NON-DIVERTER	INCLUDED	NO	N/A
CDCPT25401	DIVERTER	INCLUDED	NO	N/A
CDCPT25401-MB	DIVERTER	INCLUDED	NO	N/A
CDCPT25401-BBZ	DIVERTER	INCLUDED	NO	N/A

CPT-1000-TP

NEO THERMOSTATIC PRESSURE VALVE TRIM




Repair Parts: RPG10-0118

- Compatible with CPV-5000 thermostatic pressure balance valve
- Durable, solid metal handle
- Configurable hot and cold indicators
- Corrosion-resistant polished chrome finish

Dimensions: 4.57"H x 7.31"L x 7.31"W**Compatible Valves:** CPV-TP, CPV-TP-PXE, CPV-TP-PXC

SKU	TYPE	VALVE	ADA	GPM
CPT-1000-TP	NON-DIVERTER	INCLUDED	YES	N/A

CPT-1000-UNI



Repair Parts: RPG10-0114, RPG10-0115, RPG10-0116, RPG10-0117


NEO UNIVERSAL SHOWER VALVE TRIM

- Designed to effortlessly retrofit to competitor valves
- Shower valve models include: Kohler Rite-Temp K-304-KS, Moen PosiTemp 62370, Delta R10000-UNWS, and Symmons 46-2-X-BODY Temptrol valve
- Includes all mounting hardware for easy installation
- Configurable red and blue hot/cold indicator buttons

Dimensions: 4.57”H x 7.31”L x 7.31”W
Compatible Valves: Kohler Rite-Temp K-304-KS, Moen PosiTemp 62370, Delta R10000-UNWS, and Symmons 46-2-X-BODY Temptrol

SKU	TYPE	VALVE	ADA	GPM
CPT-1000-UNI	NON-DIVERTER	INCLUDED	NO	N/A
CPT-1000-UNI-BN	NON-DIVERTER	INCLUDED	NO	N/A
CPT-1000-UNI-MB	NON-DIVERTER	INCLUDED	NO	N/A
CPT-1000-UNI-BBZ	NON-DIVERTER	INCLUDED	NO	N/A

CPT-1001



Repair Parts: RPG05-0874


NEO SHOWER VALVE METAL TRIM

- For use with pressure balanced (PB) and thermostatic (T) valves
- Durable metal construction
- Includes mounting plate and hardware
- Coordinates with items from the NEO Collection

Dimensions: 5.5”H x 8”L x 8”W
Compatible Valves: CPV-PB, CPV-PB-PXC, CPV-PB-PXE

SKU	TYPE	VALVE	ADA	GPM
CPT-1001	NON-DIVERTER	INCLUDED	YES	N/A
CPT-1001-BN	NON-DIVERTER	INCLUDED	YES	N/A
CPT-1001-MB	NON-DIVERTER	INCLUDED	NO	N/A
CPT-1401	DIVERTER	INCLUDED	NO	N/A
CPT-1401-BN	DIVERTER	INCLUDED	NO	N/A
CPT-1401-MB	DIVERTER	INCLUDED	NO	N/A
CPT-1401-BBZ	DIVERTER	INCLUDED	NO	N/A

CPT-24400



Repair Parts: RPG48-108295

KUBOS SHOWER VALVE TRIM

- Compatible with CPV-PB Pressure Balance Valve
- Durable, solid metal handle
- Includes necessary mounting hardware
- Perfectly coordinates with existing Kubos fixtures

Dimensions: 3.3”H x 8.5”L x 6.9”W
Compatible Valves: CPV-PB, CPV-PB-PXC, CPV-PB-PXE, CPV-T, CPV-T-PXC, CPV-T-PXE

SKU	TYPE	VALVE	ADA	GPM
CPT-24400	DIVERTER	INCLUDED	YES	N/A
CPT-24400-BN	DIVERTER	INCLUDED	YES	N/A
CPT-24000	NON-DIVERTER	INCLUDED	YES	N/A
CPT-24000-BN	NON-DIVERTER	INCLUDED	YES	N/A

CPT-10400-P



Repair Parts: RPG04-0420, RPG05-0874, RPG10-0108


CHELSEA VALVE TRIM LEVER

- Easily retrofits to Speakman Pressure Balance Valve model CPV-P-DV
- Features a solid metal handle with a durable, lightweight plastic trim plate
- Includes mounting plate and hardware

Dimensions: 4.1”H x 7”L x 7”W
Compatible Valves: CPV-P-DV

SKU	TYPE	VALVE	ADA	GPM
CPT-10400-P	DIVERTER	INCLUDED	YES	N/A
CPT-10400-P-BN	DIVERTER	INCLUDED	YES	N/A

CPT-1300-UNI



Repair Parts: RPG10-0114,
RPG10-0115, RPG10-0116,
RPG10-0117

KUBOS UNIVERSAL SHOWER VALVE TRIM


- Designed to effortlessly retrofit to competitor valves
- Shower valve models include: Kohler® Rite-Temp® K-304-KS, Moen® PosiTemp® 62370, Delta® R10000-UNWS, and Symmons® 46-2-X-BODY Temptrol® valve
- Includes all mounting hardware for easy installation

Dimensions: 4.57"H x 7.31"L x 7.31"W

Compatible Valves: Kohler® Rite-Temp® K-304-KS valve - Moen® PosiTemp® 62370 valve - Delta® R10000-UNWS valve - Symmons® 46-2-X-BODY Temptrol®

SKU	TYPE	VALVE	ADA	GPM
CPT-1300-UNI	NON-DIVERter	INCLUDED	NO	N/A
CPT-1300-UNI-BN	NON-DIVERter	INCLUDED	NO	N/A
CPT-1300-UNI-MB	NON-DIVERter	INCLUDED	NO	N/A

CPT-3400



SENTINEL MARK II® PB SHOWER TRIM


- Retrofits CPV-3400 Diverter Valve
- Features solid brass plate and handle
- Includes necessary mounting hardware

Dimensions: 7.5"H x 7.5"L x 2.625"W

Compatible Valves: CPV-3400

SKU	TYPE	VALVE	ADA	GPM
CPT-3400	DIVERter	INCLUDED	YES	N/A
CPT-3000	NON-DIVERter	INCLUDED	YES	N/A

CPT-3401



Repair Parts: RPG05-1126

SENTINEL MARK II® SHOWER VALVE TRIM


- For use with pressure balanced (PB) and thermostatic (T) valves
- Red & blue hot and cold indicator markings
- Mounting hardware included

Dimensions: 7.063"H x 6.644"L x 7.063"W

Compatible Valves: CPV-PB, CPV-PB-PXE, CPV-PB-PXC, CPV-T, CPV-T-PXE, CPV-T-PXC

SKU	TYPE	VALVE	ADA	GPM
CPT-3401	DIVERter	INCLUDED	YES	N/A
CPT-3001	NON-DIVERter	INCLUDED	YES	N/A

CPT-5401



Repair Parts: RPG04-0443,
RPG05-1110, RPG05-1111,
RPG10-0119, RPG10-0120,
RPG10-0121, RPG41-0286-DV

T/P SHOWER VALVE TRIM


- Durable, solid-brass trim plate
- Enduring, contoured metal handle
- Retrofits CPV-TP-DV / CPV-TP thermostatic pressure balance valve (See PG 100)
- Includes necessary mounting hardware

Dimensions: 1.57"H x 7.5"L x 7.5"W

Compatible Valves: CPV-TP, CPV-TP-PXE, CPV-TP-PXC

SKU	TYPE	VALVE	ADA	GPM
CPT-5401	DIVERter	INCLUDED	YES	N/A
CPT-5001	NON-DIVERter	INCLUDED	YES	N/A

CPT-8001



Repair Parts: RPG05-0874,
RPG10-104283, RPG04-0392-PC

RAINIER SHOWER VALVE METAL TRIM

- Compatible with CPV-P-IS Pressure Balance Valve
- Durable, solid metal handle
- Includes necessary mounting hardware
- Perfectly coordinates with existing Rainier fixtures


Dimensions: 7.5"H x 4.5"L x 7.5"W

Compatible Valves: CPV-P-IS, CPV-PB, CPV-PB-PXE, CPV-PB-PXC

SKU	TYPE	VALVE	ADA	GPM
CPT-8001	NON-DIVERter	INCLUDED	NO	N/A
CPT-8001-P	NON-DIVERter	INCLUDED	NO	N/A
CPT-8401-P	DIVERter	INCLUDED	NO	N/A

SHOWER VALVE TRIM

CPT-10000-P



Repair Parts: RPG04-0420,
RPG05-0874, RPG10-0107


- Easily retrofits to Speakman Pressure Balance Valve model CPV-P-IS
- Features a solid metal handle with a durable, lightweight plastic trim plate
- Includes mounting plate and hardware

Dimensions: 4.13"H x 7"L x 7"W

Compatible Valves: CPV-PB, CPV-PB-PXC, CPV-PB-PXE, CPV-T, CPV-T-PXC, CPV-T-PXE, CPV-TP

SKU	TYPE	VALVE	ADA	GPM
CPT-10000-P	NON-DIVERTER	INCLUDED	YES	N/A
CPT-10000-P-BN	NON-DIVERTER	INCLUDED	YES	N/A

SM-10400-P




- Solid brass shower valve
- Trim plate with metal handle
- 1/2 in. NPT female tub outlet, 1/2 in. sweat shower outlet, 1/2 in. sweat inlets

Dimensions: 4.1"H x 7"L x 7"W

Compatible Valves: CPV-PB, CPV-PB-PXC, CPV-PB-PXE, CPV-T, CPV-T-PXC, CPV-T-PXE, CPV-TP

SKU	TYPE	VALVE	ADA	GPM
SM-10400-P	DIVERTER	INCLUDED	NO	2.0 OR HIGHER
SM-10400-P-BN	DIVERTER	INCLUDED	YES	2.0 OR HIGHER
SM-10000-P	NON-DIVERTER	INCLUDED	YES	2.0 OR HIGHER
SM-10000-P-BN	NON-DIVERTER	INCLUDED	YES	2.0 OR HIGHER

SM-12000




RPG05-34937, RPG50-21029

- Pressure balance valve
- Adjustable temperature limit stop

Dimensions: 3.5"H x 7"L x 7"W

SKU	TYPE	VALVE	ADA	GPM
SM-12000	NON-DIVERTER	INCLUDED	YES	N/A

CPT-12000



Repair Parts: RPG04-34938,
RPG48-20993, RPG48-21019,
RPG54-21018


- Durable metal construction, mounting hardware included
- Pairs with Echo CPV-12000 Shower Valve

Dimensions: 3.5"H x 7.0"L x 7.0"W

Compatible Valves: CPV-12000

SKU	TYPE	VALVE	ADA	GPM
CPT-12000	NON-DIVERTER	INCLUDED	YES	N/A
CPT-12000-BN	NON-DIVERTER	INCLUDED	YES	N/A
CPT-12000-MB	NON-DIVERTER	INCLUDED	YES	N/A
CPT-12001	NON-DIVERTER	INCLUDED	YES	N/A
CPT-12001-BN	NON-DIVERTER	INCLUDED	YES	N/A

SM-1400-P



- Solid brass shower valve, trim plate with metal handle
- 1/2 in. NPT female tub outlet, 1/2 in. sweat shower outlet, 1/2 in. sweat inlets


Dimensions: 3.5"H x 7"L x 7"W

Compatible Valves:

SKU	TYPE	VALVE	ADA	GPM
SM-1400-P	DIVERTER	INCLUDED	YES	2.0 OR HIGHER
SM-1400-P-BN	DIVERTER	INCLUDED	YES	2.0 OR HIGHER
SM-1000-P	NON-DIVERTER	INCLUDED	YES	2.0 OR HIGHER
SM-1000-P-BN	NON-DIVERTER	INCLUDED	YES	2.0 OR HIGHER

SM-24000-P

KUBOS SHOWER VALVE & TRIM



- Adjustable temperature limit stop, metal trim plate & handle
- Perfectly coordinates with existing Kubos fixtures


Dimensions: 3.3\"/>

Compatible Valves: CPV-P-IS

SKU	TYPE	VALVE	ADA	GPM
SM-24000-P	NON-DIVERTER	INCLUDED	NO	N/A
SM-24000-P-BN	NON-DIVERTER	INCLUDED	NO	N/A
SM-24400-P-BN	DIVERTER	INCLUDED	YES	N/A

SM-3400

SENTINEL MARK II® PRESSURE BALANCE VALVE & TRIM



- Four port valve with 1/2 in. female copper sweat inlets and shower outlet & build in tub/spout diverter
- Adjustable temperature limit stop, includes 1/2 In. pipe plug & rough-in template


Dimensions: 7.5\"/>

Compatible Valves:

SKU	TYPE	VALVE	ADA	GPM
SM-3400	DIVERTER	INCLUDED	YES	N/A
SM-3000-IS	NON-DIVERTER	INCLUDED	YES	N/A

SM-5400

SENTINELPRO THERMOSTATIC PRESSURE VALVE & TRIM



- Four port valve with 1/2 in. female copper sweat inlets and shower outlet (tub outlet 1/2 NPT female)
- Dual element thermostatic/pressure balancing cartridge
- Forged brass valve body & glass filled resin bonnet
- Four port valve with 1/2 in. female copper sweat inlets and shower outlet


Dimensions: 7.5\"/>

Compatible Valves: CPV-TP-DV

SKU	TYPE	VALVE	ADA	GPM
SM-5400	DIVERTER	INCLUDED	YES	N/A

SM-8001-P

RAINIER SHOWER VALVE & TRIM



- Durable, solid metal trim plate
- Includes anti-scald pressure balance valve
- Necessary mounting hardware included


Dimensions: 7.5\"/>

Compatible Valves: CPV-P-IS

SKU	TYPE	VALVE	ADA	GPM
SM-8001-P	DIVERTER	INCLUDED	YES	2.5
SM-8000-P	NON-DIVERTER	INCLUDED	YES	N/A

SM-8401-P

RAINIER SHOWER VALVE & TRIM



- Durable, solid metal trim plate
- Includes anti-scald pressure balance diverter valve
- Necessary mounting hardware included


Dimensions: 7.5\"/>

Compatible Valves: CPV-P-IS


SKU	TYPE	VALVE	ADA	GPM
SM-8401-P	DIVERTER	INCLUDED	YES	N/A
SM-8400-P	NON-DIVERTER	INCLUDED	YES	N/A

CPT-3310

LUCID® ROUND BODY JET



PC MB



- For use with the Speakman CPV-TP-DV1 Body Shower Thermostatic Valve
- Gentle curves create a signature look

Dimensions: 4.72"H x 3.6"L x 4.72"W

Compatible Valves: CPV-TP-DV1

SKU	TYPE	VALVE	ADA	GPM
CPT-3310	BODY JET	NOT INCLUDED	NO	1
CPT-3310-MB	BODY JET	NOT INCLUDED	NO	1

SM-10410-P

CHELSEA SHOWER COMBINATION



PC BN




- Chelsea Collection Shower System Combination with Diverter Valve for a complete, cohesive shower design
- Includes Chelsea fixed Anystream® shower head equipped with Anystream® technology to deliver versatile sprays
- Pressure balance diverter valve regulates water temperature and pressure
- Includes Chelsea Collection coordinating shower arm and flange

Compatible Valves: CPV-PB, CPV-PB-PXE, CPV-PB-PXC, CPV-T, CPV-T-PXE, CPV-T-PXC


SKU	TYPE	VALVE	ADA	GPM
SM-10410-P	DIVERTER	INCLUDED	NO	2.5
SM-10410-P-BN	DIVERTER	INCLUDED	NO	2.5
SM-10010-P	NON-DIVERTER	INCLUDED	NO	2.5
SM-10010-P-BN	NON-DIVERTER	INCLUDED	NO	2.5

SM-8410-P

RAINIER SHOWER COMBINATION



PC




- Solid brass shower valve, plastic wall plate with metal lever handles
- Includes Rainier fixed Anystream® shower head equipped with Anystream® technology to deliver versatile sprays
- Includes Rainier Collection coordinating shower arm and flange

Compatible Valves: CPV-PB, CPV-PB-PXE, CPV-PB-PXC, CPV-T, CPV-T-PXE, CPV-T-PXC


SKU	TYPE	VALVE	ADA	GPM
SM-8410-P	DIVERTER	INCLUDED	NO	2.5
SM-8010-P	NON-DIVERTER	INCLUDED	NO	2.5

SM-1010-P

NEO SHOWER COMBINATION



PC BN




- Neo® Collection Shower and Valve Combination System for a complete, cohesive shower design
- Includes Neo fixed Anystream® shower head equipped with Anystream® technology to deliver versatile sprays
- Includes Neo Collection coordinating shower arm and flange

Compatible Valves: CPV-PB, CPV-PB-PXE, CPV-PB-PXC, CPV-T, CPV-T-PXE, CPV-T-PXC


SKU	TYPE	VALVE	ADA	GPM
SM-1010-P	NON-DIVERTER	INCLUDED	NO	2.5
SM-1010-P-BN	NON-DIVERTER	INCLUDED	NO	2.5
SM-1410-P	DIVERTER	INCLUDED	NO	2.5
SM-1410-P-BN	DIVERTER	INCLUDED	NO	2.5

SM-8430-P

RAINIER SHOWER/TUB COMBINATION



PC




- Solid brass shower valve, plastic wall plate with metal lever handles
- Includes Rainier fixed Anystream® shower head equipped with Anystream® technology to deliver versatile sprays

Compatible Valves: CPV-PB, CPV-PB-PXE, CPV-PB-PXC, CPV-T, CPV-T-PXE, CPV-T-PXC

SKU	TYPE	VALVE	ADA	GPM
SM-8430-P	DIVERTER	INCLUDED	NO	2.5
SM-8030-P	NON-DIVERTER	INCLUDED	NO	2.5

SM-10430-P

CHELSEA SHOWER/TUB COMBINATION




- Chelsea Collection Shower and Tub Combination System for a complete, cohesive shower design
- Includes Chelsea fixed Anystream® shower head equipped with Anystream® technology to deliver versatile sprays
- Includes metal constructed tub spout and coordinated shower arm and flange

Compatible Valves: CPV-PB, CPV-PB-PXE, CPV-PB-PXC, CPV-T, CPV-T-PXE, CPV-T-PXC

SKU	TYPE	VALVE	ADA	GPM
SM-10430-P	DIVERTER	INCLUDED	NO	2.5
SM-10430-P-BN	DIVERTER	INCLUDED	NO	2.5
SM-10030-P	NON-DIVERTER	INCLUDED	NO	2.5
SM-10030-P-BN	NON-DIVERTER	INCLUDED	NO	2.5

SM-1430-P

NEO SHOWER & TUB COMBINATION



- Neo Collection Shower and Tub Combination System for a complete, cohesive shower design
- Includes Neo fixed Anystream® shower head equipped with Anystream® technology to deliver versatile sprays
- Includes metal constructed tub spout and coordinated shower arm and flange

Compatible Valves: CPV-PB, CPV-PB-PXE, CPV-PB-PXC, CPV-T, CPV-T-PXE, CPV-T-PXC

SKU	TYPE	VALVE	ADA	GPM
SM-1430-P	DIVERTER	INCLUDED	NO	2.5
SM-1430-P-BN	DIVERTER	INCLUDED	NO	2.5
SM-1030-P	NON-DIVERTER	INCLUDED	NO	2.5
SM-1030-P-BN	NON-DIVERTER	INCLUDED	NO	2.5

Repair Parts: RPG05-0874

VS-2954

VERSATILE ADA HAND SHOWER SYSTEM



- Features a powerful, single function spray hand shower
- Hand shower with integral thumb operated pause/trickle non-positive shut-off
- Includes 60 in. metal hose, vacuum breaker and mounting bracket
- 24 In. slide bar meets ADA pull force specification

SKU	TYPE	VALVE	ADA	GPM
VS-2954	NON-DIVERTER	INCLUDED	YES	2.5
VS-2054	NON-DIVERTER	INCLUDED	YES	2.5

SM-1040-P

NEO SLIDE BAR SHOWER COMBINATION




- Neo Collection ADA Hand Shower and Tub Package for a complete, cohesive shower design
- Includes Neo Anystream® Hand Shower equipped with Anystream® technology to deliver versatile sprays
- Pressure balance diverter valve regulates water temperature and pressure
- Includes slide bar, and metal constructed diverter tub spout
- Includes 60 in. metal hose and shower elbow

SKU	TYPE	VALVE	ADA	GPM
SM-1040-P	NON-DIVERTER	INCLUDED	YES	2.5
SM-1040-P-BN	NON-DIVERTER	INCLUDED	YES	2.5

SM-3060

SENTINEL MARK II® TRANSFER VALVE SHOWER COMBINATION




- Includes S-2272-E2 (See PG 34) Shower Head and VS-100-PC (See PG 39) Hand Shower
- Four port valve with 1/2 in. female copper sweat inlets and shower outlet
- Adjustable temperature limit stop
- Meets ASSE 1016 & ASME A112.18.1/CSA B125.1

SKU	TYPE	VALVE	ADA	GPM
SM-3060	NON-DIVERter	INCLUDED	YES	2.0 HEAD; 2.5 HAND
SM-3060-E175	NON-DIVERter	INCLUDED	YES	1.75 HEAD; 2.5 HAND
SM-3460	DIVERter	INCLUDED	YES	2.0 HEAD; 2.5 HAND
SM-3460-E175	DIVERter	INCLUDED	YES	1.75 HEAD; 2.5 HAND

SM-1080-ADA-P

NEO ADA SHOWER COMBINATION



- Includes Neo Anystream® Hand Shower equipped with Anystream® technology
- Includes 60 in. metal hose and coordinating shower arm and flange
- Features an ADA compliant 24 in. grab bar and pause/trickle adapter

SKU	TYPE	VALVE	ADA	GPM
SM-1080-ADA-P	NON-DIVERter	INCLUDED	YES	2.5
SM-1080-ADA-PBN	NON-DIVERter	INCLUDED	YES	2.5
SM-1080-ADA-PE2	NON-DIVERter	INCLUDED	YES	2

SM-1050-P

NEO SLIDE BAR SHOWER TUB COMBINATION




- Neo Collection ADA Hand Shower and Tub Package for a complete, cohesive shower design
- Includes Neo Anystream® Hand Shower equipped with Anystream® technology,
- Includes slide bar, tub spout, 60 in metal hose and shower elbow
- Features an ADA compliant pause/trickle adapter

SKU	TYPE	VALVE	ADA	GPM
SM-1050-P	NON-DIVERter	INCLUDED	YES	2.5
SM-1050-P-BN	NON-DIVERter	INCLUDED	YES	2.5
SM-1450-P	DIVERter	INCLUDED	NO	2.5
SM-1450-P-BN	DIVERter	INCLUDED	NO	2.5

SM-1490-ADA-P

NEO ADA HAND SHOWER & TUB COMBINATION




Repair Parts: RP605-08/4,
RPG45-41791, VS-130, VS-158,
RPG56-0038-BN

- Neo Collection ADA Hand Shower and Slide Bar Package for a complete, cohesive shower design
- Includes Neo Anystream® Hand Shower equipped with Anystream® technology to deliver versatile sprays
- Includes tub spout, 60 in. metal hose, shower arm and flange
- Features an ADA compliant 24 in. grab bar and pause/trickle adapter

SKU	TYPE	VALVE	ADA	GPM
SM-1490-ADA-P	DIVERter	INCLUDED	YES	2.5
SM-1490-ADA-PBN	DIVERter	INCLUDED	YES	2.5
SM-1090-ADA-P	NON-DIVERter	INCLUDED	YES	2.5
SM-1090-ADA-PBN	NON-DIVERter	INCLUDED	YES	2.5

CPT-1124

KUBOS TRANSFER VALVE TRIM




- For use with CPV-TV (See PG 97) two-way transfer valve
- Mounting hardware included
- Valve not included, 120° handle rotation

Dimensions: 5.25"H x 2.04"L x 4.0"W

SKU	ADA	GPM	Low Lead	NSF61	
CPT-1124	NO		N/A	N/A	N/A
CPT-1124-BN	NO		N/A	N/A	N/A

CPT-1110

NEO TRANSFER VALVE TRIM





- For use with CPV-TV (See PG 97) two-way transfer valve
- Includes mounting plate and hardware
- Valve not included, 120° handle rotation
- Coordinates with every Neo Collection fixture.

Dimensions: 2.283"H x 5.433"L x 0.254"W

SKU	ADA	GPM	Low Lead	NSF61	
CPT-1110	NO	N/A	N/A	N/A	N/A
CPT-1110-BN	NO	N/A	N/A	N/A	N/A
CPT-1110-MB	NO	N/A	N/A	N/A	N/A

CPT-1121

LURA® TRANSFER VALVE TRIM




- For use with CPV-TV (See PG 97) two-way transfer valve (sold separately)
- Includes trim plate and cross handle
- Mounting hardware included
- Transfers between 2 functions

Dimensions: 4"H x 3.375"L x 4"W

SKU	ADA	GPM	Low Lead	NSF61	
CPT-1121	NO	N/A	N/A	N/A	N/A
CPT-1121-MB	NO	N/A	N/A	N/A	N/A
CPT-1121-BBZ	NO	N/A	N/A	N/A	N/A

CPT-1123

LURA® TRANSFER VALVE TRIM




- For use with CPV-TV (See PG 97) two-way transfer valve (sold separately)
- Includes trim plate and lever handle
- Valve Not Included, Mounting hardware included

Dimensions: 2.283"H x 5.433"L x 0.2"W

SKU	ADA	GPM	Low Lead	NSF61	
CPT-1123	NO	N/A	N/A	N/A	N/A
CPT-1123-MB	NO	N/A	N/A	N/A	N/A
CPT-1123-BBZ	NO	N/A	N/A	N/A	N/A

CPT-1183

TRANSFER VALVE TRIM




- Includes faceplate with handle, plastic and metal construction
- Trim only; requires CPV-1183 Speakman Transfer Valve to complete installation

Dimensions: 4.375"H x 6.813"L x 2.75"W

SKU	ADA	GPM	Low Lead	NSF61	
CPT-1183	NO	N/A	N/A	N/A	N/A
CPT-1183-BN	NO	N/A	N/A	N/A	N/A

S-1183

TRANSFER VALVE & TRIM



Repair Parts: RPG04-0435, RPG05-0897, RPG05-0939



- Features a durable brass valve body, metal lever handle, ceramic cartridge
- 1/2-14 NPT threaded inlet & two outlet connections
- Mounting plate and hardware included

Dimensions: 4.37"H x 2.77"L x 2.77"W

SKU	ADA	Low Lead	GPM	NSF61	
S-1183	NO	NO	N/A	NO	NO
S-1183-BN	NO	NO	N/A	NO	NO

VS-142

VINYL SHOWER HOSE





- Reinforced white vinyl hose with metal couplings
- 69" length, 1/2" NPSF connections

Dimensions: 69.0"L

SKU
VS-142
VS-145

VS-122

WALL MOUNT HAND SHOWER HOLDER





- Two positions for holding your hand shower
- Compatible with Speakman Hand Held Shower Heads
- Includes mounting hardware, can not be used with the VS-142 hose

Dimensions: 1.81"H x 1.76"L x 1.85"W

SKU
VS-122
VS-122-BN
VS-122-MB

VS-121

HAND SHOWER WALL POST





- Corrosion-resistant finish, durable brass construction
- Includes necessary mounting hardware

Dimensions: 2.5"H x 1.94"L x 2.5"W

SKU
VS-121

VS-120

SWIVEL CONNECTOR





- Allows for hand shower position to swivel easily adjusting spray direction
- 1/2" NPSM inlet, 1/2" NPSF outlet

Dimensions: 2.0"H x 2.75"L x 0.5"W

SKU
VS-120
VS-120-PC

VS-126

WALL MOUNT HAND SHOWER HOLDER




- Compatible with all Speakman Hand Held Shower Heads
- Two positions for holding your hand shower, including mounting hardware

Dimensions: 2.28"H x 2.29"L x 2.28"W

SKU
VS-126
VS-126-BN
VS-126-ORB


VS-128



PC

BN

ORB




• Compatible with all Speakman hand held shower heads

• Two positions for holding your hand shower, includes mounting hardware

Dimensions: 2.28"H x 2.29"L x 2.28"W

SKU
VS-128
VS-128-BN
VS-128-ORB


VS-129



PC

BN

ORB




• Wall mounted metal hand held shower head holder, includes mounting hardware

• Compatible with all Speakman hand held shower heads

Dimensions: 2.28"H x 3.923"L x 1.295"W

SKU
VS-129
VS-129-BN
VS-129-ORB


VS-130



PC

BN

ORB




• Wall mounted metal hand held shower head holder, includes mounting hardware

• Compatible with all Speakman hand held shower heads

Dimensions: 2.28"H x 3.923"L x 1.295"W

SKU
VS-130
VS-130-BN
VS-130-ORB


VS-157



SS

BN

MB



• Durable metal hose and metal couplings

• Dual checks safeguard against backflow, 5-foot long; flexible, tangle-free design

Dimensions: 0.92"H x 59.055"L x 0.92"W

SKU
VS-157
VS-157-BN
VS-157-MB

SHOWER COMBINATIONS

COMMERCIAL SHOWER COMBINATION



SLV-3010 SENTINEL MARK II TRIM AND SHOWER COMBINATION

SKU	FINISH	TYPE	ADA	GPM
SLV-3010	PC	NON-DIVERter	NO	2
SLV-3410	PC	DIVERter	NO	2



SLV-3020 SENTINEL MARK II VANDAL RESISTANT SHOWER COMBINATION

SKU	FINISH	TYPE	ADA	GPM
SLV-3020	PC	NON-DIVERter	NO	2.5
SLV-3420	PC	DIVERter	NO	2.5



SLV-3030 SENTINEL MARK II TRIM, SHOWER AND TUB COMBINATION

SKU	FINISH	TYPE	ADA	GPM
SLV-3030	PC	NON-DIVERter	NO	2
SLV-3430	PC	DIVERter	NO	2



SLV-5010 SENTINELPRO TRIM AND SHOWER COMBINATION

SKU	FINISH	TYPE	ADA	GPM
SLV-5010	PC	NON-DIVERter	NO	2
SLV-5410	PC	DIVERter	NO	2



SLV-5020 SENTINELPRO VANDAL RESISTANT SHOWER COMBINATION

SKU	FINISH	TYPE	ADA	GPM
SLV-5020	PC	NON-DIVERter	NO	2.5
SLV-5420	PC	DIVERter	NO	2.5



SLV-1310-UNI KUBOS EASYINSTALL UNIVERSAL SHOWER COMBINATION

SKU	FINISH	TYPE	ADA	GPM
SLV-1310-UNI	PC	NON-DIVERter	YES	1.75
SLV-1310-UNI-BN	BN	NON-DIVERter	YES	1.75



SLV-24010 KUBOS TRIM AND SHOWER COMBINATION

SKU	FINISH	TYPE	ADA	GPM
SLV-24010	PC	NON-DIVERter	NO	2.5
SLV-24010-BN	BN	NON-DIVERter	NO	2.5
SLV-24410	PC	DIVERter	NO	2.5



SLV-8011 RAINIER TRIM AND SHOWER COMBINATION

SKU	FINISH	TYPE	ADA	GPM
SLV-8011	PC	NON-DIVERter	NO	2.5
SLV-8411	PC	DIVERter	NO	2.5



SLV-10010 CHELSEA TRIM AND SHOWER COMBINATION

SKU	FINISH	TYPE	ADA	GPM
SLV-10010	PC	NON-DIVERter	NO	2.5
SLV-10010-BN	BN	NON-DIVERter	NO	2.5
SLV-10410	PC	DIVERter	NO	2.5
SLV-10410-BN	BN	DIVERter	NO	2.5



SLV-1010 NEO TRIM AND SHOWER COMBINATION

SKU	FINISH	TYPE	ADA	GPM
SLV-1010	PC	NON-DIVERter	NO	2.5
SLV-1010-BN	BN	NON-DIVERter	NO	2.5
SLV-1410	PC	DIVERter	YES	2.5
SLV-1410-BN	BN	DIVERter	YES	2.5



SLV-1010-UNI NEO EASYINSTALL UNIVERSAL SHOWER COMBINATION

SKU	FINISH	TYPE	ADA	GPM
SLV-1010-UNI	PC	NON-DIVERter	YES	1.75
SLV-1010-UNI-BN	BN	NON-DIVERter	YES	1.75



SLV-1030 NEO TRIM, SHOWER AND TUB COMBINATION

SKU	FINISH	TYPE	ADA	GPM
SLV-1030	PC	NON-DIVERter	NO	2.5
SLV-1030-BN	BN	NON-DIVERter	NO	2.5
SLV-1430	PC	DIVERter	YES	2.5
SLV-1430-BN	BN	DIVERter	YES	2.5



SLV-1030-UNI NEO EASYINSTALL UNIVERSAL TUB/SHOWER COMBINATION

SKU	FINISH	TYPE	ADA	GPM
SLV-1030-UNI	PC	NON-DIVERter	YES	1.75
SLV-1030-UNI-BN	BN	NON-DIVERter	YES	1.75



SLV-1330-UNI KUBOS EASYINSTALL UNIVERSAL TUB/SHOWER COMBINATION

SKU	FINISH	TYPE	ADA	GPM
SLV-1330-UNI	PC	NON-DIVERter	YES	1.75
SLV-1330-UNI-BN	BN	NON-DIVERter	YES	1.75



SLV-5030 SENTINELPRO TRIM, SHOWER AND TUB COMBINATION

SKU	FINISH	TYPE	ADA	GPM
SLV-5030	PC	NON-DIVERter	NO	2
SLV-5430	PC	DIVERter	NO	2



SLV-24030 KUBOS TRIM, SHOWER AND TUB COMBINATION

SKU	FINISH	TYPE	ADA	GPM
SLV-24030	PC	NON-DIVERter	NO	2.5
SLV-24030-BN	BN	NON-DIVERter	NO	2.5
SLV-24430	PC	DIVERter	NO	2.5



SLV-8031 RAINIER TRIM, SHOWER AND TUB COMBINATION

SKU	FINISH	TYPE	ADA	GPM
SLV-8031	PC	NON-DIVERter	NO	2.5
SLV-8431	PC	DIVERter	NO	2.5



SLV-10030 CHELSEA TRIM, SHOWER AND TUB COMBINATION

SKU	FINISH	TYPE	ADA	GPM
SLV-10030	PC	NON-DIVERter	NO	2.5
SLV-10030-BN	BN	NON-DIVERter	NO	2.5
SLV-10430	PC	DIVERter	NO	2.5
SLV-10430-BN	BN	DIVERter	NO	2.5

SHOWER COMBINATIONS COMMERCIAL SHOWER AND TUB COMBINATION



SLV-3050 SENTINEL MARK II TRIM, SHOWER AND TUB PACKAGE

SKU	FINISH	TYPE	ADA	GPM
SLV-3050	(PC) PC	NON-DIVERTER	NO	2.5
SLV-3450	(PC) PC	DIVERTER	NO	2.5



SLV-3070 SENTINEL MARK II TRIM, SHOWER AND TUB SYSTEM

SKU	FINISH	TYPE	ADA	GPM
SLV-3070	(PC) PC	NON-DIVERTER	NO	2.0 / 2.5 HAND
SLV-3470	(PC) PC	DIVERTER	NO	2.0 / 2.5 HAND



SLV-3090-ADA SENTINEL MARK II TRIM, HANDICAP SHOWER AND TUB SYSTEM

SKU	FINISH	TYPE	ADA	GPM
SLV-3090-ADA	(PC) PC	NON-DIVERTER	YES	2.5
SLV-3490-ADA	(PC) PC	DIVERTER	YES	2.5
SLV-3490-ADA-E175	(PC) PC	DIVERTER	YES	1.75



SLV-5070 SENTINELPRO TRIM, SHOWER AND TUB SYSTEM

SKU	FINISH	TYPE	ADA	GPM
SLV-5070	(PC) PC	NON-DIVERTER	NO	2.0 / 2.5 HAND
SLV-5470	(PC) PC	NON-DIVERTER	NO	2.0 / 2.5 HAND



SLV-5090-ADA SENTINELPRO TRIM, HANDICAP SHOWER AND TUB SYSTEM

SKU	FINISH	TYPE	ADA	GPM
SLV-5090-ADA	(PC) PC	NON-DIVERTER	YES	2.5
SLV-5490-ADA	(PC) PC	DIVERTER	YES	2.5



SLV-5450 SENTINELPRO DIVERTER TRIM, SHOWER AND TUB PACKAGE

SKU	FINISH	TYPE	ADA	GPM
SLV-5450	(PC) PC	NON-DIVERTER	NO	2.5



SLV-3040 SENTINEL MARK II TRIM AND SHOWER PACKAGE

SKU	FINISH	TYPE	ADA	GPM
SLV-3040	(PC) PC	NON-DIVERTER	NO	2.5
SLV-3440	(PC) PC	DIVERTER	NO	2.5



SLV-3060 SENTINEL MARK II TRIM AND SHOWER SYSTEM

SKU	FINISH	TYPE	ADA	GPM
SLV-3060	(PC) PC	NON-DIVERTER	NO	2.0 / 2.5 HAND
SLV-3460	(PC) PC	DIVERTER	NO	2.0 / 2.5 HAND
SLV-3060-E175	(PC) PC	NON-DIVERTER	NO	1.75 / 2.5 HAND
SLV-3460-E175	(PC) PC	DIVERTER	NO	1.75 / 2.5 HAND



SLV-3080-ADA SENTINEL MARK II TRIM AND HANDICAP SHOWER SYSTEM

SKU	FINISH	TYPE	ADA	GPM
SLV-3080-ADA	(PC) PC	NON-DIVERTER	YES	2.5
SLV-3480-ADA	(PC) PC	DIVERTER	YES	2.5



SLV-5040 SENTINELPRO TRIM AND SHOWER PACKAGE

SKU	FINISH	TYPE	ADA	GPM
SLV-5040	(PC) PC	NON-DIVERTER	NO	2.5
SLV-5440	(PC) PC	DIVERTER	NO	2.5



SLV-5060 SENTINELPRO TRIM AND SHOWER SYSTEM

SKU	FINISH	TYPE	ADA	GPM
SLV-5060	(PC) PC	NON-DIVERTER	NO	2.0 / 2.5 HAND
SLV-5460	(PC) PC	DIVERTER	NO	2.0 / 2.5 HAND



SLV-5080-ADA SENTINELPRO TRIM AND HANDICAP SHOWER SYSTEM

SKU	FINISH	TYPE	ADA	GPM
SLV-5080-ADA	(PC) PC	NON-DIVERTER	YES	2.5
SLV-5480-ADA	(PC) PC	DIVERTER	YES	2.5



SLV-1050 NEO TRIM, SHOWER AND TUB PACKAGE

SKU	FINISH	TYPE	ADA	GPM
SLV-1050	(PC) PC	NON-DIVERTER	NO	2.5
SLV-1050-BN	(BN) BN	NON-DIVERTER	NO	2.5



SLV-1090-ADA NEO TRIM, HANDICAP SHOWER AND TUB SYSTEM

SKU	FINISH	TYPE	ADA	GPM
SLV-1090-ADA	(PC) PC	NON-DIVERTER	YES	2.5
SLV-1090-ADA-BN	(BN) BN	NON-DIVERTER	YES	2.5



SLV-1450-ADA NEO DIVERTER TRIM, SHOWER AND TUB PACKAGE

SKU	FINISH	TYPE	ADA	GPM
SLV-1450-ADA	(PC) PC	DIVERTER	YES	2.5
SLV-1450-ADA-BN	(BN) BN	DIVERTER	YES	2.5



SLV-1490-ADA NEO DIVERTER TRIM, HANDICAP SHOWER AND TUB SYSTEM

SKU	FINISH	TYPE	ADA	GPM
SLV-1490-ADA	(PC) PC	DIVERTER	YES	2.5
SLV-1490-ADA-BN	(BN) BN	DIVERTER	YES	2.5



SLV-1040 NEO TRIM AND SHOWER PACKAGE

SKU	FINISH	TYPE	ADA	GPM
SLV-1040	(PC) PC	NON-DIVERTER	NO	2.5
SLV-1040-BN	(BN) BN	NON-DIVERTER	NO	2.5



SLV-1080-ADA NEO TRIM AND HANDICAP SHOWER SYSTEM

SKU	FINISH	TYPE	ADA	GPM
SLV-1080-ADA	(PC) PC	NON-DIVERTER	YES	2.5
SLV-1080-ADA-BN	(BN) BN	NON-DIVERTER	YES	2.5



SCAN ME.

Scan this QR code for more information on our Commercial Shower Systems




SB-2531

LURA® 5HOLE ROMAN TUB FAUCET




PC MB BBZ



- Spout creates a beautiful waterfall effect
- Industrial-inspired cross handle
- Durable solid brass construction
- Durable all-metal hand shower wand
- Coordinates with a full collection of Lura® faucets and accessories

Dimensions: 11.75"H x 8.25"L x 22.5"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-2531	NO	5.8 @ 45 PSI FAUCET / 1.5 HANDHELD	N/A	N/A	N/A
SB-2531-MB	NO	5.8 @ 45 PSI FAUCET / 1.5 HANDHELD	N/A	N/A	N/A
SB-2531-BBZ	NO	5.8 @ 45 PSI FAUCET / 1.5 HANDHELD	N/A	N/A	N/A


Repair Parts: RPG05-105440-PC-E15, RPG05-105440-PC-E175, RPG05-105440-PC-E2, RPG05-105440-PC, RPG63-113138, RPG05-113161, RPG05-113169, RPG05-113179

BATH TUB

5 HOLE / STANDING ROMAN TUB FAUCET

SB-2533

LURA® 5 HOLE ROMAN TUB FAUCET



- Spout creates a beautiful waterfall effect
- Transitional, platform lever handles
- Durable solid brass construction
- Durable all-metal hand shower wand
- Coordinates with a full collection of Lura® faucets and accessories


Dimensions: 11.75"H x 8.25"L x 22.5"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-2533	YES	5.8 @ 45 PSI FAUCET / 1.5 HANDHELD	N/A	N/A	N/A
SB-2533-MB	YES	5.8 @ 45 PSI FAUCET / 1.5 HANDHELD	N/A	N/A	N/A
SB-2533-BBZ	YES	5.8 @ 45 PSI FAUCET / 1.5 HANDHELD	N/A	N/A	N/A

Repair Parts: RPG05-105440-PC-E15, RPG05-105440-PC-E175, RPG05-105440-PC-E2, RPG05-105440-PC, RPG63-113138, RPG05-113161, RPG05-113169, RPG05-113179

SB-2534

LURA® STANDING ROMAN TUB FAUCET



- Spout creates a beautiful waterfall effect
- Industrial-inspired cross handle
- Durable solid brass construction
- Durable all-metal hand shower wand
- Coordinates with a full collection of Lura® faucets and accessories


Dimensions: 41.5"H x 12"L x 8.5"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-2534	NO	6.0 @ 45 PSI FAUCET / 1.5 HANDHELD	N/A	N/A	N/A
SB-2534-MB	NO	6.0 @ 45 PSI FAUCET / 1.5 HANDHELD	N/A	N/A	N/A
SB-2534-BBZ	NO	6.0 @ 45 PSI FAUCET / 1.5 HANDHELD	N/A	N/A	N/A

Repair Parts: RPG05-105440-PC-E15, RPG05-105440-PC-E175, RPG05-105440-PC-E2, RPG05-105440-PC, RPG63-112940, RPG05-112932, RPG05-112951

SB-2536

LURA® STANDING ROMAN TUB FAUCET



- Spout creates a beautiful waterfall effect
- Transitional, platform lever handle
- Durable solid brass construction
- Durable all-metal hand shower wand
- Coordinates with a full collection of Lura® faucets and accessories


Dimensions: 41.5"H x 12"L x 8.5"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-2536	YES	6.0 @ 45 PSI FAUCET / 1.5 HANDHELD	N/A	N/A	N/A
SB-2536-MB	YES	6.0 @ 45 PSI FAUCET / 1.5 HANDHELD	N/A	N/A	N/A
SB-2536-BBZ	YES	6.0 @ 45 PSI FAUCET / 1.5 HANDHELD	N/A	N/A	N/A

Repair Parts: RPG05-105440-PC-E15, RPG05-105440-PC-E175, RPG05-105440-PC-E2, RPG05-105440-PC, RPG63-112940, RPG05-112932, RPG05-112951

SB-2731

VECTOR® 5 HOLE DECK MOUNT TUB FAUCET



- Durable metal construction
- Linear hand-held wand adds a sleek and functional touch
- Coordinates with a full collection of Vector® faucets and accessories
- Hand Shower WaterSense Certified 1.5 GPM flow rate



Dimensions: 9.2"H x 9.75"L x 23.75"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-2731	YES	5.7 @ 45 PSI FAUCET / 1.5 HANDHELD	N/A	N/A	N/A
SB-2731-MB	YES	5.7 @ 45 PSI FAUCET / 1.5 HANDHELD	N/A	N/A	N/A

Repair Parts: RPG05-105666-E15, RPG05-105666-E175, RPG05-105666-E2, RPG05-105666, RPG63-113138, RPG05-113161, RPG05-113169, RPG05-113179


SB-3131

LUCID® ROMAN TUB FAUCET



- Take the luxury throughout your bathroom coordinating fixtures are available for the sink and shower, as well as towel bars, robe hooks and more
- Gentle curves create a signature look
- Made of high-quality, durable materials and backed by a three year finish warranty
- Pair with the Lucid® 3 Piece Bath Mixer Valve (CPV-SBC: sold separately) (See PG 97)
- Valve Sold Separately allows for installation of valve body during construction ensuring no damage to the faucet.



Dimensions: 12.36"H x 9.46"L x 8.224" - 14.224"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-3131	NO	5.28 OR HIGHER	NO	NO	NO
SB-3131-MB	NO	5.28 OR HIGHER	NO	NO	NO

Repair Parts: RPG05-114797


SB-3132

LUCID® TUB FILLER



- Durable all-metal shower wand delivers a max flow rate of 2.0 gpm
- Spout creates a beautiful waterfall effect
- Take the luxury throughout your bathroom - coordinating fixtures are available for the sink and shower, as well as towel rings, robe hooks and more
- Clear markings allow for streamlined installation on sub floor
- Valve Sold Separately allows for installation of valve body during construction ensuring no damage to the faucet.



Dimensions: 46.11"H x 13.33"L x 5.91"W

SKU	ADA	GPM	Low Lead	NSF61	
SB-3132	YES	2.0 MAX. HAND SHOWER	YES	YES	NO
SB-3132-MB	YES	2.0 MAX. HAND SHOWER	YES	YES	NO

Repair Parts: RPG05-115676, RPG05-116087, RPG05-116088, RPG05-116090


CDS1574 (S-1574)

LURA® TUB SPOUT





- 5-5/16 In. length
- Durable metal construction
- 1/2" NPT female inlet
- Wall-mount installation
- ASME A112.18.1/CSA B125.1 certified
- Coordinates with a full collection of Lura® faucets and accessories

Dimensions: 2.0"H x 5.852"L x 2.0"W

SKU	ADA	GPM	Low Lead	NSF61	
CDS1574	NO	N/A	N/A	N/A	N/A
CDS1574-MB	NO	N/A	N/A	N/A	N/A
CDS1574-BBZ	NO	N/A	N/A	N/A	N/A


S-1554

TUB SPOUT 1/2" NPTF INLET




- Features durable, metal construction
- 1/2" NPTF inlet

Dimensions: 2.5"H x 5.25"L x 2.5"W

SKU	ADA	GPM	Low Lead	NSF61	
S-1554	NO	N/A	NO	NO	NO
S-1556	NO	N/A	NO	NO	NO

S-1558

NEO TUB SPOUT




- Solid metal construction
- 1/2 in slip-fit connection
- Corrosion-resistant finish
- Coordinates with every Neo Collection fixture.

Dimensions: 2.66"H x 5.75"L x 2.5"W

SKU	TYPE	ADA	GPM	Low Lead	NSF61	
S-1558	DIVERter	NO	N/A	NO	NO	N/A
S-1558-BN	DIVERter	NO	N/A	NO	NO	N/A
S-1558-MB	DIVERter	NO	N/A	N/A	N/A	N/A
S-1557	NON-DIVERter	NO	N/A	NO	NO	N/A
S-1557-BN	NON-DIVERter	NO	N/A	NO	NO	N/A
S-1557-MB	NON-DIVERter	NO	N/A	N/A	N/A	N/A
S-1557-BBZ	NON-DIVERter	NO	N/A	NO	NO	N/A

S-1562

CHELSEA TUB SPOUT




- Solid metal construction
- 1/2 in slip-fit connection

Dimensions: 2.75"H x 6.09"L x 2.64"W

SKU	TYPE	ADA	GPM	Low Lead	NSF61	
S-1562	DIVERter	NO	N/A	NO	NO	NO
S-1562-BN	DIVERter	NO	N/A	NO	NO	NO
S-1561	NON-DIVERter	NO	N/A	NO	NO	NO
S-1561-BN	NON-DIVERter	NO	N/A	NO	NO	NO

S-1564

RAINIER TUB SPOUT




- Solid metal construction
- 1/2 in slip-fit connection

Dimensions: 2.96"H x 5.88"L x 2.96"W

SKU	TYPE	ADA	GPM	Low Lead	NSF61	
S-1564	DIVERter	NO	N/A	NO	NO	NO
S-1563	NON-DIVERter	NO	N/A	NO	NO	NO

S-1570

VECTOR® WALL MOUNT TUB SPOUT



Repair Parts: RPG05-113790

- Durable metal construction
- Angled spout creates dynamic visual interest found throughout the Vector® collection
- Coordinates with a full collection of Vector® faucets and accessories

Dimensions: 8.2"H x 8.7"L x 2.6"W

SKU	ADA	GPM	Low Lead	NSF61	
S-1570	NO	7.0 @ 45 PSI	N/A	N/A	N/A
S-1570-MB	NO	7.0 @ 45 PSI	N/A	N/A	N/A

S-1569

KUBOS TUB SPOUT



- Square, modern design
- Durable metal construction, corrosion resistant finishes


Dimensions: 5.745"H x 2.247"L x 2.037"W

SKU	TYPE	ADA	GPM	Low Lead	NSF61	
S-1569	DIVERter	NO	N/A	N/A	NO	NO
S-1569-BN	DIVERter	NO	N/A	N/A	NO	NO
S-1568	NON-DIVERter	NO	N/A	NO	NO	NO
S-1568-BN	NON-DIVERter	NO	N/A	N/A	NO	NO

VITREOUS TOILETS

MODERN TO TRADITIONAL


From Modern to Traditional, we have a toilet to match the interior design of every bathroom. Reliable performing one- and two-piece skirted toilets.

T-5000**GLENNWYN® SKIRTED TWO PIECE**

- Rimless design eliminates common crevices inside the bowl, creating a smoother, easier-to-clean toilet
- High-quality porcelain features a smooth glazed finish all the way through the trap designed to inhibit the growth of stain- and odor-causing bacteria, mold and mildew
- Unit ships ready to install: includes two-piece fixture, supply line, wax ring, fill valve, flapper, soft close seat and chrome-plated lever
- Fill valve comes with a 7-year warranty and features a powerful siphonic flushing system for a more hygienic flush with less water
- High efficiency (1.28gpf/4.8lpf) operation is WaterSense Certified
- All porcelain components come backed by a limited lifetime warranty

Dimensions: 32.3"H x 27.5"L x 15.8"W


SKU	ADA	MaP
T-5000	YES	1000 MaP @ 1.28GPF

T-5001**GLENNWYN® SKIRTED ONE PIECE**

- Rimless design eliminates common crevices inside the bowl, creating a smoother, easier-to-clean toilet
- High-quality porcelain features a smooth glazed finish all the way through the trap designed to inhibit the growth of stain- and odor-causing bacteria, mold and mildew
- Unit ships ready to install: includes two-piece fixture, supply line, wax ring, fill valve, flapper, soft close seat and chrome-plated lever
- Fill valve comes with a 7-year warranty and features a powerful siphonic flushing system for a more hygienic flush with less water
- High efficiency (1.28gpf/4.8lpf) operation is WaterSense Certified
- 100% factory flush tested; all porcelain components come backed by a limited lifetime warranty

Dimensions: 28.8"H x 28.4"L x 16.4"W


SKU	ADA	MaP
T-5001	YES	1000 MaP @ 1.28GPF

T-6000**GLANVILLE® TRADITIONAL ONE PIECE**

- Rimless design eliminates common crevices inside the bowl, creating a smoother, easier-to-clean toilet
- High-quality porcelain features a smooth glazed finish all the way through the trap designed to inhibit the growth of stain- and odor-causing bacteria, mold and mildew
- Unit ships ready to install: includes one-piece fixture, supply line, wax ring, fill valve, flapper, soft close seat and chrome-plated lever
- Fill valve comes with a 7-year warranty and features a powerful siphonic flushing system for a more hygienic flush with less water
- High efficiency (1.28gpf/4.8lpf) operation is WaterSense Certified
- 100% factory flush tested; all porcelain components come backed by a limited lifetime warranty

Dimensions: 29.5"H x 28.8"L x 18.1"W

SKU	ADA	MaP
T-6000	YES	800 MaP @ 1.28GPF

T-5002**GLENNWYN® ELONGATED LEFT-HAND FLUSH PERFECT HEIGHT**


- Features a smooth, glazed finish all the way through the 2" trap to inhibit the growth of stain- and odor-causing bacteria, mold and mildew
- Unit ships ready to install: includes two-piece fixture, supply line, wax ring, fill valve, flapper, soft close seat and chrome-plated lever
- Fill valve comes with a 7-year warranty and features a powerful siphonic flushing system for a more hygienic flush with less water
- High efficiency (1.28gpf/4.8lpf) operation is WaterSense Certified
- 1000 MaP performance

SKU	ADA	MaP
T-5002	YES	1000 MaP @ 1.28GPF

39752

TS-9000

HEATED BIDET





- Installs on most elongated toilets using common household tools; includes all hardware, mounting plate and AC adapter
- Choose from multiple water, seat and airdrying temperature settings
- Looks and feels like a traditional toilet seat: convenient side dial activates the bidet nozzle when you need it, tucks it away when you don't
- Select from front or back water rinse options for the ultimate in hygiene
- Anti-bacterial bidet nozzle features an auto rise to self-clean after use
- Built-in nightlight and deodorizer enhance the functionality

Dimensions: 4.449"H x 20.354"L x 15.866"W

SKU	ADA	CEC
TS-9000	NO	NO

SV-3005

0.5 GPF BATTERY/AC URINAL FLUSHOMETER



- Commercial-grade, built-to-last chloramine-resistant components
- Hands-free automatic flush provides a cleaner, more sanitary environment
- Battery powered for easy installation where power outlets are not accessible
- Low battery indicator: Light flashes once per second when low, twice per second when critically low
- Uses 4 standard AA alkaline batteries (included); lasts 300,000 cycles
- Hardwire installation provides flush after flush without replacing batteries
- Includes battery backup
- Battery back up uses 4 standard AAA alkaline batteries which will last for 100,000 cycles for use during power outages
- Infrared sensor that detects movement 2 feet away and in a 15° downward vertical sweep
- Vandal-resistant: check-stop cap is secured with a set screw



Dimensions: 17.32"H x 8.11"L x 4.57"W

SKU	ADA	CEC
SV-3005 (BATTERY URINAL)	YES	YES
SV-3010 (BATTERY URINAL)	YES	YES
SV-3105 (AC URINAL)	YES	YES
SV-3110 (AC URINAL)	YES	YES

Repair Parts: RPG01-118144

SV-4012

1.28 GPF BATTERY WATER CLOSET FLUSHOMETER



- Commercial-grade, built-to-last chloramine-resistant components
- Hands-free automatic flush provides a cleaner, more sanitary environment
- Battery powered for easy installation where power outlets are not accessible
- Low battery indicator: Light flashes once per second when low, twice per second when critically low
- Uses 4 standard AA alkaline batteries (included); engineered to last 300,000 cycles
- Infrared sensor that detects movement 2 feet away and in a 15° upward sweep
- Vandal-resistant: check-stop cap is secured with a set screw



Dimensions: 17.32"H x 8.11"L x 4.57"W

SKU	ADA	CEC
SV-4012	YES	YES
SV-4016	YES	YES

Repair Parts: RPG01-118143

SV-4116

1.6 GPF AC WATER CLOSET FLUSHOMETER



- Commercial-grade, built-to-last chloramine-resistant components
- Hands-free automatic flush provides a cleaner, more sanitary environment
- Hardwire installation provides flush after flush without replacing batteries
- Includes battery backup
- Battery back up uses 4 standard AAA alkaline batteries which will last for 100,000 cycles for use during power outages
- Infrared sensor that detects movement 2 feet away and in a 15° upward sweep
- Vandal-resistant: check-stop cap is secured with a set screw

Dimensions: 17.32"H x 8.11"L x 4.57"W

SKU	ADA	CEC
SV-4116	YES	YES
SV-4128	YES	YES

Repair Parts: RPG01-118143



VITREOUS SINKS

SEAMLESSLY MODERN



Opt for Speakman Vitreous China undermount sinks for a seamless modern look that is easy to clean and maintain. Westmere® bathroom sinks from Speakman offer streamlined styles that work with a variety of décor choices and elevate the look of any solid-surface counter-top.

Crafted from Vitreous China for a durable finish that resists stains and scratches, each high-end design comes at a competitive price.

65

VITREOUS SINKS

B-1100



14" (405 mm)

14 1/8" (360 mm)

17 1/2" (445 mm)

19 1/2" (495 mm)

8 1/4" (210 mm)

• High-end design and superior quality at a competitive price

• Undermount design creates a sleek, integrated-like look against solid surface countertops

• Includes all mounting hardware needed for installation on countertops at least 1" in depth

• Rear waste with front overflow drain



• Durable white Vitreous China bowls are easy to clean

• Versatile oval shape works in modern, traditional and transitional decors

Dimensions: 8.3"H x 16"L x 19.5"W

SKU	ADA
B-1100	NO

B-1101



15 1/2" (396 mm)

13" (330 mm)

17" (430 mm)

19 3/4" (501 mm)

6 1/2" (166 mm)

• High-end design and superior quality at a competitive price

• Undermount design creates a sleek, integrated-like look against solid surface countertops

• Includes all mounting hardware needed for installation on countertops at least 1" in depth

• Center waste with rear overflow drain



• Durable white Vitreous China bowls are easy-to-clean

• Versatile oval shape works in modern, traditional and transitional decors

Dimensions: 6.7"H x 16.6"L x 19.7"W

SKU	ADA
B-1101	NO

B-1200



15 1/2" (396 mm)

13" (330 mm)

17" (430 mm)

19 3/4" (501 mm)

6 1/2" (166 mm)

• High-end design and superior quality at a competitive price

• Undermount design creates a sleek, integrated-like look against solid surface countertops

• Includes all mounting hardware needed for installation on countertops at least 1" in depth

• Center waste with rear overflow drain

• Durable white Vitreous China bowls are easy-to-clean

• Versatile rectangular shape works in modern, traditional and transitional decors

Dimensions: 6.5"H x 15.5"L x 19.8"W

SKU	ADA
B-1200	NO

PG 66
SPEAKMAN.COM | 800.537.2107

WaterSense Certified: 2.0 gpm, 1.75 gpm, 1.5 gpm



BATH ACCESSORIES

THE PERFECT COMPLIMENT



In every great story, well-developed supporting characters bring it all together. They add substance to your narrative and empower leading cast members. Without them, your story falls flat.



This is how we feel about our bathroom accessories. Each piece in this section has been designed to not simply remain in the background, but rather help drive and shape the plot.

These fixtures exist to tell your story, from beginning to end.

SA-2406

KUBOS ROBE HOOK



 PC  BN



- Durable, solid brass construction
- Minimalistic, modern design
- Mounting hardware included
- Corrosion-resistant finish
- Designed to hold up to 38 pounds of weight



Dimensions: 2.2"H x 2.2"L x 1.8"W

SKU	ADA
SA-2406	NO
SA-2406-BN	NO

SA-2706

VECTOR® ROBE HOOK



 PC  MB



- Single robe hook
- Easy to install, strong mounting hardware included
- Same commercial grade as hotels
- Durable metal construction
- Vector® collection includes shower heads and accessories
- Mounting hardware included



Dimensions: 2.2"H x 1.7"L x 2.2"W

SKU	ADA
SA-2706	NO
SA-2706-MB	NO
SA-2708 (EXTENDED ROBE HOOK)	NO
SA-2708-MB (EXTENDED ROBE HOOK)	NO

SA-2408

KUBOS DOUBLE ROBE HOOK



 PC  BN



- Durable, solid brass construction
- Minimalistic, modern design
- Mounting hardware included
- Corrosion-resistant finish
- Each hook holds up to 38 pounds of weight




Dimensions: 2.2"H x 14.2"L x 4.2"W

SKU	ADA
SA-2408	NO
SA-2408-BN	NO

SA-1008

NEO DOUBLE ROBE HOOK



 PC  BN  MB



- Solid metal construction
- Two customizable prongs
- Includes mounting hardware
- Each hook holds up to 38 pounds of weight


Dimensions: 3.5"H x 2.2"L x 3.4"W

SKU	ADA
SA-1008	NO
SA-1008-BN	NO
SA-1008-MB	NO

SA-1406

ECHO ROBE HOOK



 PC


- Durable, metal construction
- Mounting hardware included
- Modern design
- Designed to hold up to 38 pounds of weight

Dimensions: 2.5"H x 2.8"L x 2.6"W

SKU	ADA
SA-1406	NO

SA-2006

NEO ROBE HOOK




- Durable, solid brass construction
- Mounting hardware included
- Modern design
- Designed to hold up to 38 pounds of weight

Dimensions: 2.2"H x 2.2"L x 2.1"W

SKU	ADA
SA-2006	NO
SA-2006-BN	NO
SA-2006-MB	NO

SA-2306

RAINIER ROBE HOOK




- Durable, solid brass construction
- Timeless, traditional design
- Mounting hardware included
- Corrosion-resistant finish
- Designed to hold up to 38 pounds of weight

Dimensions: 2.4"H x 2.4"L x 3.2"W

SKU	ADA
SA-2306	NO

SA-2506

LURA® ROBE HOOK




- Mount alone or in groupings to create a visual statement
- Side entry creates a clean, sculptural appearance from any angle
- Brings a designer aesthetic and extra storage space to any room
- Mounting hardware included
- Coordinates with a full collection of Lura® faucets and accessories

Dimensions: 2.1875"H x 2.1875"L x 3"W

SKU	ADA
SA-2506	NO
SA-2506-MB	NO
SA-2506-BBZ	NO

SA-3106

LUCID® ROBE HOOK




- Durable, solid metal construction
- Designed to hold up to 35 lbs. of weight
- Take the luxury throughout your bathroom - coordinating fixtures are available for the sink and shower, as well as towel bars, paper holders and more
- All mounting hardware included

Dimensions: 0.787"H x 2.362"L x 0.787"W

SKU	ADA
SA-3106	NO
SA-3106-MB	NO

SA-1002

NEO SHOWER SLIDE BAR



- Durable, metal construction
- Compatible with Neo Hand Shower
- Necessary mounting hardware included
- Substantial 25 inches long design

Dimensions: 25.8"H x 2.8"L x 4.6"W

SKU	ADA
SA-1002	NO
SA-1002-BN	NO
SA-1002-MB	NO

SA-1302

RAINIER SHOWER SLIDE BAR





- 23 in. length Slide Bar
- Features a durable, metal construction
- Mounting hardware included
- Available in Polished Chrome

Dimensions: 23.8" H x 3.1" L x 4.4" W

SKU	ADA
SA-1302	NO

SA-2402

KUBOS SLIDE BAR



- Equipped with an adjustable hand shower holster
- Durable, solid metal bar
- Includes necessary mounting hardware
- Clean, modern design
- Corrosion-resistant finish
- Hand shower not included

Dimensions:

SKU	ADA
SA-2402	NO
SA-2402-BN	NO

SA-1402

ECHO SHOWER SLIDE BAR





- 23" length Slide Bar
- Features a durable, metal construction
- Mounting hardware included
- Available in Polished Chrome

Dimensions: 23.5" H x 23.5" L x 3.0" W

SKU	ADA
SA-1402	NO

SA-2502

LURA® SLIDE BAR





- The ideal way to house your Lura® Hand Shower Wand and Hose (sold separately)
- Pivoting holder allows users to fine-tune their hand shower wand placement
- Durable metal construction
- Mounting hardware included
- Coordinates with a full collection of Lura® faucets and accessories

Dimensions: 2.8" H x 28.2" L x 2.2" W

SKU	ADA
SA-2502	NO
SA-2502-MB	NO
SA-2502-BBZ	NO

VS-123

SLIDE BAR



- 30 in. Slide Bar
- Mounting hardware included
- Brass construction
- Easy to adjust hand shower holder allows for user positioning preference
- 5 Year Limited Warranty

Dimensions: 3" L x 1.9" W

SKU	ADA
VS-123 (30"H)	NO
VS-123-BN (30"H)	NO
VS-124 (42"H)	NO

VS-153-ADA

24" ADA SLIDE BAR




- 24 in. combination grab/slide bar
- Features a durable, stainless steel construction
- ADA Compliant

Dimensions: 2.8"H x 24"L x 5"W

SKU	ADA
VS-153-ADA	NO
VS-153-ADA-BN	YES

SA-1009

NEO ADA GRAB BAR




- Stainless steel construction
- ADA compliant
- Flexible mounting configuration
- Includes mounting hardware

Dimensions: 2.8"H x 3"W

SKU	ADA
SA-1009-24 (24"W)	YES
SA-1009-24-BN (24"W)	YES
SA-1009-24-MB (24"W)	YES
SA-1009-36 (36"W)	YES
SA-1009-36-BN (36"W)	YES
SA-1009-36-MB (36"W)	YES
SA-1009-48 (48"W)	YES
SA-1009-48-BN (48"W)	YES
SA-1009-24-BBZ (24"W)	YES

SA-1309

RAINIER ADA GRAB BAR



- Stainless steel construction
- ADA compliant
- Flexible mounting configuration
- Includes mounting hardware

Dimensions: 2.8"H x 3.1"W

SKU	ADA
SA-1309-24 (24"L)	YES
SA-1309-24-BN (24"L)	YES
SA-1309-36 (36"L)	YES
SA-1309-36-BN (36"L)	YES
SA-1309-48 (48"L)	YES
SA-1309-48-BN (48"L)	YES

SA-1409-24

ECHO ADA GRAB BAR





- Features a durable stainless steel construction that meets ADA standards
- Effortlessly and securely installs at any desired height or angle
- Includes all necessary mounting hardware
- Coordinates with the Echo & Chelsea collections

Dimensions: 3.1"H x 2.8"W

SKU	ADA
SA-1409-24 (24"W)	YES
SA-1409-36 (36"W)	YES
SA-1409-48 (48"W)	YES

SA-2509


LURA® ADA GRAB BAR



- Simple, durable design provides multipurpose options: use it as a door handle, as well as a grab bar
- Effortlessly and securely installs vertically, horizontally, or diagonally at any desired height
- Features a durable, stainless steel construction that meets ADA standards
- Mounting hardware included
- Coordinates with a full collection of Lura® faucets and accessories



Dimensions: 3"H x 3"W

SKU	ADA
SA-2509-24 (24"L)	YES
SA-2509-24-MB (24"L)	YES
SA-2509-24-BBZ (24"L)	YES
SA-2509-36 (36"L)	YES
SA-2509-36-MB (36"L)	YES
SA-2509-36-BBZ (36"L)	YES
SA-2509-42 (42"L)	YES
SA-2509-42-MB (42"L)	YES
SA-2509-42-BBZ (42"L)	YES



SA-1404


ECHO TOWEL RING



- Durable, metal construction
- Mounting hardware included
- Designed to hold up to 10 pounds of weight



Dimensions: 7.4"H x 7.4"L x 2.5"W

SKU	ADA
SA-1404	NO



SA-2004


NEO TOWEL RING



- Durable, solid brass construction
- Mounting hardware included
- Designed to hold up to 50 pounds of weight



Dimensions: 8.4"H x 6.6"L x 1.6"W

SKU	ADA
SA-2004	NO
SA-2004-BN	NO
SA-2004-MB	NO



SA-2304


RAINIER TOWEL RING



- Durable, solid brass construction
- Mounting hardware included
- Corrosion-resistant finish
- Designed to hold up to 50 pounds of weight



Dimensions: 7.3"H x 6.4"L x 3.2"W

SKU	ADA
SA-2304	NO



SA-2703


VECTOR® HAND TOWEL RING



- Easy to install, strong mounting hardware included
- Durable metal construction
- Coordinates with a full collection of Vector® faucets and accessories


Dimensions: 7.6"H x 1.6"L x 6.7"W

SKU	ADA
SA-2703	NO
SA-2703-MB	NO



SA-3104

LUCID® TOWEL RING



- Durable, solid metal construction
- Designed to hold up to 10 lbs. of weight
- Take the luxury throughout your bathroom - coordinating fixtures are available for the sink and shower, as well as towel bars, robe hooks and more
- All mounting hardware included

Dimensions: 4.173"H x 2.362"L x 7.717"W

SKU	ADA
SA-3104	NO
SA-3104-MB	NO

SA-1407

ECHO TOWEL BAR



- Durable, metal construction
- Mounting hardware included
- Designed to hold up to 50 pounds of weight

Dimensions: 2.5"H x 26.5"L x 3.1"W

SKU	ADA
SA-1407	NO

SA-2404

KUBOS HAND TOWEL BAR



- Durable, solid brass construction
- Mounting hardware included
- Corrosion-resistant finish
- Designed to hold up to 50 pounds of weight

Dimensions: 2.2"H x 10.2"L x 2.8"W

SKU	ADA
SA-2404	NO
SA-2404-BN	NO

SA-2307

RAINIER TOWEL BAR




- Durable, solid brass construction
- Mounting hardware included
- Corrosion-resistant finish
- Designed to hold up to 50 pounds of weight

Dimensions: 2.4"H x 21.1"L x 3.2"W

SKU	ADA
SA-2307	NO

SA-2007

NEO TOWEL BAR



- Durable, solid brass construction
- Mounting hardware included
- Designed to hold up to 50 pounds of weight

Dimensions: 2.2"H x 28.8"L x 2.8"W

SKU	ADA
SA-2007 (24")	NO
SA-2007-BN (24")	NO
SA-2007-MB (24")	NO
SA-2007-18 (18")	NO
SA-2007-18-MB (18")	NO
SA-2007-18-BBZ (18")	NO

SA-2407

KUBOS TOWEL BAR



- Durable, solid brass construction
- Mounting hardware included
- Corrosion-resistant finish
- Designed to hold up to 50 pounds of weight

Dimensions: 2.2"H x 26.2"L x 2.8"W

SKU	ADA
SA-2407	NO
SA-2407-BN	NO

SA-2707

VECTOR® TOWEL BAR




- Towel bar comes in two sizes, 18 in. and 24 in.
- Durable metal construction
- Vector® collection includes shower heads and accessories
- Mounting hardware included

Dimensions: 2.2"H x 2.7"L x 26.2"W

SKU	ADA
SA-2707 (24")	NO
SA-2707-MB (24")	NO
SA-2707-18 (18")	NO
SA-2707-18-MB (18")	NO

SA-2504

LURA® HAND TOWEL BAR




- 9-in bar perfectly sized to accommodate hand towels
- Mounting hardware included
- Coordinates with a full collection of Lura® faucets and accessories
- Designed to hold up to 50 pounds of weight

Dimensions: 2.75"H x 2.5625"L x 10.5"W

SKU	ADA
SA-2504	NO
SA-2504-MB	NO
SA-2504-BBZ	NO

SA-2507

LURA® TOWEL BAR





- 24-inches wide
- Designed to hold up to 50 pounds of weight
- Mounting hardware included
- Coordinates with a full collection of Lura® faucets and accessories

Dimensions: 2.75"H x 3.1875"L x 26.75"W

SKU	ADA
SA-2507 (24")	NO
SA-2507-MB (24")	NO
SA-2507-BBZ (24")	NO
SA-2507-18 (18")	NO
SA-2507-18-MB (18")	NO
SA-2507-18-BBZ (18")	NO

SA-2704

VECTOR® HAND TOWEL BAR





- 8 in. hand towel bar
- Durable metal construction
- Vector® collection includes shower heads and accessories
- Mounting hardware included

Dimensions: 2.2"H x 2.7"L x 10.2"W

SKU	ADA
SA-2704	NO
SA-2704-MB	NO

SA-3107

LUCID® 24" TOWEL BAR





- Durable, solid metal construction
- Designed to hold up to 50 lbs. of weight
- Take the luxury throughout your bathroom - coordinating fixtures are available for the sink and shower, as well as towel rings, robe hooks and more
- All mounting hardware included
- Crafted using the finest materials and finishing processes

Dimensions: 0.787"H x 2.362"L

SKU	ADA
SA-3107 (24"W)	NO
SA-3107-MB (24"W)	NO
SA-3107-18 (18"W)	NO
SA-3107-18-MB (18"W)	NO

SH-2702

VECTOR® 24" TOWEL BAR / DOOR HANDLE





- Easy to install, strong mounting hardware included
- Same commercial-grade found in the finest hotels
- Durable metal construction
- Coordinates with a full collection of Vector® faucets and accessories

Dimensions: 2.2"H x 6"L x 26.2"W

SKU	ADA
SH-2702	NO
SH-2702-MB	NO

SA-1408

CORNER SHOWER BASKET





- Durable, metal construction
- Mounting hardware included
- Modern design
- Designed to hold up to 50 pounds of weight

Dimensions: 1.46"H x 5.98"L x 10.55"W

SKU
SA-1408

SA-2003

NEO TOWEL RACK



PC

BN

MB



- Durable, solid brass construction
- Mounting hardware included
- Modern design
- Designed to hold up to 50 pounds of weight

Dimensions: 4.9"H x 25.8"L x 9.5"W

SKU	ADA
SA-2003	NO
SA-2003-BN	NO
SA-2003-MB	NO

SA-2403

KUBOS TOWEL RACK



PC

BN



- Durable, solid brass construction
- Minimalistic, modern design
- Mounting hardware included
- Corrosion-resistant finish
- Designed to hold up to 50 pounds of weight

Dimensions: 2.2"H x 20.2"L x 9.6"W

SKU	ADA
SA-2403	NO
SA-2403-BN	NO

SA-1209

NEO GLASS SHELF



PC

BN

MB



- Tempered glass shelf
- Mounting hardware included
- Modern design
- 17-inches wide
- Designed to hold up to 50 pounds of weight

Dimensions: 2.2"H x 17.7"L x 5.3"W

SKU	ADA
SA-1209	NO
SA-1209-BN	NO
SA-1209-MB	NO

SA-1405

ECHO PAPER HOLDER



PC



- Durable, metal construction
- Mounting hardware included
- Modern design
- Designed to hold up to 50 pounds of weight

Dimensions: 2.5"H x 3.1"L x 8.6"W

SKU	ADA
SA-1405	NO

SA-2405

KUBOS PAPER HOLDER



PC

BN

- Durable, solid brass construction
- Minimalistic, modern design
- Mounting hardware included
- Corrosion-resistant finish
- Designed to hold up to 50 pounds of weight

Dimensions: 2.2"H x 8.2"L x 4.2"W

SKU	ADA
SA-2405	NO
SA-2405-BN	NO

SA-2705

VECTOR® PAPER HOLDER




- 6 in. spring loaded paper holder
- Easy to install, strong mounting hardware included
- Same commercial grade as hotels
- Durable metal construction
- Vector® collection includes shower heads and accessories
- Mounting hardware included

Dimensions: 2.2"H x 4.1"L x 8.2"W

SKU	ADA
SA-2705	NO
SA-2705-MB	NO

SA-2410

KUBOS DOUBLE PAPER HOLDER



- Durable, solid brass construction
- Minimalistic, modern design
- Mounting hardware included
- Corrosion-resistant finish
- Designed to hold up to 50 pounds of weight

Dimensions: 109"H x 8"W

SKU	ADA
SA-2410	NO
SA-2410-BN	NO

SA-2710

VECTOR® DOUBLE PAPER HOLDER




- Double spring loaded paper holder 12 in. in length
- Easy to install, strong mounting hardware included
- Same commercial grade as hotels
- Durable metal construction
- Vector® collection includes shower heads and accessories
- Mounting hardware included

Dimensions: 2.2"H x 4.1"L x 14.2"W

SKU	ADA
SA-2710	NO
SA-2710-MB	NO

SA-2305

RAINIER PAPER HOLDER




- Durable, solid brass construction
- Timeless, traditional design
- Mounting hardware included
- Corrosion-resistant polished chrome finish
- Designed to hold up to 50 pounds of weight

Dimensions: 4.4"H x 6.1"L x 3.2"W

SKU	ADA
SA-2305	NO

SA-2005

NEO TOILET PAPER HOLDER




- Durable, solid brass construction
- Mounting hardware included
- Modern design
- Designed to hold up to 50 pounds of weight

Dimensions:

SKU	ADA
SA-2005	NO
SA-2005-BN	NO
SA-2005-MB	NO

SA-3110

LUCID® PAPER HOLDER




- Open sided design - easy to switch out toilet paper, without springs or posts
- Take the luxury throughout your bathroom - coordinating fixtures are available for the sink and shower, as well as towel rings, robe hooks and more
- All mounting hardware included

Dimensions: 4.173"H x 2.362"L x 6.22"W

SKU	ADA
SA-3110	NO
SA-3110-MB	NO

SA-2010

NEO DOUBLE PAPER HOLDER




- Equipped with dual paper holsters
- Includes necessary mounting hardware
- Designed to hold up to 50 pounds of weight

Dimensions:

SKU	ADA
SA-2010	NO
SA-2010-BN	NO
SA-2010-MB	NO

SA-2505

LURA® PAPER HOLDER




- Deep design works with most sizes of paper
- Use in conjunction with the optional add-on phone shelf (SA-251) for extra versatility and convenience (sold separately- see below)
- Mounting hardware included
- Coordinates with a full collection of Lura® faucets and accessories

Dimensions: 2.75"H x 3.1875"L x 7.875"W

SKU	ADA
SA-2505	NO
SA-2505-MB	NO
SA-2505-BBZ	NO

SA-2508

LURA® RESERVE PAPER HOLDER




- Deep design works with most sizes of paper
- Use as a stand-alone holder or to house reserve rolls
- Durable metal construction
- Mounting hardware included
- Coordinates with a full collection of Lura® faucets and accessories

Dimensions: 7.5"H x 4.375"L x 2.75"W

SKU	ADA
SA-2508	NO
SA-2508-MB	NO
SA-2508-BBZ	NO

SA-251

LURA® PAPER HOLDER PHONE SHELF



- For use in conjunction with the Lura® Paper Holder, SA-2505 (sold separately)
- Flat surface holds a phone, keys or extra roll of toilet paper
- Mounting hardware included
- Coordinates with a full collection of Lura® faucets and accessories

Dimensions: 4.13"H x 7.09"L x 3.86"W

SKU	ADA
SA-251	YES
SA-251-BBZ	YES
SA-251-MB	YES



COMMANDER® FAUCETS

AT YOUR SERVICE

Sometimes, our interaction with water is subtle. A lobby restroom. A hotel kitchen. A poolside shower. We become so focused on the bathroom - it's easy to overlook the importance of utilitarian fixtures.


But these products are touched, handled and operated more than any other item. That's why it's crucial to select fittings that are not only built well, but will perform well for an exceptional amount of time.

Our line of commercial and emergency products have been engineered to handle endless activation with ease. Each product is constructed of durable, tenacious materials to provide unrivaled quality while still complying with national codes and standards.

This is service at its finest.


SC-5811

UTILITY FAUCET



- 1/4 turn ceramic cartridges
- Cross handles
- Cast body for through the wall 8 In. center installations
- Spout has 3/4 In. hose thread & pail hook
- Includes top brace
- Meets ASME A112.18.1/CSA B125.1 & ASSE 1001


Dimensions: 10"H x 9.5"L x 10.6"W

SKU	ADA	GPM	
SC-5811 (CROSS HANDLES)	NO	1.5	NO
SC-5811-RCP (CROSS HANDLES)	NO	1.5	NO
SC-5812 (LEVER HANDLES)	NO	1.5	NO
SC-5812-RCP (LEVER HANDLES)	NO	1.5	NO

Repair Parts: RPG04-0323-PC, RPG05-0520, RPG05-0532-CA, RPG05-0533

A-CK

CHECK VALVE KIT - UTILITY FAUCETS




- Check valves in swivel assembly
- Compatible with Commander® Service Sink Faucets

Dimensions:

SKU	ADA	GPM	
A-CK	NO	N/A	NO


SC-3004-FC-LD

5-1/4" GOOSENECK 2.0GPM WIDESPREAD BLADE FAUCET



- Features a solid, Low lead brass construction
- 2.0 gpm flow rate
- 4 In. Wrist Blade Handles
- Fixed or swivel spout
- Three hole installation
- Meets ASME A112.18.1/CSA B125.1, NSF 372 and NSF 61

Dimensions: 0"H x 0"L x 0"W

SKU	ADA	GPM	
SC-3004-FC-LD	YES	2	NO
SC-3004-LD-E	YES	0.5	NO

Repair Parts: G18-0217-CA, RPG04-0316-PC, RPG04-0320-PC, RPG05-0534-CA, RPG05-0535-CA, RPG05-0837-PC, RPG05-0851-PC, RPG05-40005, RPG05-40015, RPG10-0070-PC, RPG18-0213-CA, RPG20-2011-CA, RPG20-2012-CA, RPG38-0128-PC, RPG41-0285


SC-3004

5-1/4" GOOSENECK WIDESPREAD BLADE FAUCET



- Features a solid, Low lead brass construction
- 0.5 gpm flow rate
- 4 In. Wrist Blade Handles
- Fixed or swivel spout
- Three hole installation
- Meets ASME A112.18.1/CSA B125.1, NSF 372 and NSF 61


Dimensions:

SKU	ADA	GPM	
SC-3004	YES	1.5	NO
SC-3004-8-LD-E	YES	0.5	NO

Repair Parts: G18-0217-CA, RPG04-0316-PC, RPG04-0320-PC, RPG05-0534-CA, RPG05-0535-CA, RPG05-0837-PC, RPG05-0851-PC, RPG05-40005, RPG05-40015, RPG10-0070-PC, RPG18-0213-CA, RPG20-2011-CA, RPG20-2012-CA, RPG38-0128-PC, RPG41-0285

SC-3002-8-LD-E

8" GOOSENECK WIDESPREAD LEVER FAUCET



- Features a solid, Low lead brass construction
- Fixed or swivel spout
- Three hole installation
- Meets ASME A112.18.1/CSA B125.1, NSF 372 and NSF 61


Dimensions: 8"H x 8"L x 12.3"W

SKU	ADA	GPM	
SC-3002-8-LD-E	YES	1.5	NO

Repair Parts: G18-0217-CA, RPG04-0316-PC, RPG04-0320-PC, RPG05-0534-CA, RPG05-0535-CA, RPG05-0837-PC, RPG05-0851-PC, RPG05-40005, RPG05-40015, RPG10-0070-PC, RPG18-0213-CA, RPG20-2011-CA, RPG20-2012-CA, RPG38-0128-PC, RPG41-0285

SC-3044-LD-E

LOW ARC WIDESPREAD LAVATORY FAUCET



- Features a solid, Low lead brass construction
- 4 In. Wrist Blade Handles
- Fixed or swivel spout
- Three hole installation
- Meets ASME A112.18.1/CSA B125.1, NSF 372 and NSF 61


Dimensions: 0"H x 8"L x 4.4"W

SKU	ADA	GPM	
SC-3044-LD-E	YES	0.5	NO

Repair Parts: G18-0251-CA, RPG04-0316-PC, RPG04-0320-PC, RPG05-0534-CA, RPG05-0535-CA, RPG05-0837-PC, RPG05-40005, RPG05-40015, RPG10-0070-PC, RPG20-2011-CA, RPG20-2012-CA, RPG41-0285

SC-5724-E

GOOSENECK WIDESPREAD DECK FAUCET



- Features a solid, Low lead brass construction
- 4 In. Wrist Blade Handles
- Fixed or swivel spout
- Two hole installation
- Meets ASME A112.18.1/CSA B125.1, NSF 372 and NSF 61


Dimensions: 13.5"H x 8"L x 16"W

SKU	ADA	GPM	
SC-5724-E	YES	1.5	NO

Repair Parts: G18-0217-CA, RPG04-0316-PC, RPG05-0532-CA, RPG05-0533-CA, RPG05-0837-PC, RPG05-0851-PC, RPG05-40005, RPG05-40015, RPG41-0285

SC-3084-LD-E

3-3/4" GOOSENECK CENTERSET FAUCET



- Features a solid, Low lead brass construction
- 4 In. Wrist Blade Handles
- Fixed or swivel spout
- Two hole installation
- Meets ASME A112.18.1/CSA B125.1, NSF 372 and NSF 61


Dimensions:

SKU	ADA	GPM	
SC-3084-LD-E	YES	1.5	NO

Repair Parts: RPG04-0316-PC, RPG05-0532-CA, RPG05-0533-CA, RPG05-0533-CA, RPG05-0837-PC, RPG05-0851-PC, RPG05-40005, RPG05-40015, RPG18-0232-CA, RPG38-0128-PC, RPG41-0285

SC-4072-LD-E

CENTERSET FAUCET LEVER HANDLES




- Features a solid, Low lead brass construction
- 1/4 turn ceramic cartridges
- Two hole installation
- Meets ASME A112.18.1/CSA B125.1, NSF 372 and NSF 61

Dimensions:

SKU	ADA	GPM	
SC-4072-LD-E	YES	1.5	NO

SC-4074-LD-E

CENTERSET FAUCET BLADE HANDLES



- Features a solid, Low lead brass construction
- 0.5 gpm flow rate
- 4 In. Wrist Blade Handles
- 1/4 turn ceramic cartridges
- Two hole installation
- Meets ASME A112.18.1/CSA B125.1, NSF 372 and NSF 61

Dimensions: 0"H x 11.9"L x 3.1"W

SKU	ADA	GPM	
SC-4074-LD-E	YES	1.5	NO

Repair Parts: RPG05-40051, RPG05-0899, RPG41-0119, RPG04-0404, RPG05-0900, RPG45-0045, RPG05-0838-PC, RPG05-0798

SC-7112-E

SINGLE HANDLE LAB FAUCET



- Durable, low-lead brass construction
- Vandal resistant, single lever handle
- Low flow 0.5 GPM flow rate
- Designed specifically for laboratories

Dimensions: 13.4"H x 6.8"L x 3.5"W

SKU	ADA	GPM	
SC-7112-E	YES	0.5	NO

Repair Parts: RPG05-0532-CA, RPG18-0213-CA, RPG38-0128-PC

S-3345-CA-E

8" GOOSENECK SPOUT



- Durable, low-lead brass construction
- 8 In. Spout
- Speakman Finishes resist tarnishing and corrosion
- Single hole installation
- Meets ASME A112.18.1/CSA B125.1, NSF 372 and NSF 61

Dimensions: 12.0"H x 8.0"L x 1.0"W

SKU	ADA	GPM	
S-3345-CA-E	NO	0.5	NO

Repair Parts: G18-0217-CA, RPG05-0837-PC, RPG05-0851-PC, RPG38-0128-PC

SC-7122-E

DOUBLE HANDLE LAB FAUCET



- Durable, low-lead brass construction
- Dual vandal resistant, lever handles
- Designed specifically for laboratories

Dimensions: 13.1"H x 6.8"L x 6.4"W

SKU	ADA	GPM	
SC-7122-E	YES	0.5	NO

Repair Parts: RPG05-0532-CA, RPG05-0533-CA, RPG18-0213-CA, RPG38-0128-PC

S-3661-CA-E

O.5 GPM SINGLE HANDLE LAB FAUCET



- Features a solid, Low lead brass construction
- 0.5 gpm flow rate
- Lever Handle
- Two hole installation
- Meets ASME A112.18.1/CSA B125.1, NSF 372 and NSF 61



Dimensions: 12.0"H x 8.0"L x 4.13"W

SKU	ADA	GPM	
S-3661-CA-E	YES	0.5	NO

Repair Parts: G18-0217-PC, G20-1979-PC, RPG05-0837-PC, RPG05-0851-PC, RPG05-40015, RPG05-40052, 63-0042


S-3762-E

SINGLE LEVER KITCHEN FAUCET



- Low lead brass construction
- 1.8 gpm flow rate
- Lever Handle
- Spout extend 9 In. from center of mounting holes
- Meets ASME A112.18.1/CSA B125.1, NSF 372 and NSF 61


Dimensions: 6.88"H x 9.0"L x 8.0"W

SKU	ADA	GPM	
S-3762-E	YES	1.8	NO

Repair Parts: RPG01-0054, RPG05-0797, RPG05-0822, RPG05-0852, RPG41-0107, RPG49-0004


A-5H

5' VINYL HOSE WITH WALL HOOK




- Designed to be compatible with the Speakman Commander® Service Sink Faucet
- Featuring a vinyl construction, the Commander® Service Sink Hose is incredibly resilient and flexible

Dimensions: 60"L

SKU	ADA	GPM	
A-5H	NO	N/A	NO


A-HOSES

SET OF FLEX HOSES




- Includes stainless steel hoses and one widespread hose tee
- Compatible with models SC-3002-8-LD, SC-3004-8-LD, SC-3004-FC-LD, SC-3004-LD, and SC-3044-LD

Dimensions: 5"H x 9"L x 5"W

SKU	ADA	GPM	
A-HOSES	NO	N/A	NO


A-BOLF

0.5 AERATOR/1.5 LAMINAR OUTLET




- Compatible with models SC-3002-8-LD, SC-3004-8-LD, SC-3004-FC-LD, SC-3044-LD, SC-3084-LD, SC-5724, and SC-7122

Dimensions: 0.5"H x 0.7"L x 0.4"W

SKU	ADA	GPM	
A-BOLF	NO	0.5 & 1.5	NO
A-ELF	NO	1.2	NO
A-EA12	NO	1.2	NO


A-LEVER

LEVER HANDLES




- Compatible with models SC-3004-FC-LD, SC-3004-8-LD, SC-3044-LD, SC-3004-LD, SC-3084-LD, SC-5724, and SC-7122
- Easily retrofits to existing Speakman Commander® faucets

Dimensions: 2.8"H x 2.1"L x 2.1"W

SKU	ADA	GPM	
A-LEVER	YES	N/A	NO


A-4WRIST

4 IN. WRIST BLADES



- Includes two wrist blade handles with red & blue indicators
- Compatible with models SC-3002-8-LD, SC-3084-LD, SC-5724, and SC-7122
- Features a solid metal construction for added durability
- Easily retrofits to existing Speakman Commander® faucets

Dimensions: 4"H x 4"L x 1"W

SKU	ADA	GPM	
A-4WRIST	YES	N/A	NO

A-BOELF

O.5 AERATOR/1.2 LAMINAR OUTLET



- Features a 0.5 gpm spray outlet and a 1.2 gpm laminar flow outlet
- Compatible with models SC-3002-8-LD, SC-3004-8-LD, SC-3004-FC-LD, SC-3044-LD, SC-3084-LD, SC-5724, and SC-7122

Dimensions: 0.47"H x 0.7"L x 0.4"W

SKU	ADA	GPM	
A-BOELF	NO	0.5 & 1.2	NO

A-CROSS

CROSS HANDLES



- Includes two cross handles with red & blue indicators
- Compatible models SC-3002-8-LD, SC-3004-8-LD, SC-3004-FC-LD, SC-3004, SC-3044-LD, SC-3084-LD, SC-5724, and SC-7122
- Features a solid metal construction for added durability
- Easily retrofits to existing Speakman Commander® faucets

Dimensions: 3"H x 2.63"L x 2.63"W

SKU	ADA	GPM	
A-CROSS	NO	N/A	NO

VS-117

IN-LINE VACUUM BREAKER




- 1/2" NPTF inlet
- 1/2" NPSF outlet
- ASSE 1001 Certified
- 1/2 In. NPSM outlet

Dimensions: 2.5"H x 1.94"L x 2.5"W

SKU
VS-117

VS-125

ELEVATED VACUUM BREAKER




- Elevated vacuum breaker assembly
- 1/2" NPTF connections, 1/2 In. NPSM outlet
- Includes a wall flange

Dimensions: 4.0"H x 6.0"L x 2.25"W

SKU
VS-125

FPV

FREEZE PROTECTION VALVE



- Prevents the equipment from freezing by regulating water temperature above freezing conditions
- Valve activates when water falls below 39°F (3.8°C)
- Design Working Temperature: -22°F - 176°F (-30° - 80°C)

Dimensions: 3.75"H x 1.42"L x 1.34"W

SKU
FPV
FPV-7000



METERING FAUCETS

FOR THE LOVE OF WATER

The world water crisis is undeniable. By 2025, scientists believe that over 1.8 billion people will be living in water-stressed conditions. As purveyors of products that utilize water on a daily basis, we've made it our mission to make the most out of every drop.

Today, we offer more water-saving shower heads and faucets than ever before. Each day, our team of engineers experiment and develop new technologies to save water without sacrificing an ounce of performance.

We're even finding ways to improve our manufacturing process. From collaborating with like-minded partners to using less plastic in our packaging - our goal is to create responsible, sustainable fixtures.

S-5122

SINGLE SUPPLY METERING FAUCET



- Durable lead-free brass construction meets NSF 372 & NSF 61 standards for safe, potable drinking water
- ADA compliant vandal-resistant handles ensure easy operation and durability
- Field adjustable cycle time allows facilities to adjust the run time to meet their unique needs
- Cycle time adjustment can be performed without shutting off water for time savings
- Meets ASME A112.18.1/CSA B125.1, NSF 372 & NSF 61

Drain Included: NO
Dimensions: 4.26"H x 1.94"L x 5.43"W

SKU	ADA	GPM	Low Lead	NSF61	
S-5122	YES	0.25	YES	YES	YES

Repair Parts: RPG05-108060, RPG05-108759, RPG05-108765, RPG05-109171

A-4DP

METERING DECK PLATE



- Durable brass construction
- For 4" centerset installations
- Compatible with Easy-Push® Metering Faucets
- Clean, modern design
- Easy to install
- Corrosion resistant finish

Dimensions: 0.24"H x 6.3"L x 2.49"W

SKU
A-4DP

S-5125

WASHUP SINGLE SUPPLY METER FAUCET



- Durable lead-free brass construction meets NSF 372 & NSF 61 standards for safe, potable drinking water
- ADA compliant vandal-resistant handles ensure easy operation and durability
- Field adjustable cycle time allows facilities to adjust run time to meet their unique needs
- Cycle time adjustment can be performed without shutting off water for time savings
- Long-life cartridges ensure years of consistent low maintenance faucet performance


Drain Included: NO
Dimensions: 7.5"H x 6.3"L x 2.13"W

SKU	ADA	GPM	Low Lead	NSF61	
S-5125	YES	0.25	YES	YES	YES

Repair Parts: RPG05-108060, RPG05-108759, RPG05-108765, RPG05-109171

S-5141-LD

CENTERSET METERING FAUCET



- Durable lead-free brass construction meets NSF 372 & NSF 61 standards for safe, potable drinking water
- ADA compliant vandal-resistant handles ensure easy operation and durability
- Field adjustable cycle time allows facilities to adjust run time to meet their unique needs
- Cycle time adjustment can be performed without shutting off water for time savings
- Long-life cartridges ensure years of consistent low maintenance faucet performance

Drain Included: NO
Dimensions: 5.54"H x 4.93"L x 5.87"W

SKU	ADA	GPM	Low Lead	NSF61	
S-5141-LD	YES	0.25	YES	YES	YES

Repair Parts: RPG05-108060, RPG05-108759, RPG05-108879, RPG05-109171



SENSORFLO® FAUCETS

THE ULTIMATE RELIABILITY


Sleek, stylish and durable enough for even the toughest commercial environments: Speakman's newest sensor faucets combine years of hygienic and trouble-free service in an aesthetically pleasing package.

87

SENSORFLO®
FAUCETS

SF-8700

BATTERY OPERATED SENSOR FAUCET



Repair Parts: RPG05-108059, RPG45-110196


- Durable low lead brass construction
- Front facing laser sensor eye
- Battery powered - requires 6 AA batteries (included)
- Vandal resistant body & hardware
- Solenoid life exceeds 2.7 million cycles

Dimensions: 5"H x 7"L x 2.3"W

SKU	ADA	GPM	Low Lead	NSF61	
SF-8700	YES	0.5	YES	YES	YES
SF-8700-TMV	YES	0.5	YES	YES	NO
SF-8702 (FAUCET & ACM)	YES	0.5	YES	YES	YES

SF-8800

AC POWERED SENSOR FAUCET



Repair Parts: RPG05-108059, RPG45-110196, RPG76-107259

- Durable Low Lead Brass Construction
- Front facing laser sensor eye
- Plug-in AC powered (plug included)
- Vandal resistant body & hardware
- Solenoid life exceeds 2.7 million cycles

Dimensions: 5"H x 7"L x 2.3"W

SKU	ADA	GPM	Low Lead	NSF61	
SF-8800	YES	0.5	YES	YES	NO
SF-8800-TMV	YES	0.5	YES	YES	NO
SF-8802 (FAUCET & ACM)	YES	0.5	YES	YES	NO

SF-4DECK & SF-8DECK

DECK PLATE




- Durable brass construction
- For 4" centerset installations or For 8" widespread installations
- Compatible with the SF-8700 and SF-8800 Sensor Faucets (See Above)
- Clean, modern design
- Easy to install
- Corrosion-resistant finish

Dimensions: 0.5"H x 2.5"L x 6.5"W

SKU
SF-4DECK (4" DECK PLATE)
SF-8DECK (8" DECK PLATE)

SFC-8790

LOW ARC SENSOR SOAP/FAUCET



Repair Parts: RPG05-108059, RPG76-107259


- 4" centerset durable brass construction faucet
- 60 second time out feature for faucet
- Thermostatic mixing valves available for tepid water
- Set-up for both battery (4-D batteries) and AC operation (AC adapter included)
- Large Capacity Refillable, 2000ml soap bottle included can be used with both liquid and foaming hand soap

Dimensions: 7.19"H x 6.5"L x 6.56"W

SKU	ADA	GPM	Low Lead	NSF61
SFC-8790	YES	0.5	YES	YES
SFC-9790	YES	0.5	YES	YES

SF-9100

BATTERY OPERATED GOOSENECK SENSOR FAUCET



Repair Parts: RPG45-110196, RPG76-108060, RPG05-108059


- Durable Low Lead Brass Construction
- Front facing laser sensor eye
- Battery powered - requires 6 AA batteries (included)
- Solenoid life exceeds 2.7 million cycles

Dimensions: 11.3"H x 2.3"L x 6"W

SKU	ADA	GPM	Low Lead	NSF61	
SF-9100	YES	0.5	YES	YES	NO
SF-9100-TMV	YES	0.5	YES	YES	NO
SF-9102 (FAUCET & ACM)	YES	0.5	YES	YES	NO

SF-9200

AC OP GOOSENECK SENSOR FAUCET



Repair Parts: RPG45-110201, RPG76-108060, RPG05-108059, RPG76-107259

- Durable low lead brass construction
- Front facing laser sensor eye
- Plug-in AC powered sensor (plug included)
- Solenoid life exceeds 2.7 million cycles

Dimensions: 11.25"H x 2.25"L x 6.0"W

SKU	ADA	GPM	Low Lead	NSF61	
SF-9200	YES	0.5	YES	YES	NO
SF-9200-TMV	YES	0.5	YES	YES	NO
SF-9202 (FAUCET & ACM)	YES	0.5	YES	YES	NO

SF-9107 & SF-9207

GOOSENECK SENSOR FAUCET + MO




Repair Parts: RPG45-110199, RPG76-108060, RPG05-108059, RPG05-106851, RPG05-112184, RPG76-107259

- Durable low lead brass construction
- Front facing laser sensor eye
- Battery powered operation requires 6 AA batteries (included)
- Plug-in AC powered sensor (plug included)
- Solenoid life exceeds 2.7 million cycles

Dimensions: 11.25"H x 2.25"L x 6.0"W

SKU	ADA	GPM	Low Lead	NSF61	
SF-9107 (BATTERY OPERATED)	YES	0.5	YES	YES	NO
SF-9107-TMV (BATTERY OPERATED)	YES	0.5	YES	YES	NO
SF-9207 (AC OPERATED)	YES	0.5	YES	YES	NO
SF-9207-TMV (AC OPERATED)	YES	0.5	YES	YES	NO

S-9110-CA-E 0.5GPM GOOSENECK BATTERY SENSOR FAUCET-4"DECK PLATE



Repair Parts: RPG05-40005


- Durable Low lead brass construction
- Includes 4 In. deck plate
- Low battery warning light (10% life remains) & 120-second time out feature
- Meets ASME A112.18.1/CSA B125.1 and NSF 372

Dimensions: 12.0"H x 6.75"L x 4.0"W

SKU	ADA	GPM	Low Lead	NSF61	
S-9110-CA-E	YES	0.5	YES	NO	NO

SF-9700

BATTERY OPERATED MODERN SENSOR FAUCET



Repair Parts: G05-0650, RPG76-108060, RPG05-111106, RPG76-107259


- Durable low lead brass construction
- Concealed laser sensor eye
- Battery powered operation requires 6 AA batteries (included)
- Solenoid life exceeds 2.7 million cycles
- Meets ASME A112.18.1/CSA B125.1, NSF 372 & CEC Standards

Dimensions: 5.125"H x 7.0"L x 2.0"W

SKU	ADA	GPM	Low Lead	NSF61	
SF-9700	YES	0.5	YES	YES	NO
SF-9700-TMV	YES	0.5	YES	YES	NO

SF-9800

AC OPERATED MODERN SENSOR FAUCET



Repair Parts: G05-0650, RPG76-108060, RPG05-111106, RPG76-107259

- Durable low lead brass construction
- Concealed laser sensor eye
- Plug-in AC powered sensor (plug included)
- Solenoid life exceeds 2.7 million cycles
- Meets ASME A112.18.1/CSA B125.1, NSF 372 & CEC Standards

Dimensions: 5.125"H x 7.0"L x 2.0"W

SKU	ADA	GPM	Low Lead	NSF61	
SF-9800	YES	0.5	YES	YES	NO
SF-9800-TMV	YES	0.5	YES	YES	NO

COMMANDER® FAUCETS TOUCHLESS LAVATORY FAUCET/SOAP DISPENSER

SF-1000

ROUND WALL MOUNT SENSOR FAUCET



- Durable Low Lead Brass Construction
- Concealed laser sensor eye
- Plug-in AC powered (plug included)
- Solenoid life exceeds 2.7 million cycles
- Meets ASME A112.18.1/CSA B125.1, NSF 372 & CEC Standards

Dimensions: 2.5"H x 7.8"L x 1.3"W

SKU	ADA	GPM	Low Lead	NSF61	
SF-1000	YES	0.5	YES	YES	YES
SF-1000-TMV	YES	0.5	YES	YES	NO
SF-2000-TMV	YES	0.5	YES	YES	NO

SF-2000

SQUARE WALL MOUNT SENSOR FAUCET




- Durable Low Lead Brass Construction
- Concealed laser sensor eye
- Plug-in AC powered (plug included)
- Solenoid life exceeds 2.7 million cycles
- Meets ASME A112.18.1/CSA B125.1, NSF 372 & CEC Standards

Dimensions: 2.8"H x 7.8"L x 2.4"W

SKU	ADA	GPM	Low Lead	NSF61	
SF-2000	YES	0.5	YES	YES	YES

SFS-8000

SENSOR SOAP DISPENSER




- Durable brass construction
- Set-up for both battery (4-D batteries) and AC operation (AC adapter included)
- 2000ml soap bottle included
- Can be used with both liquid and foaming hand soap
- 1.0 second soap dispensing
- Sensor eye near base of soap dispenser

Dimensions: 4.5"H x 5.625"L x 2.25"W

SKU	ADA	GPM	Low Lead	NSF61
SFS-8000	YES	N/A	N/A	N/A

SFS-9000

MODERN SENSOR SOAP DISPENSER



- Durable brass construction
- Set-up for both battery (4-D batteries) and AC operation (AC adapter included)
- 2000ml soap bottle included
- Can be used with both liquid and foaming hand soap
- 1.0 second soap dispensing
- Sensor eye near outlet of soap dispenser

Dimensions: 3.45"H x 6.327"L x 2"W

SKU	ADA	GPM	Low Lead	NSF61
SFS-9000	YES		N/A	N/A

SUH

110-120VAC HARDWIRE TRANSFORMER



- 110-120 VAC
- Converts to 12 VDC-3A
- Hard-wired
- Supports up to eight faucets

SKU
SUH





SAFETY

EXPOSED SHOWER

The ultimate way to cap off a day spent shouting Marco Polo at the top of your lungs is by drenching every inch of yourself under a Speakman Outdoor Shower. Speakman's outdoor shower systems are perfectly suited for outdoor bathing.

S-1495-AF

EXPOSED SHOWER WITH S-2292 SHOWER HEAD



Repair Parts: RPG04-0367-PC;
RPG05-106096



- Polished chrome plated cast brass body
- Brass lever handle
- Includes S-2292 showerhead (See PG 34)
- Anti-scald balanced pressure shower valve
- An adjustable temperature limit stop prevents scalding
- Meets ASME A112.18.1/CSA B125.1 & ASSE 1016 standards

Dimensions: 27.64”H x 7.91”L x 9.25”W

SKU	ADA	GPM	Low Lead	NSF61
S-1495-AF	NO	1.75 MIN. VALVE / 2.5 MAX. SHOWER HEAD	NO	NO
S-1495-LH	NO	1.75 MIN. RATED FLOW FOR SHOWER VALVE	NO	NO

S-1496-AF

EXPOSED SHOWER WITH S-2272-E2 SHOWER HEAD



Repair Parts: RPG04-0367-PC;
RPG05-106096



- Rough chrome plated cast brass body
- Brass lever handle
- Includes S-2272-E2 showerhead (See PG 34)
- Anti-scald balanced pressure shower valve
- An adjustable temperature limit stop prevents scalding
- Meets ASME A112.18.1/CSA B125.1 & ASSE 1016 standards

Dimensions: 27.64”H x 8.36”L x 3.63”W

SKU	ADA	GPM	Low Lead	NSF61
S-1496-AF	YES	1.75 MIN. VALVE / 2.0 MAX. SHOWER HEAD	NO	NO
S-1496-LH	YES	1.75 MIN. VALVE / 2.0 MAX. SHOWER HEAD	NO	NO

SC-1220-AF

CROSS HANDLE EXPOSED SHOWER



Repair Parts:



- Includes S-2272-E2 single function shower head (See PG 34)
- 1/4 turn ceramic cartridges
- Rough chrome plated finish
- Meets ASME A112.18.1/CSA B125.1

Dimensions: 2”H x 8.3”L x 8.3”W

SKU	ADA	GPM	NSF61
SC-1220-AF	NO	2	NO

SC-1210-AF

TWO HANDLE EXPOSED SHOWER



Repair Parts: RPG04-0323-PC,
RPG05-0532



- Cross Handles
- Includes S-2272-E2 single function showerhead (See PG 34)
- 1/4 turn ceramic cartridges
- Meets ASME A112.18.1/CSA B125.1 standards

Dimensions: 24”H x 7”L x 6”W

SKU	ADA	GPM	Low Lead	NSF61
SC-1210-AF	NO	2	NO	N/A
SC-1210-LH	NO	N/A	NO	N/A

S-1590-AF

EXPOSED SHOWER SYSTEM



Repair Parts: RPG03-0371-RCP,
RPG04-0367-PC, RPG05-0412/0413




- 18 gauge stainless steel cover & soap dish
- Chrome plated brass lever handle
- 1/2” copper inlets
- Concealed mounting lugs
- Meets ASME A112.18.1/CSA B125.1 & ASSE 1016 standards

Dimensions: 28.63”H x 28.63”L x 11.75”W

SKU	ADA	GPM	Low Lead	NSF61
S-1590-AF	YES	2.5	NO	NO

SC-124O-LH

TWO HANDLE EXPOSED RAIN SHOWER-LESS SHOWER HEAD



PC

Repair Parts: RPG04-0323-PC, RPG05-0532, RPG05-0533-CA




- Includes an extended shower arm for a drenching, rain experience
- Exposed shower body assembly on 6" centers
- 1/4 turn ceramic cartridges to ensure drip-free performance
- Compatible with S-2762 and S-2763 Speakman Rain Shower Heads (See PG 35)
- Shower heads sold separately
- Backed by a 5-Year Limited Warranty

Dimensions: 37"H x 17"L x 6"W

SKU	ADA	GPM	Low Lead	NSF61
SC-124O-LH	NO	N/A	NO	NO

S-1497-LH

EXPOSED RAIN SHOWER LESS HEAD



PC

Repair Parts: RPG04-0367-PC; RPG05-106096




- Includes an extended shower arm for a drenching, rain experience
- Features a pressure balance valve that protects bathers from scalding water
- Compatible with S-2762 and S-2763 Speakman Rain Shower Heads (See PG 35)
- Shower heads sold separately
- Backed by a 5-Year Limited Warranty
- ASME A112.18.1/CSA B125.1 Certified

Dimensions: 38.99"H x 16.46"L x 9.25"W

SKU	ADA	GPM	Low Lead	NSF61
S-1497-LH	YES	1.75 MIN. RATED FLOW FOR SHOWER VALVE	N/A	N/A

S-1498-LH

EXPOSED RAIN SHOWER LESS HEAD



PC

Repair Parts: RPG04-0367-PC; RPG05-106096




- Includes an extended shower arm for a drenching, rain experience
- Features a pressure balance valve that protects bathers from scalding water
- Compatible with S-2762 and S-2763 Speakman Rain Shower Heads (See PG 35)
- Shower heads sold separately
- Backed by a 5-Year Limited Warranty
- ASME A112.18.1/CSA B125.1 Certified

Dimensions: 38.99"H x 16.46"L x 3.63"W

SKU	ADA	GPM	Low Lead	NSF61
S-1498-LH	NO	N/A	N/A	N/A

SC-123O-LH

TWO HANDLE EXPOSED RAIN SHOWER-LESS SHOWER HEAD



PC

Repair Parts: RPG02-0141-PC, RPG04-0323-PC, RPG05-0532

- Includes an extended shower arm for a drenching, rain experience
- Exposed shower body assembly on 6" centers
- 1/4 turn ceramic cartridges to ensure drip-free performance
- Compatible with S-2762 and S-2763 Speakman Rain Shower Heads (See PG 35)
- Shower heads sold separately
- Backed by a 5-Year Limited Warranty

SKU	ADA	GPM	Low Lead	NSF61
SC-123O-LH	NO	NO	NO	NO

VALVES

ENSURING A CONSTANT & SAFE TEMPERATURE IS DELIVERED

Every Speakman commercial shower valve has been engineered to not only regulate water temperature, but also balance pressure to deliver an uninterrupted shower experience.



SCAN ME.

Scan this QR code for more information on Valves & Shower Valve Trim Compatibility.

MATCH YOUR VALVE TO YOUR TRIM STYLE

SENTINEL MARK II® PRESSURE BALANCE VALVES

Our pressure balance valves are designed to keep water temperature consistent, regardless of spikes in pressure within the hot or cold supply lines.

- Protects users from thermal shock and scalding hot water
- ASSE 1016 standards at flow rates as low as 2.0 GPM
- Solid brass body provides unrivaled durability

NON-DIVERTER

TRIM COMPATIBILITY



CPV-PB
Sweat & Thread

CPV-PB-PXE
PEX Cold Expansion

CPV-PB-PXC
PEX Crimp

PG 46



CPT-1001
Neo Shower
Valve Trim

PG 47



CPT-8001-P
Rainier Shower
Valve Trim

PG 47



CPT-3001
Sentinel Mark II
Shower Valve Trim

PG 48



CPT-12001
Echo Shower
Valve Trim

PG 48



CPT-10000-P
Chelsea Shower
Valve Trim

PG 46



CPT-24000
Kubos Shower
Valve Trim

PG 45



CDCPT25001
Lura Cross
Shower Valve
Trim

PG 45



CDCPT25003
Lura Lever
Shower Valve
Trim

PG 45



CPT-27000
Vector Shower
Valve Trim

DIVERTER

TRIM COMPATIBILITY



CPV-PB-DV
Sweat & Thread

CPV-PB-DV-PXE
PEX Cold Expansion

CPV-PB-DV-PXC
PEX Crimp

PG 46



CPT-1401
Neo Shower
Valve Trim

PG 47




CPT-8401-P
Rainier Shower
Valve Trim

PG 47



CPT-3401
Sentinel Mark II
Shower Valve Trim

PG 48



CPT-12401
Echo Shower
Valve Trim

PG 46



CPT-10400-P
Chelsea Shower
Valve Trim

PG 46



CPT-24400
Kubos Shower
Valve Trim

PG 45



CDCPT25401
Lura Cross
Shower Valve
Trim

PG 45



CDCPT25403
Lura Lever
Shower Valve
Trim

PG 45



CPT-27400
Vector Shower
Valve Trim


SENTINEL MARK II® THERMOSTATIC VALVES

These valves use thermostatic technology to blend hot and cold water together to ensure a constant and safe temperature, preventing scalding hot water.

- Includes integral stops and a temperature limit stop
- ASSE 1016 standards at flow rates as low as 1.5 GPM
- Protects users from scalding hot water
- Cost-efficient thermostatic solution

NON-DIVERTER

TRIM COMPATIBILITY



CPV-T2
Sweat & Thread

CPV-T2-PXE
PEX Cold Expansion

CPV-T2-PXC
PEX Crimp

PG 46



CPT-1001
Neo Shower
Valve Trim

PG 47



CPT-8001-P
Rainier Shower
Valve Trim

PG 47



CPT-3001
Sentinel Mark II
Shower Valve Trim

PG 48



CPT-12001
Echo Shower
Valve Trim

PG 48



CPT-10000-P
Chelsea Shower
Valve Trim

PG 46



CPT-24000
Kubos Shower
Valve Trim

PG 45



CDCPT25001
Lura Cross
Shower Valve
Trim

PG 45



CDCPT25003
Lura Lever
Shower Valve
Trim

PG 45



CPT-27000
Vector Shower
Valve Trim

DIVERTER

TRIM COMPATIBILITY



CPV-T2-DV
Sweat & Thread

CPV-T2-DV-PXE
PEX Cold Expansion

CPV-T2-DV-PXC
PEX Crimp

PG 46



CPT-1401
Neo Shower
Valve Trim

PG 47




CPT-8401-P
Rainier Shower
Valve Trim

PG 47



CPT-3401
Sentinel Mark II
Shower Valve Trim

PG 48



CPT-12401
Echo Shower
Valve Trim

PG 46



CPT-10400-P
Chelsea Shower
Valve Trim

PG 46



CPT-24400
Kubos Shower
Valve Trim

PG 45



CDCPT25401
Lura Cross
Shower Valve
Trim

PG 45



CDCPT25403
Lura Lever
Shower Valve
Trim

PG 45








CPT-27400
Vector Shower
Valve Trim

MATCH YOUR VALVE TO YOUR TRIM STYLE

SENTINELPRO™ THERMOSTATIC PRESSURE BALANCE VALVES






Featuring both pressure balance and thermostatic technology, these valves provide superior tepid water management and scalding protection.

- Dual element system utilizes a pressure balance piston and thermostatic element to regulate temperature
- ASSE 1016 standards at flow rates as low as 1.5 GPM
- Cost-efficient thermostatic/pressure balance solution

NON-DIVERTER	TRIM COMPATIBILITY		DIVERTER	TRIM COMPATIBILITY
	PG 45	PG 47		PG 47
CPV-TP2 Sweat & Thread			CPV-TP2-DV Sweat & Thread	
CPV-TP2-PXE PEX Cold Expansion	CPT-1000-TP Neo Thermostatic Pressure Valve Trim	CPT-5001 Thermostatic Shower Valve Trim	CPV-TP2-DV-PXE PEX Cold Expansion	CPT-5401 Thermostatic Shower Valve Trim
CPV-TP2-PXC PEX Crimp			CPV-TP2-DV-PXC PEX Crimp	



2-WAY TRANSFER VALVE


Gives you the ability to transition water between two plumbing fixtures inside of your shower. The CPV-TV model features a durable, brass valve body and ceramic cartridge to handle endless operation in demanding settings.

2-WAY	TRIM COMPATIBILITY			
	PG 53	PG 53	PG 53	PG 53
CPV-TV 2-Way Transfer Valve				
	CPT-1124 Kubos Transfer Valve Trim	CPT-1110 Neo Transfer Valve Trim	CPT-1121 Lura Cross Transfer Valve Trim	CPT-1123 Lura Lever Transfer Valve Trim


CPV-PB

PRESSURE BALANCE VALVE SWEAT/THREAD





Repair Parts: RPG05-1124, RPG50-21029





RB

- Shower Valve with Sweat & Thread Connections
- Anti-scald element to prevent scalding water
- Adjustable temperature limit stop
- Durable, solid brass body
- Integral spring check stops
- ASME A112.18.1/CSA B125.1 and ASSE 1016 Certified

SKU	TYPE	GPM
CPV-PB	NON-DIVERTER	1.75
CPV-PB-PXC	NON-DIVERTER	1.75
CPV-PB-PXE	NON-DIVERTER	1.75
CPV-PB-DV	DIVERTER	1.75
CPV-PB-DV-PXC	DIVERTER	1.75
CPV-PB-DV-PXE	DIVERTER	1.75

CPV-TP2

SENTINELPRO THERMOSTATIC PRESSURE BALANCE VALVE





Repair Parts: RPG05-0862,
RPG05-1109, RPG49-0011,
RPG49-0012

- Shower Valve with Sweat & Thread Connections
- Regulates temperature, prevents scalding and thermal shock
- Adjustable temperature limit stop
- Durable, solid brass body
- Integral spring check stops
- ASME A112.18.1/CSA B125.1 and ASSE 1016 Certified

SKU	PREVIOUS SKU	TYPE	GPM
CPV-TP2	CPV-TP	NON-DIVERter	1.5
CPV-TP2-PXC	CPV-TP-PXC	NON-DIVERter	1.5
CPV-TP2-PXE	CPV-TP-PXE	NON-DIVERter	1.5
CPV-TP2-DV	CPV-TP-DV	DIVERter	1.5
CPV-TP2-DV-PXC	CPV-TP-DV-PXC	DIVERter	1.5
CPV-TP2-DV-PXE	CPV-TP-DV-PXE	DIVERter	1.5

CPV-T2

SENTINEL MARK II THERMOSTATIC SHOWER VALVE




Repair Parts: RPG05-0862,
RPG05-1121, RPG49-0012,
RPG49-0013

- Shower Valve with Sweat & Thread Connections
- Blends hot and cold water to prevent thermal shock
- Adjustable temperature limit stop
- Durable, solid brass body
- Integral spring check stops
- ASME A112.18.1/CSA B125.1 and ASSE 1016 Certified

SKU	PREVIOUS SKU	TYPE	GPM
CPV-T2	CPV-T	NON-DIVERter	1.5
CPV-T2-PXC	CPV-T-PXC	NON-DIVERter	1.5
CPV-T2-PXE	CPV-T-PXE	NON-DIVERter	1.5
CPV-T2-DV	CPV-T-DV	DIVERter	1.5
CPV-T2-DV-PXC	CPV-T-DV-PXC	DIVERter	1.5
CPV-T2-DV-PXE	CPV-T-DV-PXE	DIVERter	1.5

CPV-TV

2-WAY TRANSFER VALVE



Repair Parts: RPG05-0949


- Ceramic cartridge
- 1/2-14 NPT threaded inlet & two outlet connections
- Mounting plate and hardware included
- ASME A112.18.1/CSA B125.1 Certified

Dimensions: 2.912"H x 4.138"L x 2.178"W

SKU	ADA	Low Lead	GPM	NSF61	
CPV-TV	NO		1.5	NO	N/A

CPV-SBC

LUCID® 3 PIECE MIXER VALVE




Repair Parts: RPG05-114665,
RPG05-151717

- Pair with the Lucid® Widespread Faucet (SB-3120 See PG 24)
- Installs separately from the faucet trim, allowing you to plumb a bath during a remodel and install the decorative trim later -- after painting walls, repairing drywall, etc.

SKU	ADA	Low Lead	GPM	NSF61	
CPV-SBC	NO	NO	N/A	NO	NO

SE-TW-EW

ASSE 1071 THERMOSTATIC MIXING VALVE 10 GPM



Repair Parts: RPG05-1116

- Designed for use with single eye or eye/face wash stations
- Equipped with an adjustable set point
- Certified to ASSE 1071, CSA B125.3 & NSF/ANSI 372 Standards

SKU	ADA	Low Lead	GPM	NSF61	
SE-TW-EW	NO	NO	10	NO	NO
SEF-TW	NO	NO	10	NO	NO




PLUMBING SUPPLIES

REPAIR / MAINTENANCE

Speakman is known for reliable innovations in safety, performance showering, and commercial grade fixtures. That same performance and quality is now available under the sink in our line of garbage disposals.

SP-8O12

1/2 HP SUMP PUMP




- Vertical float switch provides the ability to be integrated into tighter spaces in smaller sump pits
- Performance backed by continuous duty 1/2 HP motor with permanent split capacitor and built-in thermal protection switch
- Supported switch rail delivers reliable activation, meaning less potential for costly water damage
- Robust cast metal body for durable, lasting operation
- 3-year limited warranty

Dimensions: 10"H x 9"L x 8"W

SKU	VOLTS	HZ	RPM
SP-8O12	120	60	1700

GD-5O12

1/2 HP GARBAGE DISPOSAL




- Continuous feed technology backed by a powerful 1/2 HP 1700 RPM motor to handle kitchen waste with ease
- The compact, space saving design is just 7" in diameter and will increase space available for storage in cabinet
- Durable Permanent Magnet DC Motor for reliable performance
- Included and pre-installed power cord for fast installation; while easily removable for optional hardwiring
- Use with or without a dishwasher, easy tap-in access for dishwasher connection
- Backed by a 5 year warranty

Dimensions: 12-1/4"H

SKU	FEED TYPE	VOLTS	HZ	RPM
GD-5O12	CONTINUOUS	120	60	1700

GD-5O34

3/4 HP GARBAGE DISPOSAL




- Continuous feed technology backed by a powerful 3/4 HP 1700 RPM motor to handle kitchen waste with ease
- The compact, space saving design is just 7" in diameter and will increase space available for storage in cabinet
- Durable Permanent Magnet DC Motor for reliable performance
- Included and pre-installed power cord for fast installation; while easily removable for optional hardwiring
- Use with or without a dishwasher, easy tap-in access for dishwasher connection
- Backed by a 5 year warranty

Dimensions: 12-5/8"H

SKU	FEED TYPE	VOLTS	HZ	RPM
GD-5O34	CONTINUOUS	120	60	1700

S-3357

POP-UP LAVATORY DRAIN



- Brass construction
- Chrome plated brass cap & rubber seal
- Vandal-resistant lift plug
- Brass 1-1/4" O.D. tailpiece
- 8" total length


Dimensions: 2.0"H x 8.0"L x 1.0"W

SKU
S-3357

Repair Parts: RPG08-0038-PC

S-3440

STRAINER DRAIN




- Compatible with select Speakman Commander® Faucets
- Durable, solid brass construction
- Corrosion-resistant polished chrome finish
- Industrial-inspired design
- Easy, push-pop activation
- Simple to install

Dimensions: 2.0"H x 7.25"L x 2.0"W

SKU
S-3440

S-3470

PUSH POP-UP DRAIN




- Chrome plated brass cap
- Rubber seal
- 6-3/4" total length

Dimensions: 2.0"H x 8.0"L x 1.0"W

SKU
S-3470

S-3471

KITCHEN DRAIN ASSEMBLY



- Durable brass and stainless construction
- Fits sinks with 4-1/2" outlet
- Anti-slip machined threads with solid brass lock and coupling nuts
- Connects to a standard 1-inch drain pipe
- Beautiful Polished Chrome finish
- Matches the finishes for the Speakman Neo Pull Down, Neo Spring and Chelsea Pull Down Kitchen Faucets

Drain Included: Yes **Drain Type:** Strainer
Dimensions: 3.81"H x 4.5"L x 4.5"W

SKU
S-3471
S-3471-SS
S-3471-MB
S-3471-BRB

Symbols

10-0377 ...13, 26

A

A-4DP ...86
A-4WRIST ...83
A-5H ...83
A-BOELF ...84
A-BOLF ...83
A-CK ...80
A-CROSS ...84
A-EA12 ...83
A-ELF ...83
A-HOSES ...83
A-LEVER ...83

B

B-1100 ...66
B-1101 ...66
B-1200 ...5, 66

C

CD521 ...8, 21
CD521BBZ ...21
CD521MB ...21
CD522 ...8, 21
CD522BBZ ...21
CD522MB ...21
CD523 ...4, 8, 21
CD523BBZ ...21
CD523MB ...21
CDCPT25001 ...9, 45
CDCPT25001-BBZ ...45
CDCPT25001-MB ...45
CDCPT25003 ...9, 45
CDCPT25003-BBZ ...45
CDCPT25003-MB ...45
CDCPT25401 ...9, 45
CDCPT25401-BBZ ...45
CDCPT25401-MB ...45
CDCPT25403 ...9, 45
CDCPT25403-BBZ ...45
CDCPT25403-MB ...45
CDS1574 ...8, 60
CDS1574-BBZ ...60
CDS1574-MB ...60
CDS2501 ...9, 39
CDS2501-BBZ ...39
CDS2501-MB ...39
CDS2582 ...9, 39
CDS2582-BBZ ...39
CDS2582-MB ...39
CPT-1000-TP ...15, 45
CPT-1000-UNI ...15, 46
CPT-1000-UNI-BBZ ...46
CPT-1000-UNI-BN ...46
CPT-1000-UNI-MB ...46
CPT-1001 ...14, 46, 95, 96
CPT-1001-BN ...46
CPT-1001-MB ...46
CPT-1110 ...14, 53
CPT-1110-BN ...53
CPT-1110-MB ...53
CPT-1121 ...9, 53
CPT-1121-BBZ ...53
CPT-1121-MB ...53
CPT-1123 ...9, 53
CPT-1123-BBZ ...53
CPT-1123-MB ...53
CPT-1124 ...13, 53
CPT-1124-BN ...53
CPT-1183 ...54
CPT-1183-BN ...54
CPT-1300-MB ...47
CPT-1300-UNI ...13, 47
CPT-1300-UNI-BN ...47
CPT-1401 ...15, 46
CPT-1401-BBZ ...46
CPT-1401-BN ...46
CPT-1401-MB ...46
CPT-3000 ...47
CPT-3001 ...47
CPT-3310 ...4, 12, 50
CPT-3310-MB ...50
CPT-3400 ...47
CPT-3401 ...47

CPT-5001 ...47
CPT-5401 ...47
CPT-8001 ...48
CPT-8001-P ...48
CPT-8401-P ...48
CPT-10000-P ...48
CPT-10000-P-BN ...48
CPT-10400-P ...46
CPT-10400-P-BN ...46
CPT-12000 ...48
CPT-12000-BN ...48
CPT-12000-MB ...48
CPT-12001 ...48
CPT-12001-BN ...48
CPT-24000 ...13, 46
CPT-24000-BN ...46
CPT-24400 ...13, 46
CPT-24400-BN ...46
CPT-25001 ...9
CPT-25003 ...9
CPT-25401 ...9
CPT-25403 ...9
CPT-27000 ...11, 45
CPT-27000-MB ...45
CPT-27400 ...11, 45
CPT-27400-MB ...45
CPV-PB ...45, 46, 47, 48, 50, 51, 95, 96, 101
CPV-PB-DV ...95, 96
CPV-PB-DV-PXC ...95, 96
CPV-PB-DV-PXE ...95, 96
CPV-PB-PXC ...45, 46, 47, 48, 50, 51, 95, 96
CPV-PB-PXE ...45, 46, 47, 48, 50, 51, 97
CPV-T ...45, 46, 47, 48, 50, 51, 97
CPV-T2 ...95, 97
CPV-T2-DV ...95, 97
CPV-T2-DV-PXC ...95, 97
CPV-T2-DV-PXE ...95, 97
CPV-T2-PXC ...95, 97
CPV-T2-PXE ...95, 97
CPV-T-DV ...97
CPV-T-DV-PXC ...97
CPV-T-DV-PXE ...97
CPV-TP ...45, 47, 48, 49, 50, 97
CPV-TP2 ...96, 97
CPV-TP2-DV ...96, 97
CPV-TP2-DV-PXC ...96, 97
CPV-TP2-DV-PXE ...96, 97
CPV-TP2-PXC ...96, 97
CPV-TP2-PXE ...96, 97
CPV-TP-DV ...47, 49, 97
CPV-TP-DV-PXC ...97
CPV-TP-DV-PXE ...97
CPV-TP-PXC ...45, 46, 47, 48, 50, 51, 97
CPV-TP-PXE ...45, 46, 47, 48, 50, 51, 97
CPV-TV ...53, 96, 97

F

FPV ...84
FPV-7000 ...84
FS-1 ...29

G

GD-5012 ...99
GD-5034 ...99

S

S-1183 ...54
S-1183-BN ...54
S-1495-AF ...92
S-1495-LH ...92
S-1496-AF ...92
S-1496-LH ...92

S-1497-LH ...93
S-1498-LH ...93
S-1554 ...60
S-1556 ...60
S-1557 ...11, 15, 61
S-1557-BBZ ...61
S-1557-BN ...61
S-1557-MB ...61
S-1558 ...11, 15, 61
S-1558-BN ...61
S-1558-MB ...61
S-1561 ...61
S-1561-BN ...61
S-1562 ...61
S-1562-BN ...61
S-1563 ...61
S-1564 ...61
S-1568 ...13, 61
S-1568-BN ...61
S-1569 ...13, 61
S-1569-BN ...61
S-1570 ...11, 61
S-1570-MB ...61
S-1574 ...8
S-1590-AF ...92
S-2005-H ...29
S-2005-HB ...29
S-2005-HB-BC ...29
S-2005-HB-BN ...29
S-2005-HB-BN-E2 ...29
S-2005-HBBNE175 ...29
S-2005-HB-E2 ...29
S-2005-HB-E175 ...29
S-2005-HBF ...29
S-2005-HBFBN ...29
S-2005-HBFBNE2 ...29
S-2005-HBFE2 ...29
S-2005-HBF-E175 ...29
S-2005-H-BNE175 ...29
S-2005-HB-PB ...29
S-2005-H-E2 ...29
S-2005-H-E175 ...29
S-2251 ...30
S-2251-BBZ ...30
S-2251-BN ...30
S-2251-BN-E175 ...30
S-2251-E2 ...30
S-2251-E175 ...30
S-2251-MB ...30
S-2251-MB-E2 ...30
S-2251-MB-E175 ...30
S-2251-ORB ...30
S-2251-ORB-E175 ...30
S-2251-PB ...30
S-2251-PB-E175 ...30
S-2251-PN ...30
S-2252 ...30
S-2252-AB-E2 ...30
S-2252-BBZ ...30
S-2252-BN ...30
S-2252-BN-E175 ...30
S-2252-E2 ...30
S-2252-E175 ...30
S-2252-MB ...30
S-2252-MB-E2 ...30
S-2252-MB-E175 ...30
S-2252-ORB ...30
S-2252-PB ...30
S-2252-PN ...30
S-2253 ...31
S-2253-E2 ...31
S-2253-E15 ...31
S-2253-E175 ...31
S-2254 ...33
S-2254-BN ...33
S-2254-BN-E2 ...33
S-2254-BN-E175 ...33
S-2254-E2 ...33
S-2254-E175 ...33
S-2254-PB ...33
S-2254-PB-E2 ...33
S-2255 ...10, 31
S-2255-BN ...31
S-2255-BN-E2 ...31
S-2255-E2 ...31
S-2255-E175 ...31
S-2255-PB ...31
S-2255-PB-E2 ...31
S-2272-E2 ...34, 52, 92
S-2272-E15 ...34

S-2280 ...34
S-2280-BJ ...34
S-2292 ...34, 92
S-2310 ...42
S-2460 ...34
S-2500 ...39
S-2500-BN ...39
S-2500-MB ...39
S-2500-ORB ...39
S-2500-PB ...39
S-2500-PN ...39
S-2505 ...40
S-2510 ...11, 40
S-2510-MB ...40
S-2520 ...40
S-2520-BN ...40
S-2520-PB ...40
S-2540 ...12, 14, 15, 40
S-2540-BN ...40
S-2540-MB ...40
S-2550 ...40
S-2550-MB ...40
S-2560 ...13, 41
S-2560-BN ...41
S-2570 ...41
S-2570-BN ...41
S-2570-MB ...41
S-2571 ...41
S-2571-BN ...41
S-2572 ...9, 35, 39
S-2572-BBZ ...39
S-2572-MB ...39
S-2580 ...41
S-2580-BN ...41
S-2580-MB ...41
S-2581 ...41
S-2581-BN ...41
S-2581-MB ...41
S-2762 ...14, 35, 93
S-2762-BBZ ...35
S-2762-BN ...35
S-2762-BN-E175 ...35
S-2762-E175 ...35
S-2762-MB ...35
S-2762-MB-E175 ...35
S-2763 ...12, 35, 93
S-2763-BN ...35
S-2763-BN-E175 ...35
S-2763-E175 ...35
S-2763-MB ...35
S-2763-MB-E175 ...35
S-2764 ...9, 35
S-2764-E2 ...35
S-2764-E175 ...35
S-2764-MB ...35
S-2764-MB-E2 ...35
S-2764-MB-E175 ...35
S-3010 ...14, 31
S-3010-BN ...31
S-3010-BN-E2 ...31
S-3010-BN-E175 ...31
S-3010-E2 ...31
S-3010-E175 ...31
S-3010-MB ...31
S-3010-MB-E2 ...31
S-3010-MB-E175 ...31
S-3011 ...34
S-3011-BN ...34
S-3011-BN-E2 ...34
S-3011-E175 ...34
S-3015 ...33
S-3015-E2 ...33
S-3015-E175 ...33
S-3018 ...32
S-3018-E2 ...32
S-3018-E175 ...32
S-3019 ...10, 30
S-3019-E2 ...30
S-3019-E15 ...30
S-3019-E175 ...30
S-3021 ...12, 32
S-3021-BN ...32
S-3021-BN-E2 ...32
S-3021-BN-E175 ...32
S-3021-E2 ...32
S-3021-E175 ...32
S-3345-CA-E ...82

S-3357 ...21, 22, 23, 99
S-3440 ...100
S-3470 ...21, 22, 25, 27, 100
S-3471 ...100
S-3471-BRB ...100
S-3471-MB ...100
S-3471-SS ...100
S-3661-CA-E ...82
S-3762-E ...83
S-4200-BN-E2 ...33
S-4200-BN-E15 ...33
S-4200-BN-E175 ...33
S-4200-E2 ...33
S-4200-E15 ...33
S-4200-E175 ...33
S-4200-MB ...33
S-4200-MB-E2 ...33
S-4200-MB-E175 ...33
S-5000 ...14
S-5000-BN-E2 ...31
S-5000-BN-E175 ...31
S-5000-E2 ...31
S-5000-E15 ...31
S-5000-E175 ...31
S-5000-MB-E2 ...31
S-5000-MB-E15 ...31
S-5000-MB-E175 ...31
S-5001 ...12
S-5001-BN-E2 ...32
S-5001-BN-E15 ...32
S-5001-BN-E175 ...32
S-5001-E2 ...32
S-5001-E15 ...32
S-5001-E175 ...32
S-5001-MB-E2 ...32
S-5001-MB-E15 ...32
S-5001-MB-E175 ...32
S-5002-BN-E2 ...32
S-5002-BN-E15 ...32
S-5002-BN-E175 ...32
S-5002-MB-E2 ...32
S-5002-MB-E15 ...32
S-5002-MB-E175 ...32
S-5122 ...86
S-5125 ...86
S-5141-LD ...86
S-6000 ...11, 33
S-6000-E2 ...33
S-6000-E175 ...33
S-6000-MB ...33
S-6000-MB-E2 ...33
S-6000-MB-E175 ...33
S-9110-CA-E ...89
SA-251 ...10, 78
SA-251-BBZ ...78
SA-251-MB ...78
SA-1002 ...15, 69
SA-1002-BN ...69
SA-1002-MB ...69
SA-1008 ...15, 68
SA-1008-BN ...68
SA-1008-MB ...68
SA-1009-24 ...15, 71
SA-1009-24-BBZ ...71
SA-1009-24-BN ...71
SA-1009-24-MB ...71
SA-1009-36 ...15, 71
SA-1009-36-BN ...71
SA-1009-36-MB ...71
SA-1009-48 ...15, 71
SA-1009-48-BN ...71
SA-1209 ...15, 76
SA-1209-BN ...76
SA-1209-MB ...76
SA-1302 ...70
SA-1309-24 ...71
SA-1309-24-BN ...71
SA-1309-36 ...71
SA-1309-36-BN ...71
SA-1309-48 ...71
SA-1309-48-BN ...71
SA-1402 ...70
SA-1404 ...72
SA-1405 ...76
SA-1406 ...68
SA-1407 ...73
SA-1408 ...75

SA-1409-24 ...71
SA-1409-36 ...71
SA-1409-48 ...71
SA-1606-PC ...10
SA-1607-PC ...10
SA-1612-PC ...10
SA-1613-PC ...10
SA-2003 ...15, 76
SA-2003-BN ...76
SA-2003-MB ...76
SA-2004 ...15, 72
SA-2004-BN ...72
SA-2004-MB ...72
SA-2005 ...15, 77
SA-2005-BN ...77
SA-2005-MB ...77
SA-2006 ...15, 69
SA-2006-BN ...69
SA-2006-MB ...69
SA-2007 ...15, 73
SA-2007-18 ...15, 73
SA-2007-18-BBZ ...73
SA-2007-18-MB ...73
SA-2007-BN ...73
SA-2007-MB ...73
SA-2010 ...15, 78
SA-2010-BN ...78
SA-2010-MB ...78
SA-2304 ...72
SA-2305 ...77
SA-2306 ...69
SA-2307 ...73
SA-2402 ...13, 70
SA-2402-BN ...70
SA-2403 ...13, 76
SA-2403-BN ...76
SA-2404 ...13, 73
SA-2404-BN ...73
SA-2405 ...13, 76
SA-2405-BN ...76
SA-2406 ...13, 68
SA-2406-BN ...68
SA-2407 ...13, 74
SA-2407-BN ...74
SA-2408 ...13, 68
SA-2408-BN ...68
SA-2410 ...13, 77
SA-2410-BN ...77
SA-2502 ...9, 70
SA-2502-BBZ ...70
SA-2502-MB ...70
SA-2504 ...4, 9, 74
SA-2504-BBZ ...74
SA-2504-MB ...74
SA-2505 ...10, 78
SA-2505-BBZ ...78
SA-2505-MB ...78
SA-2506 ...4, 9, 69
SA-2506-BBZ ...69
SA-2506-MB ...69
SA-2507 ...9, 74
SA-2507-18 ...9, 74
SA-2507-18-BBZ ...74
SA-2507-18-MB ...74
SA-2507-BBZ ...74
SA-2507-MB ...74
SA-2508 ...10, 78
SA-2508-BBZ ...78
SA-2508-MB ...78
SA-2509-24 ...72
SA-2509-24-BBZ ...72
SA-2509-24-MB ...72
SA-2509-36 ...72
SA-2509-36-BBZ ...72
SA-2509-36-MB ...72
SA-2509-42 ...72
SA-2509-42-BBZ ...72
SA-2509-42-MB ...72
SA-2703 ...11, 72
SA-2703-MB ...72
SA-2704 ...11, 75
SA-2704-MB ...75
SA-2705 ...11, 77
SA-2705-MB ...77
SA-2706 ...11, 68
SA-2706-MB ...68
SA-2707 ...11, 74
SA-2707-18 ...11, 74
SA-2707-18-MB ...74
SA-2707-24 ...11

SA-2707-MB ...74	SB-2552-MB ...25	SF-9102 ...88	SLV-10010 ...56	V	VS-3010-MB ...36
SA-2708 ...11, 68	SB-2553 ...25	SF-9107 ...89	SLV-10010-BN ...56		VS-3010-MB-E2 ...36
SA-2708-MB ...68	SB-2553-BBZ ...25	SF-9107-TMV ...89	SLV-10030 ...56	VS-100-PC ...38, 52	VS-3010-MB-E175 ...36
SA-2710 ...11, 77	SB-2553-MB ...25	SF-9200 ...89	SLV-10030-BN ...56	VS-111 ...43	VS-3011 ...38
SA-2710-MB ...77	SB-2701 ...10, 26	SF-9200-TMV ...89	SLV-10410 ...56	VS-111-BBZ ...43	VS-3011-BN ...38
SA-3104 ...4, 12, 73	SB-2701-MB ...26	SF-9202 ...89	SLV-10410-BN ...56	VS-111-BN ...43	VS-3011-BN-E2 ...38
SA-3104-MB ...73	SB-2721 ...10, 22	SF-9207 ...89	SLV-10430 ...56	VS-111-MB ...43	VS-3011-BN-E175 ...38
SA-3106 ...4, 12, 69	SB-2721-MB ...22	SF-9207-TMV ...89	SLV-10430-BN ...56	VS-115 ...41	VS-3011-E2 ...38
SA-3106-MB ...69	SB-2723 ...10, 22	SF-9700 ...89	SLV-24010 ...56	VS-117 ...84	VS-3011-E175 ...38
SA-3107 ...12, 75	SB-2723-MB ...22	SF-9700-TMV ...89	SLV-24010-BN ...56	VS-118 ...43	VS-3023 ...12, 37
SA-3107-18 ...12, 75	SB-2725 ...10, 23	SF-9800 ...89	SLV-24030 ...56	VS-118-BN ...43	VS-3023-BN ...37
SA-3107-18-MB ...75	SB-2725-MB ...23	SF-9800-TMV ...89	SLV-24030-BN ...56	VS-118-MB ...43	VS-3023-BN-E2 ...37
SA-3107-MB ...75	SB-2731 ...11, 59	SFC-8790 ...88	SLV-24410 ...56	VS-120 ...54	VS-3023-BN-E15 ...37
SA-3110 ...12, 78	SB-2731-MB ...59	SFC-9790 ...88	SLV-24430 ...56	VS-120-PC ...54	VS-3023-BN-E175 ...37
SA-3110-MB ...78	SB-3120 ...4, 12, 24, 97	SFS-8000 ...90	SM-1000-P ...49	VS-121 ...54	VS-3023-E2 ...37
SB-1003-E ...14, 25	SB-3120-MB ...24	SFS-9000 ...90	SM-1000-P-BN ...49	VS-122 ...54	VS-3023-E15 ...37
SB-1003-E-BN ...25	SB-3121 ...24	SH-2702 ...11, 75	SM-1010-P ...51	VS-122-BN ...54	VS-3023-E175 ...37
SB-1003-E-MB ...25	SB-3121-MB ...24	SH-2702-MB ...75	SM-1010-P-BN ...51	VS-122-MB ...54	VS-5000 ...14
SB-1004-E ...14, 26	SB-3131 ...12, 60	SH-2704 ...11, 42	SM-1030-P ...51	VS-123 ...70	VS-5000-BN-E2 ...36
SB-1004-E-BN ...26	SB-3131-MB ...60	SH-2704-MB ...42	SM-1030-P-BN ...51	VS-123-BN ...70	VS-5000-BN-E15 ...36
SB-1004-E-MB ...26	SB-3132 ...12, 60	SLV-1010 ...56	SM-1040-P ...52	VS-124 ...70	VS-5000-BN-E175 ...36
SB-1021-E ...14, 23	SB-3132-MB ...60	SLV-1010-BN ...56	SM-1040-P-BN ...52	VS-125 ...84	VS-5000-E2 ...36
SB-1021-E-BN ...23	SB-3241 ...6, 19	SLV-1010-UNI ...56	SM-1050-P ...52	VS-126 ...55	VS-5000-E15 ...36
SB-1021-E-MB ...23	SB-3241-BRB ...6, 19	SLV-1010-UNI-BN ...56	SM-1050-P-BN ...52	VS-126-BN ...55	VS-5000-E175 ...36
SB-1041 ...14, 19	SB-3241-MB ...19	SLV-1030 ...56, 102	SM-1080-ADA-P ...52	VS-126-ORB ...55	VS-5000-MB-E2 ...36
SB-1041-BN ...19	SB-3241-PB ...19	SLV-1030-BN ...56	SM-1080-ADA-PBN ...52	VS-127 ...9, 35	VS-5000-MB-E15 ...36
SB-1042 ...17	SB-3242 ...19	SLV-1030-UNI ...56	SM-1080-ADA-PE2 ...52	VS-127-MB ...35	VS-5000-MB-E175 ...36
SB-1042-BRB ...17	SB-3242-BRB ...19	SLV-1030-UNI-BN ...56	SM-1090-ADA-P ...53	VS-128 ...55	VS-5001 ...13
SB-1042-MB ...17	SB-3242-MB ...19	SLV-1040 ...57	SM-1090-ADA-PBN ...53	VS-128-BN ...55	VS-5001-BN-E2 ...37
SB-1042-SS ...17	SB-3242-PB ...19	SLV-1040-BN ...57	SM-1400-P ...49	VS-128-ORB ...55	VS-5001-BN-E15 ...37
SB-1043 ...17	SB-3403 ...27	SLV-1050 ...57	SM-1400-P-BN ...49	VS-129 ...55	VS-5001-BN-E175 ...37
SB-1043-BRB ...17	SB-3403-MB ...27	SLV-1050-BN ...57	SM-1410-P ...51	VS-129-BN ...55	VS-5001-E2 ...37
SB-1043-MB ...17	SB-3404 ...6	SLV-1080-ADA ...57	SM-1410-P-BN ...51	VS-129-ORB ...55	VS-5001-E15 ...37
SB-1043-SS ...17	SB-DECK ...17, 19	SLV-1080-ADA-BN ...57	SM-1430-P ...51	VS-130 ...53, 55	VS-5001-E175 ...37
SB-1321-E ...24	SB-DECK-BRB ...19	SLV-1090-ADA ...57	SM-1430-P-BN ...51	VS-130-BN ...55	VS-5001-MB-E2 ...37
SB-1621-E-PC ...10	SB-DECK-MB ...19	SLV-1090-ADA-BN ...57	SM-1450-P ...52	VS-130-ORB ...55	VS-5001-MB-E15 ...37
SB-1711-E ...24	SB-DECK-SS ...19	SLV-1310-UNI ...56	SM-1450-P-BN ...52	VS-142 ...54	VS-5001-MB-E175 ...37
SB-1711-E-BN ...24	SBS-1042 ...18	SLV-1310-UNI-BN ...56	SM-1490-ADA-P ...53	VS-145 ...54	VS-5002-BN-E2 ...37
SB-1721-E ...23	SBS-1042-BRB ...18	SLV-1330-UNI ...56	SM-1490-ADA-PBN ...53	VS-153-ADA ...71	VS-5002-BN-E15 ...37
SB-1721-E-BN ...23	SBS-1042-MB ...18	SLV-1330-UNI-BN ...56	SM-3000-IS ...49	VS-153-ADA-BN ...71	VS-5002-BN-E175 ...37
SB-2011-E ...26	SBS-1042-SS ...18	SLV-1410 ...56	SM-3060 ...52	VS-154 ...42	VS-5002-E2 ...37
SB-2011-E-BN ...26	SBS-1043 ...7, 18	SLV-1410-BN ...56	SM-3060-E175 ...52	VS-155 ...42	VS-5002-E15 ...37
SB-2111-E ...27	SBS-1043-BRB ...18	SLV-1430 ...56	SM-3400 ...49	VS-155-BN ...42	VS-5002-E175 ...37
SB-2111-E-LD ...27	SBS-1043-MB ...18	SLV-1430-BN ...56	SM-3460 ...52	VS-155-MB ...42	VS-5002-MB-E2 ...37
SB-2111-LD-BO ...27	SBS-1043-SS ...18	SLV-1450-ADA ...57	SM-3460-E175 ...52	VS-156 ...42	VS-5002-MB-E15 ...37
SB-2141 ...17	SBS-2142 ...19	SLV-1450-ADA-BN ...57	SM-5400 ...49	VS-156-BN ...42	VS-5002-MB-E175 ...37
SB-2141-BN ...17	SBS-2142-MB ...19	SLV-1490-ADA ...57	SM-8000-P ...49	VS-157 ...55	
SB-2142 ...17	SBS-2142-SS ...19	SLV-1490-ADA-BN ...57	SM-8001-P ...49	VS-157-BN ...55	
SB-2142-MB ...17	SBS-2542 ...8, 18	SLV-3010 ...56	SM-8010-P ...50	VS-157-MB ...55	
SB-2142-SS ...17	SBS-2542-BBZ ...18	SLV-3020 ...56	SM-8030-P ...51	VS-159 ...9, 42	
SB-2401 ...13, 26	SBS-2542-BN ...18	SLV-3030 ...56	SM-8400-P ...50	VS-159-BBZ ...42	
SB-2401-BN ...26	SBS-2542-MB ...18	SLV-3040 ...57	SM-8401-P ...50	VS-159-MB ...42	
SB-2421 ...13, 23	SC-1210-AF ...92	SLV-3050 ...57	SM-8410-P ...50	VS-300 ...43	
SB-2421-BN ...23	SC-1210-LH ...92	SLV-3060 ...57	SM-8430-P ...51	VS-300-BN ...43	
SB-2503 ...8, 27	SC-1220-AF ...92	SLV-3060-E175 ...57	SM-10000-P ...48	VS-300-BN-E2 ...43	
SB-2503-BBZ ...27	SC-1230-LH ...93	SLV-3070 ...57	SM-10000-P-BN ...48	VS-300-BN-E175 ...43	
SB-2503-MB ...27	SC-1240-LH ...93	SLV-3080-ADA ...57	SM-10010-P ...50	VS-300-E2 ...43	
SB-2504 ...8, 27	SC-3002-8-LD-E ...81	SLV-3090-ADA ...57	SM-10010-P-BN ...50	VS-300-E175 ...43	
SB-2504-BBZ ...27	SC-3004 ...80, 83, 84	SLV-3410 ...56	SM-10030-P ...51	VS-300-MB ...43	
SB-2504-MB ...27	SC-3004-8-LD-E ...80	SLV-3420 ...56	SM-10030-P-BN ...51	VS-300-MB-E2 ...43	
SB-2521 ...21	SC-3004-FC-LD ...80,	SLV-3430 ...56	SM-10400-P ...48	VS-300-MB-E175 ...43	
SB-2521-BBZ ...21	83, 84	SLV-3440 ...57	SM-10400-P-BN ...48	VS-1000-AF-PC ...38	
SB-2521-MB ...21	SC-3004-LD-E ...80	SLV-3450 ...57	SM-10410-P ...50	VS-1001-ADA-PC ...38	
SB-2522 ...22	SC-3044-LD-E ...81	SLV-3460 ...57	SM-10410-P-BN ...50	VS-1240 ...38	
SB-2522-BBZ ...22	SC-3084-LD-E ...81	SLV-3460-E175 ...57	SM-10430-P ...51	VS-1240-BN ...38	
SB-2522-MB ...22	SC-4072-LD-E ...81	SLV-3470 ...57	SM-10430-P-BN ...51	VS-1240-BN-E2 ...38	
SB-2523 ...22	SC-4074-LD-E ...82	SLV-3480-ADA ...57	SM-12000 ...48	VS-1240-BN-E175 ...38	
SB-2523-BBZ ...22	SC-5724-E ...81	SLV-3490-ADA ...57	SM-16000-PC ...10	VS-1240-E2 ...38	
SB-2523-MB ...22	SC-5811 ...80	SLV-3490-ADA-E175 ...57	SM-24000-P ...49	VS-1240-E175 ...38	
SB-2531 ...9, 58	SC-5811-RCP ...80	SLV-5010 ...56	SM-24000-P-BN ...49	VS-1240-MB ...38	
SB-2531-BBZ ...58	SC-5812 ...80	SLV-5020 ...56	SM-24400-P-BN ...49	VS-1240-MB-E2 ...38	
SB-2531-MB ...58	SC-5812-RCP ...80	SLV-5030 ...56	SP-8012 ...99	VS-1240-MB-E175 ...38	
SB-2533 ...9, 59	SC-7112-E ...82	SLV-5040 ...57	SUH ...90	VS-2054 ...52	
SB-2533-BBZ ...59	SC-7122-E ...82	SLV-5060 ...57	SV-3005 ...64	VS-2272-E15 ...42	
SB-2533-MB ...59	SEF-TW ...97, 102	SLV-5070 ...57	SV-3010 ...64	VS-2954 ...52	
SB-2534 ...8, 59	SE-TW-EW ...97, 102	SLV-5080-ADA ...57	SV-3105 ...64	VS-3000 ...14, 36	
SB-2534-BBZ ...59	SF-4DECK ...88	SLV-5090-ADA ...57	SV-3110 ...64	VS-3000-BN ...36	
SB-2534-MB ...59	SF-8DECK ...88	SLV-5410 ...56	SV-4012 ...64	VS-3000-BN-E2 ...36	
SB-2536 ...4, 8, 59	SF-1000 ...90	SLV-5420 ...56	SV-4016 ...64	VS-3000-BN-E175 ...36	
SB-2536-BBZ ...59	SF-1000-TMV ...90	SLV-5430 ...56	SV-4116 ...64	VS-3000-E2 ...36	
SB-2536-MB ...59	SF-2000 ...90	SLV-5440 ...57	SV-4128 ...64	VS-3000-E175 ...36	
SB-2542 ...8, 18	SF-2000-TMV ...90	SLV-5450 ...57		VS-3000-MB-E2 ...36	
SB-2542-BBZ ...18	SF-8700 ...88	SLV-5460 ...57		VS-3000-MB-E175 ...36	
SB-2542-BN ...18	SF-8700-TMV ...88	SLV-5470 ...57		VS-3010 ...14, 36	
SB-2542-MB ...18	SF-8702 ...88	SLV-5480-ADA ...57		VS-3010-BBZ-E2 ...36	
SB-2551 ...8, 25	SF-8800 ...88	SLV-5490-ADA ...57		VS-3010-BN ...36	
SB-2551-BBZ ...25	SF-8800-TMV ...88	SLV-8011 ...56		VS-3010-BN-E2 ...36	
SB-2551-MB ...25	SF-8802 ...88	SLV-8031 ...56		VS-3010-BN-E175 ...36	
SB-2552 ...8, 25	SF-9100 ...88	SLV-8411 ...56		VS-3010-E2 ...36	
SB-2552-BBZ ...25	SF-9100-TMV ...88	SLV-8431 ...56		VS-3010-E175 ...36	

T

T-5000 ...63
T-5001 ...5, 63
T-5002 ...63
T-6000 ...63
TS-9000 ...64

W

WS-3005 ...15, 43
WS-3005-BN ...43
WS-3005-MB ...43
WS-3010 ...15, 43
WS-3010-BN ...43
WS-3010-MB ...43

WARRANTY

Limited Lifetime Warranty: Speakman's residential shower head and bathroom faucet plumbing products, are warranted to be free of defects in material and workmanship for a limited lifetime after installation. Speakman warrants to its purchasers only ("Buyer") that goods are sold free from defects in materials and workmanship and conform to Speakman's specifications at the time of manufacturing, provided the goods are properly installed and maintained. Buyer's sole and exclusive remedy for any goods that may prove to have had a non-conformance within the Warranty Period shall be, at Speakman's sole option, the repair or replacement of the non-conforming goods.

This is Speakman's exclusive written warranty for residential shower head and bathroom faucet plumbing products.

Limited Lifetime Warranty: Speakman product finishes featured on shower heads, bathroom faucets, and bathroom accessories are warranted to be free of defects in material and workmanship for a limited lifetime after installation. Speakman warrants to its purchasers only ("Buyer") that goods are sold free from defects in materials and workmanship and conform to Speakman's specifications at the time of manufacturing, provided the goods are properly installed and maintained. Buyer's sole and exclusive remedy for any goods that may prove to have had a non-conformance within the Warranty Period shall be, at Speakman's sole option, the repair or replacement of the non-conforming goods.

This is Speakman's exclusive written warranty for product finishes on shower heads, bathroom faucets and bathroom accessories.

5 Year Limited Warranty: Speakman commercial and hospitality plumbing products are warranted to be free of defects in material and workmanship for 5 years from date of installation. ("Warranty Period"). Speakman warrants to its purchasers only ("Buyer") that goods are sold free from defects in materials and workmanship and conform to Speakman's specifications at the time of manufacturing, provided the goods are properly installed and maintained. Buyer's sole and exclusive remedy for any goods that may prove to have had a non-conformance within the Warranty Period shall be, at Speakman's sole option, the repair or replacement of the non-conforming goods.

This is Speakman's exclusive written warranty for commercial and hospitality plumbing products.

3 Year Limited Warranty: Speakman Safety products are warranted to be free of defects in material and workmanship for 3 years from date of installation. ("Warranty Period") Speakman warrants to its purchasers ("Buyer") that goods are sold free from defects in materials and workmanship and conform to Speakman's specifications at the time of manufacturing, provided the goods are properly installed and maintained. Buyer's sole and exclusive remedy for any goods that may prove to have had a non-conformance within the Warranty Period shall be, at Speakman's sole option, the repair or replacement of the non-conforming goods.

This is Speakman's exclusive written warranty for safety products.


1 Year Limited Warranty: Speakman bathroom accessories and commercial shower heads are warranted to be free of defects in material, workmanship, and for functionality on commercial shower heads for 1 year from date of installation. Speakman warrants to its purchasers ("Buyer") that goods are sold free from defects in materials and workmanship and conform to Speakman's specifications at the time of manufacturing, provided the goods are properly installed and maintained. Buyer's sole and exclusive remedy for any goods that may prove to have had a non-conformance within the Warranty Period shall be, at Speakman's sole option, the repair or replacement of the non-conforming goods.

This is Speakman's exclusive written warranty for bathroom accessories and commercial showerheads.

PERFECT Ceramic Cartridge Silver Limited Warranty: Speakman PERFECT Ceramic Cartridges are warranted to be free of defects in material and workmanship for 25 years from date of manufacture. ("Warranty Period"). Speakman warrants to its purchasers only ("Buyer") that goods are sold free from mechanical defects and leaking when used under normal conditions in accordance with installation and care instructions included with the product. This warranty applies only to the Speakman PERFECT Ceramic Cartridges used in Speakman Commander® faucets. The cartridge is warranted for use with potable water only. Buyer's sole and exclusive remedy for any goods that may prove to have had a non-conformance within the Warranty Period shall be, at Speakman's sole option, the repair or replacement of the non-conforming goods.

This is Speakman's exclusive written warranty for PERFECT Ceramic Cartridges.

THE ABOVE WARRANTIES CONTAIN THE ONLY WARRANTY MADE BY SPEAKMAN. ANY AND ALL OTHER WARRANTIES OF ANY KIND WHATSOEVER WHETHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED AND DISCLAIMED. BUYER AGREES THAT SPEAKMAN SHALL NOT BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, INDIRECT, SPECIAL, ECONOMIC OR PUNITIVE DAMAGES WHETHER THE THEORY BE BREACH OF THIS OR ANY OTHER WARRANTY, NEGLIGENCE, STRICT LIABILITY IN TORT OR BREACH OF CONTRACT.



SPEAKMAN®

SPEAKMAN.COM | 800.537.2107
CAT-2022-SPK

